



DT COOLING
COOLING & REFRIGERATION



CATALOGUE EDITION 7



Category Index (By Colour Code)

Category Index (By Colour Code)	Colour Code	Page No.
Butchery Equipment		1-15
Bakery Equipment		16-34
Fast Food Equipment		35-72
Processing Equipment		73-89
Display Equipment		90-115
Buffetware		116-124
Dishwasher and Racks		125-131
Heavy Duty Equipment		132-151
Refrigeration Equipment		152-170
Hotel, Sundries, Hardware & Plumbing		171-201

Index (Alphabetical)

Description	Category	Colour Code	Page
Ambient Table Top Display	Display Equipment		108
Atosa Combi Steamers	Heavy Duty Equipment		148-149
Back Bar Cooler (Beer Fridge)	Refrigeration Equipment		153
Bain Marie	Fast Food Equipment		68
Baking Tray	Bakery Equipment		31
Baking Trolley	Bakery Equipment/Hotel, Sundries and Hardware		34, 190
Bandsaw & Blade	Butchery Equipment		12-13
Banqueting Transport Trolley	Heavy Duty Equipment		134-136
Bar Blender & Jug	Processing Equipment		81-83
Beer Fridge	Refrigeration Equipment		153
Boiling Pot & Thermo D Oil	Heavy Duty Equipment		140-141
Boiling Table (Gas)	Fast Food Equipment		50, 54
Bowl Cutter	Butchery Equipment		8-10
Blood Trolley	Butchery Equipment		8
Bread Cooling Trolley	Bakery Equipment/Hotel, Sundries and Hardware		34, 191-192
Bread Pan & Lid	Bakery Equipment		33
Bread Slicer, Spare Blade & Stand	Bakery Equipment		25
Can Opener & Blade	Processing Equipment		87
Candy Floss Machine	Fast Food Equipment		58
Carvery Light	Display Equipment		91
Carvery Unit	Display Equipment		92-93
Ceramic Floor	Bakery Equipment/Fast Food Equipment		32, 63
Ceramic Insert	Buffetware/Fast Food Equipment		65-66, 122-124
Chafing Dish	Buffetware		65-66, 117-122
Char Griller (Gas)	Fast Food Equipment		49, 51
Chicken High Pressure Fryer, Basket & Filter	Fast Food Equipment		44
Chicken Rotisserie	Display Equipment		105
Chip Cutter & Blade	Processing Equipment		74
Chip Dump	Fast Food Equipment		45
Chipper Bridge	Processing Equipment		75
Chrome Shelving	Hotel, Sundries and Hardware		179
Chrome Wine Rack	Hotel, Sundries and Hardware		192
Citrus Extractor	Processing Equipment		81
Coffee Machine & Jug	Fast Food Equipment		36

Description	Category	Colour code	Page
Coldwell	Display Equipment		95
Combi Oven & Stand	Heavy Duty Equipment		147-149
Connector Hose	Hotel, Sundries and Hardware		187
Convection Oven	Heavy Duty Equipment		150
Cook & Hold Oven	Heavy Duty Equipment		138
Cooler Box	Hotel, Sundries and Hardware		174
Copmak Waste Disposal Units	Hotel, Sundries and Hardware		188-189
Counter Top Hot & Cold Displays	Display Equipment		102-103, 106-108
Counter Top Pizza Ingredient Chiller	Display Equipment/Refrigeration Equipment		104, 161
Crepe Machine	Fast Food Equipment		59
Crockery Rack	Hotel, Sundries and Hardware		193-194
Cup Warmer	Hotel, Sundries and Hardware		177
Curved Glass Display Hot & Cold Floor	Display Equipment		110-111
Cutlery Box & Cover	Dishwasher and Racks		128
Cutlery Holder	Buffetware		117
Deck Oven (Electric)	Bakery Equipment		26-28
Deck Oven (Gas) & Stand	Bakery Equipment		28-30
Dip-A-Lait Machine	Fast Food Equipment		59
Dish Caddy	Hotel, Sundries and Hardware		183
Dishwasher	Dishwasher and Racks		126-127
Dishwasher Rack and Rack Trolley	Dishwasher and Racks		128-131
Double Carvery Light	Display Equipment		91
Dough Boxes (Storage Containers)	Hotel, Sundries and Hardware		182-183
Dough Divider	Bakery Equipment		23
Dough Divider-Moulder	Bakery Equipment		23
Dough Mixer	Bakery Equipment		20-22
Dough Moulder	Bakery Equipment		23
Dough Sheeter	Bakery Equipment		24
Doughnut Fryer	Display Equipment		104
Drain Inlet	Hotel, Sundries and Hardware		186
Drain Outlet	Hotel, Sundries and Hardware		186
Drawer Warmer	Heavy Duty Equipment		137
Dunnage Rack	Hotel, Sundries and Hardware		180
Electric Hot Box	Hotel, Sundries and Hardware		176
Epoxy Shelving	Hotel, Sundries and Hardware		179
Extraction Canopy Fat Filter	Hotel, Sundries and Hardware		184
Fast Oven	Heavy Duty Equipment		146
Filling Meat Mixer	Butchery Equipment		8
Flat Top Griller (Gas)	Fast Food Equipment		47-48, 52
Flat Top Griller (Electric)	Fast Food Equipment		46-47, 53
Food Warming Cabinet	Heavy Duty Equipment		133
Foot Piece	Hotel, Sundries and Hardware		187
Freezer Stacking Crate Plastic	Hotel, Sundries and Hardware		182
Fryer	Fast Food Equipment/Heavy Duty Equipment		39-44, 55, 104,145

Description	Category	Colour code	Page
Gastronorm Inserts	Fast Food Equipment		69-70
Gastronorm Trolley	Hotel, Sundries and Hardware		191
Gelato Freezer	Display Equipment/Refrigeration Equipment		109, 162
Globe	Display Equipment		92
Goose Neck Tap	Hotel, Sundries and Hardware		184
Griller	Fast Food Equipment		46-49, 51-53
Hand Impulse Sealer	Butchery Equipment		11
Hand Meat Saw & Blade	Butchery Equipment		3
Hanging Hot Light	Display Equipment		91-92
Horizontal Sausage Filler & Funnels	Butchery Equipment		5-7
Hose Reel	Hotel, Sundries and Hardware		185
Hospital Ward Trolley	Heavy Duty Equipment		136
Hot Box & Dolley	Hotel, Sundries and Hardware		172-173
Hot Dog Cooker	Fast Food Equipment		57
Hot Plate - Sit on and Drop in	Display Equipment		94-95
Hydraulic Sausage Filler & Funnels	Butchery Equipment		7
Hydroboil	Fast Food Equipment		38
Ice Cream Machine	Display Equipment/Refrigeration Equipment		100-101, 154-155
Ice Crusher	Processing Equipment		83
Ice Machine and Ice Storage Bin	Refrigeration Equipment		164-170
IcePro Ice Machine and Ice Storage Bin	Refrigeration Equipment		167-170
Ice Trolley	Hotel, Sundries and Hardware		175
Immersion Blender, Tube & Accessories	Processing Equipment		84-86
Induction Wok, Cooker & Warmer	Fast Food Equipment		64-66
Ingredient Bin	Hotel, Sundries and Hardware		175
Insulated Hot Box Top Load	Hotel, Sundries and Hardware		174
Juice Dispenser	Display Equipment		96
Juice Extractor & Spare Blade	Processing Equipment		80
Knee Operated Hand Wash Basin	Hotel, Sundries and Hardware		190
Knife Sterilizer	Hotel, Sundries and Hardware		184
Lever Waste Drain	Hotel, Sundries and Hardware		186
Meat Mincer, Knives & Plates	Butchery Equipment		3-5
Microwave	Heavy Duty Equipment		146, 151
Milkshake Machine & Cup	Processing Equipment		74
Mixer Tap	Hotel, Sundries and Hardware		184
Mobile Plate Rack	Hotel, Sundries and Hardware		177, 183
Moduluks Boiling Table	Fast Food		54
Moduluks Combi Steamers	Heavy Duty Equipment		147
Moduluks Electric Flat Top Grill	Fast Food		53
Moduluks Gas Char Broiler	Fast Food		51
Moduluks Gas Flat Top Grill	Fast Food		52
Moduluks Gas Fryer	Fast Food		43, 55, 145
Moduluks Gas Salamander	Fast Food		45, 53
Moduluks Gas Stove With Gas Oven	Fast Food		54-55
Mop Bucket	Hotel, Sundries and Hardware		195
Muffin Pan	Bakery Equipment		31-32
Oil Filter, Powder & Paper	Fast Food Equipment		72
Oil Jacketed Boiling Pot & Thermo D Oil	Heavy Duty Equipment		140-141
Open Display Chiller	Display Equipment/Refrigeration Equipment		114-115/162-163

Description	Category	Colour code	Page
Pasta Cooker & Basket	Fast Food Equipment		56
Pie Warmer	Display Equipment		102-103
Pizza Oven (Electric)	Fast Food Equipment		62-63
Pizza Oven (Gas)	Bakery Equipment/Fast Food Equipment		28, 62
Pizza Top Underbar Refrigerator	Refrigeration Equipment		160-161
Planetary Mixer	Bakery Equipment		17-19
Plastic Shelving	Hotel, Sundries and Hardware		178
Plastic Trolley	Hotel, Sundries and Hardware		181-182
Plate Lowerator	Hotel, Sundries and Hardware		176-177
Popcorn Machine	Fast Food Equipment		58
Pot Rack	Hotel, Sundries and Hardware		192
Pot Sink - Single Bowl	Hotel, Sundries and Hardware		201
Potato Peeler	Processing Equipment		86-87
Prep Sink - Double Bowl	Hotel, Sundries and Hardware		199-201
Prep Table & Undershelf	Hotel, Sundries and Hardware		196-198
Pre-Rinse Spray	Hotel, Sundries and Hardware		185
Proover	Bakery Equipment		24-25
Refuse Bin & Bin Dolley	Hotel, Sundries and Hardware		195
Room Service Trolley & Electric Hot Box	Hotel, Sundries and Hardware		176
Round Induction Chafing Dish	Fast Food Equipment/Bufferware		65, 121
Salamander	Fast Food Equipment		45-46, 53
Sausage Griller	Fast Food Equipment		56
Sausage Slicer - Manual	Processing Equipment		75
Scale	Processing Equipment		88-89
Schwarma Machine & Shaft	Fast Food Equipment		57
Semi-Automatic Meat Slicer	Butchery Equipment		2-3
Service Trolley	Hotel, Sundries and Hardware		181-182
Slush Machine	Display Equipment		97-99
Soap Dispenser	Hotel, Sundries and Hardware		172
Solid Top Stove	Heavy Duty Equipment		139-140
Soup Kettle	Fast Food Equipment/Bufferware		67, 124
Speed Oven	Heavy Duty Equipment		146
Spice Grinder	Processing Equipment		81
Spray Head	Hotel, Sundries and Hardware		187
Square Glass Display (Hot & Cold)	Display Equipment		112-113
Square Induction Chafing Dish	Fast Food Equipment/Bufferware		66, 122
Stove with Oven	Fast Food Equipment/Heavy Duty Equipment		54-55, 144
Tea Trolley	Hotel, Sundries and Hardware		180
Tilt Pan & Tilting Skillet	Heavy Duty Equipment		142-144
Toaster	Fast Food Equipment		60-61
Tomato Slicer & Spare Blade	Processing Equipment		80
Undercounter Fridge	Refrigeration Equipment		158-160
Upright Fridge & Freezer	Refrigeration Equipment		156-158
Upright Sausage Filler & Funnels	Butchery Equipment		6-7
Vacuum Pack Machine	Butchery Equipment		13-15
Vanity Sink	Hotel, Sundries and Hardware		190
Veg Prep Combo Machine & Blade	Processing Equipment		78
Veg Prep Machine & Blade	Processing Equipment		76-77

Description	Category	Colour code	Page
Waffle Baker	Fast Food Equipment		59
Wall Type Water Boiler (Aqua Boiler)	Fast Food Equipment		38
Ward Hospital Trolley	Heavy Duty Equipment		136
Waste Disposal Unit	Hotel, Sundries and Hardware		188-189
Water Urn	Fast Food Equipment		36-37
Wedger 6 & 8 Piece & Spare Blade	Processing Equipment		79
Wok 2-Burner Gas	Heavy Duty Equipment		144
Wire Chrome Grid	Bakery Equipment/Fast Food Equipment		32, 71
Wine Racks	Hotel, Sundries and Hardware		192
Wrapping Machine	Butchery Equipment		15

About Us

DT COOLING aim to exceed our client's expectations through service, communication and quality workmanship.

Produce quality workmanship through attention to detail and innovative solutions.

Offer the highest quality refrigeration, cold-room, air conditioning and HVAC equipment to uphold our manufacturer's warranties and support our clients.

Treat clients and team members with the upmost respect and maintain a positive work environment.


We support and encourage a safe workplace for ourselves and for others.

We promote a fun, enjoyable and hard-working environment, gaining satisfaction from accomplishments and product handover.

Value the company and clients. Maintain a neat and tidy appearance and always respect clients and company property.



OUR TRUSTED BRANDS



nuove TECI1OLDGE DB... FREDDO



BUTCHERY EQUIPMENT



GATTO

EUROMATIC
TECNOLOGY S.R.L.

GATTO

Semi-Automatic Meat Slicer 220mm		
Model		HBS-220
Voltage	V	220
Power	W	210
Slice thickness	MM	0-13
Blade DIA	MM	220
Weight	KG	14
Dimension	MM	410 x 400 x 350

- Ideal for small sized establishments
- Safe blade removal
- Easy to clean

GATTO

Semi-Automatic Meat Slicer 250mm		
Model		HBS-250
Voltage	V	220
Power	W	240
Slice thickness	MM	0-17
Blade DIA	MM	250
Weight	KG	21
Dimension	MM	480 x 475 x 420

- Ideal for medium sized establishments
- Safe blade removal
- Easy to clean

GATTO

Semi-Automatic Meat Slicer 300mm		
Model		HBS-300
Voltage	V	220
Power	W	270
Slice thickness	MM	0-18
Blade DIA	MM	300
Weight	KG	28
Dimension	MM	590 x 538 x 450

- Slicer ideal for slicing meat, polony, sausage, vegetables and hard cheese



GATTO

Semi-Automatic Meat Slicer 350mm		
Model		HBS-350
Voltage	V	220
Power	W	400
Slice thickness	MM	0-30
Blade DIA	MM	350
Weight	KG	44
Dimension	MM	800 x 600 x 500

- Slicer ideal for slicing meat, polony, sausage, vegetables and hard chees



GATTO

Hand Meat Saw		
Model		BR081

- Extra blades sold separately



GATTO

Hand Meat Saw Blade		
Model		BR081-BLADE
Dimensions	MM	565



GATTO

Meat Mincer - No. 12		
Model		TK-12
Voltage	V	220
Capacity	KG/H	120
Power	KW	0.65
Weight	KG	23.5
Dimension	MM	420 x 325 x 435

- Table top electric mincer
- Perfect for hunters, farmers and any other establishment
- Painted body



GATTO

Meat Mincer - No. 22		
Model		TK-22
Voltage	V	220
Capacity	KG/H	250
Power	W	850
Weight	KG	25.5
Dimension	MM	495 x 298 x 500

- Table top electric mincer
- Ideal for small butcheries or the hunting market
- Painted body



GATTO

Meat Mincer - No. 32		
Model		TK-32
Voltage	V	220
Power	KW	1.5
Productivity	KG/H	320
Weight	KG	64.5
Dimension	MM	770 X 465 X 660

- Top quality comes standard with stomper, mincer knife & plate



GATTO

Meat Mincer - No. 42		
Model		TK42A
Voltage	V	380
Power	KW	4
Productivity	KG/H	650
Grind Size	INCH	42
Weight	KG	107
Dimension	MM	530 x 1017 x 950

- Top quality comes standard with stomper, mincer knife & plate

GATTO

Meat Mincer - No. 52		
Model		TK52A
Voltage	V	380
Power	KW	5
Productivity	KG/H	1300
Grind Size	INCH	52
Weight	KG	438
Dimension	MM	800 x 1350 x 1220

- Special order only
- Heavy duty floor standing electric mincer ideal for butcheries and meat plants etc.



Meat Mincer Knives and Plates	
Model	Descriptions
TK-12-6MM-PLATE	Mincer 6mm Plate
TK-12-8MM-PLATE	Mincer 8mm Plate
TK-12-KNIFE	Knife for TK-12
TK-22-6MM-PLATE	Mincer 6mm Plate
TK-22-8MM-PLATE	Mincer 8mm Plate
TK-22-KNIFE	Knife for TK-22
TK-32-6MM-PLATE	6mm Plate
TK-32-8MM-PLATE	8mm Plate
TK-32-KNIFE	Knife for TK-32
TK42PL-6MM	Mincer 6mm Plate
TK42PL-8MM	Mincer 8mm Plate
TK42-KNF	Knife for TK42
TK42-PLUNGER	Plunger for TK4
TK52PL-6MM	Mincer 6mm Plate
TK52PL-8MM	Mincer 8mm Plate
TK52-KNF	Knife for TK52



Horizontal Sausage Filler 3lt		
Model		3L-H
Capacity	L	3
Cylinder DIA.XL	MM	Ø140x200
Weight	KG	10.5
Dimension	MM	570 x 360 x 370

- Single speed gear
- Space Saving
- Set of funnel nozzles included to produce different size sausages
- Nozzle Sizes: 13mm, 20mm, 30mm & 40mm



Horizontal Sausage Filler 5lt		
Model		5L-H
Capacity	L	5
Cylinder DIA.XL	MM	Ø140x310
Weight	KG	12
Dimension	MM	690 x 360 x 370

- Two speed gear
- Space saving
- Set of funnel nozzles included to produce different size sausages
- Nozzle Sizes: 13mm, 20mm, 30mm & 40mm



Horizontal Sausage Filler 7lt		
Model		7L-H
Capacity	L	7
Cylinder DIA.XL	MM	Ø140x445
Weight	KG	14
Dimension	MM	845 x 360 x 370

- Two speed gear
- Space saving
- Set of funnel nozzles included to produce different size sausages
- Nozzle Sizes: 13mm, 20mm, 30mm & 40mm



GATTO

Plastic Sausage Filler Funnel		
Model		CV-FUNNEL
Dimensions	MM	180MM
Diameter	MM	55mm Ø

- Nozzle sizes: 13mm, 20mm, 30mm & 40mm
- Sold in a set of 4 nozzles



GATTO

Upright Sausage Filler 3lt		
Model		3L-V
Capacity	L	3
Cylinder DIA.XL	MM	Ø140x200
Weight	KG	11.5
Dimension	MM	370 x 360 x 570

- Single speed gear
- Space Saving
- Set of funnel nozzles included to produce different size sausages
- Nozzle Sizes: 13mm, 20mm, 30mm & 40mm



GATTO

Upright Sausage Filler 5lt		
Model		5L-V
Capacity	L	5
Cylinder DIA.XL	MM	Ø140x310
Weight	KG	13.5
Dimension	MM	370 x 360 x 690

- Two speed gear
- Space saving
- Set of funnel nozzles included to produce different size sausages
- Nozzle Sizes: 13mm, 20mm, 30mm & 40mm



GATTO

Upright Sausage Filler 7lt		
Model		7L-V
Capacity	L	7
Cylinder DIA.XL	MM	Ø140x445
Weight	KG	15.5
Dimension	MM	370 x360x845

- Two speed gear
- Space saving
- Set of funnel nozzles included to produce different size sausages
- Nozzle Sizes: 13mm, 20mm, 30mm & 40mm



GATTO

Plastic Sausage Filler Funnel		
Model		CV-FUNNEL
Dimensions	MM	180MM
Diameter	MM	55mm Ø

- Nozzle sizes: 13mm, 20mm, 30mm & 40mm
- Sold in a set of 4 nozzles



GATTO

Heavy Duty Auto Sausage Filler/Hydraulic		
Model		SF-260
Voltage	V	220
Power	W	750
Capacity	KG/HR	400
Bowl DIA	MM	Ø260
Weight	KG	150
Dimension	MM	640 x 485 x 1240

- Ideal for high volume butcheries and deli's
- Stainless steel
- Easy to clean and mobile
- Automatic
- Includes funnel nozzles
- Additional spare nozzles can be purchased separate



GATTO

S/Steel Sausage Filler Funnel		
Model		SF-260-F12
Dimensions	MM	210MM
Diameter	MM	65mm Ø
Size of funnel	MM	12mmØ

- Fits only on Hydraulic Sausage filler



GATTO

S/Steel Sausage Filler Funnel		
Model		SF-260-F18
Dimensions	MM	210MM
Diameter	MM	65mm Ø
Size of funnel	MM	18mmØ

- Fits only on Hydraulic Sausage filler



GATTO

S/Steel Sausage Filler Funnel		
Model		SF-260-F30
Dimensions	MM	210MM
Diameter	MM	65mm Ø
Size of funnel	MM	30mmØ

- Fits only on Hydraulic Sausage filler



Filling Meat Mixer - 25L		
Model		BX25
Voltage	V	220
Power	KW	2.2
Capacity	KG/HR	240
Weight	KG	87
Dimension	MM	810 x 500 x 950

- Used to blend and mix spice and fat into mince for patty's or sausages
- Supports volumes of up to 25 litres
- Ideal for large butcheries and supermarkets



Vertical Tilting Bowl Cutter - 30L		
Model		R32
Voltage	V	220
Power	KW	2.2
Capacity	L	30
Weight	Kg	50
Dimension	MM	560 x 580 x 970

- Ideal for spices, fine meats, vegetables or purees
- Removable blade for cleaning



Vertical Tilting Bowl Cutter - 50L		
Model		R50
Voltage	V	220
Power	KW	2.5
Capacity	L	50
Weight	Kg	60
Dimension	MM	600 x 600 x 1050

- Ideal for spices, fine meats, vegetables or purees
- Removable blade for cleaning



Blood Crate Trolley		
Model		CC-BCT
Dimension	MM	700 x 520 x 225
Material		Stainless Steel

- Used to thaw or drain frozen products into the tray
- Includes castors
- Freezer stacking crate to fit inside the unit is sold separately (code: PLI-PI-735-VIRGIN) on page 182



GATTO

Bowl Cutter - 20lt		
Model		QS620A
Voltage	V	220
Power	W	1100
Capacity	KG/HR	200
Weight	KG	126
Dimension	MM	775 x 710 x 940

- Floor model
- Large production



GATTO

Bowl Cutter - 30lt		
Model		QS630A
Voltage	V	380+N
Power	W	2200/2800
Capacity	KG/HR	300
Weight	KG	318
Dimension	MM	990 x 810 x 980

- Floor model
- Large production



GATTO

Bowl Cutter - 50lt		
Model		QS650A
Voltage	V	380V/50Hz
Power	W	2200/2800
Capacity	KG/HR	500
Weight	KG	403
Dimension	MM	1310 x 1070 x 1300

- Floor model
- Large production



GATTO

Bowl Cutter - 6lt		
Model		HR-6
Voltage	V	220
Power	W	750
Bowl Capacity	LT	5.5
Efficient Volume	LT	3.5
Weight	KG	19
Dimension	MM	565 x 365 x 440

- Ideal for pate, pesto's and chopping nuts, etc.



GATTO

Bowl Cutter - 9lt		
Model		HR-9
Voltage	V	220
Power	W	750
Bowl Capacity	LT	7.7
Efficient Volume	LT	4.6
Weight	KG	20
Dimension	MM	570 x 385 x 460

- Ideal for pate, pesto's and chopping nuts, etc.
- 9 Lt high volume



GATTO

Bowl Cutter - 8lt		
Model		LFC-8V1
Voltage	V	220
Power	W	800
Speed	RPM	LO: 1500/HI: 2800
Capacity	L	8
Weight	KG	23
Dimension	MM	340 x 275 x 588

- Ideal for spices, fine meats or vegetables.
- Removable blade for cleaning
- Includes manual lid scraper



GATTO

Bowl Cutter - 18lt		
Model		LFC-18V1
Voltage	V	220
Power	W	1500
Speed	RPM	LO: 1500/HI: 2800
Capacity	L	18
Weight	KG	23
Dimension	MM	390 x 312 x 713

- Ideal for spices, fine meats or vegetables.
- Removable blade for cleaning
- Includes manual lid scraper



GATTO

Hand Impulse Sealer 200mm bar		
Model		KS200
Voltage	V	220
Power	KW	0.31
Sealing width	MM	2
Sealing length	MM	200
Sealing thickness	MM	0.3
Dimension	MM	80 x 320 x 150

- Hand operated
- Provides a 2mm seal across a 200mm length
- Ideal for sealing all types of plastics, laminated bags and foil
- Plastic body



GATTO

Hand Impulse Sealer 300mm bar		
Model		KS300
Voltage	V	220
Power	KW	0.4
Sealing width	MM	2
Sealing length	MM	300
Sealing thickness	MM	0.3
Dimension	MM	85 x 450 x 180

- Hand operated
- Provides a 2mm seal across a 300mm length
- Ideal for sealing all types of plastics, laminated bags and foil
- Plastic body



GATTO

Hand Impulse Sealer 400mm bar		
Model		KS400
Voltage	V	220
Power	KW	0.6
Sealing width	MM	2
Sealing length	MM	400
Sealing thickness	MM	0.3
Dimension	MM	92 x 550 x 184

- Hand operated impulse sealer
- Provides a 2mm seal across a 400mm length
- Ideal for sealing all types of plastics, laminated bags and foil.
- Plastic body



GATTO

Hand Impulse Sealer 500mm bar		
Model		KS500
Voltage	V	220
Power	KW	0.8
Sealing width	MM	2
Sealing length	MM	500
Sealing thickness	MM	0.3
Dimension	MM	80 x 650 x 170

- Hand operated impulse sealer
- Provides a 2mm seal across a 500mm length
- Ideal for sealing all types of plastics, laminated bags and foil
- Plastic body



Table Model Band Saw		
Model		JG-210
Voltage	V	220
Power	W	750
Blade speed	M/S	15
Cutting thickness	MM	4-180
Belt wheel Ø	MM	210
Table size	MM	380 x 535
Weight	KG	45
Dimension	MM	535 x 535 x 900

- Durable and hygienic stainless steel housing
- Low energy consumption
- Safe operation
- For professional use
- Painted body



Bandsaw Blade		
Model		JG-210-BLADE

- Fits on JG-210 Bandsaw



Floor Standing Band Saw - Movable Table		
Model		JG400A
Voltage	V	220
Power	W	2200
Band saw speed	M/S	34
Table size	MM	800 x 760
Wheel diameter	MM	400
Blade Length	MM	3200
Dimensions	MM	900 x 960 x 1850
Weight	KG	140

- Painted
- Safe operation
- For professional use



Bandsaw Blade		
Model		JG400A-BLADE

- Fits on JG400A Bandsaw



Vacuum Pack Machine - External		
Model		FAST 35 DIGIT
Voltage	V	220
Structure		Stainless steel
Sealing bar	MM	350
Vacuum pump	LT/MIN	Q=20/24
Weight	KG	10
Dimension	MM	370 x 260 x 130H



- Removes air from packaging prior to sealing
- Compact and practical ideal for catering industry
- Durable stainless steel exterior
- Allows you to seal long items like fish without having to use a bigger vacuum pack machine
- Vacuum bags sold separately
- Vacuum bag- 200x300mm (qty 50)- code: VACB-200
- Vacuum bag- 250x350mm (qty 50)- code: VACB-250
- Vacuum bag- 290x400mm (qty 50)- code: VACB-290



Vacuum Pack Machine - Chamber		
Model		CVE 260
Voltage	V	230
Structure		Stainless steel
Size of the Chamber	MM	260x300x160H
Sealing Bar	MM	250
Vacuum Pump		Q = 8 m3/h-OIL
Weight	KG	32
Overall Dimension	MM	360 x 400 x 400H



- Chamber sealer, compact and practical with high work capacity
- Vacuum bags sold separately
- Vacuum bag- 200x300mm (qty 50)- code: VACB-200
- Vacuum bag- 250x350mm (qty 50)- code: VACB-250
- Vacuum bag- 290x400mm (qty 50)- code: VACB-290



Vacuum Pack Machine - Chamber		
Model		CVE 300
Voltage	V	230
Structure		Stainless steel
Size of the Chamber	MM	310x350x160H
Sealing Bar	MM	300
Vacuum Pump		Q = 8 m3/h-OIL
Weight	KG	40
Overall Dimension	MM	410 x 460 x 420H

- For heavy industrial use
- Vacuum bags sold separately
- Vacuum bag- 200x300mm (qty 50)- code: VACB-200
- Vacuum bag- 250x350mm (qty 50)- code: VACB-250
- Vacuum bag- 290x400mm (qty 50)- code: VACB-290



Vacuum Pack Machine - Chamber		
Model		CVE350
Voltage	V	230
Structure		Stainless steel
Size of the Chamber	MM	360x400x190H
Sealing Bar	MM	350
Vacuum Pump		Q = 8 m3/h-OIL
Weight	KG	55
Overall Dimension	MM	460 x 500 x 420H

- For use in supermarkets and meat plants
- Vacuum bags sold separately (sizes shown above)



Floor Standing Vacuum Pack Machine - Chamber		
Model		CVE550 SUPER
Voltage	V	400
Structure		Stainless steel
Size of the Chamber	MM	720x570x220H
Sealing Bar	MM	2 X 550
Vacuum Pump		Q = 60/70m3/h-OIL
Weight	KG	140
Dimension	MM	840 x 680 x 1050H

- Modular floor standing vacuum pack machine
- Suitable for catering industry, supermarkets and butcheries
- Durable stainless steel exterior
- Large product capacity
- Vacuum bags sold separately (sizes shown above)



GATTO

Vacuum Pack Machine - Chamber		
Model		DZ300
Power	V	220
Sealing Bar	MM	260
Chamber size	MM	260 x 330 x 90
Weight	KG	36
Dimension	MM	410 x 380 x 400

- For use in supermarkets and meat plants
- Vacuum bags sold separately (sizes shown below)



GATTO

Vacuum Pack Machine - Chamber (Double sealing bar)		
Model		DZ400
Power	V	220
Sealing Bar	MM	400
Chamber size	MM	520 x 460 x 70
Weight	KG	70
Dimension	MM	575 x 575 x 530
Pump Power	KW	0.75

- For use in supermarkets and meat plants
- Vacuum bags sold separately
- Vacuum bag- 200x300mm (qty 50)- code: VACB-200
- Vacuum bag- 250x350mm (qty 50)- code: VACB-250
- Vacuum bag- 290x400mm (qty 50)- code: VACB-290



GATTO

Wrapping Machine - 380mm		
Model		OT-202
Power	KW	1.75
Weight	KG	6
Dimension	MM	670 x 430 x 140

- Stainless steel 380mm wide capacity
- Seals base and cuts plastic
- Excludes plastic wrapping

GATTO

Wrapping Machine - 500mm		
Model		OT-203
Power	KW	0.21
Weight	KG	7
Dimension	MM	670 x 550 x 140

- Stainless steel 500mm wide capacity
- Seals base and cuts plastic
- Excludes plastic wrapping

BAKERY EQUIPMENT



GATTO



5 Liter Planetary Mixer		
Model		CS-05
Voltage	V	220
Power	KW	0.25
Speed	R/MIN	1080
Volume	L	5
Capacity	KG	0.5-0.8
Weight	KG	20,8
Dimension	MM	350 x 230 x 400

- Includes 1x whisk, 1x flat beater, 1x dough hook
- Ideal for smaller production
- Reliability at a great price
- Functional and robust



10 Liter Planetary Mixer		
Model		B10GFA
Voltage	V	220
Power	KW	0.43
Speed	R/MIN	148/244/480
Volume	L	10
Capacity	KG	2,5
Weight	KG	58
Dimension	MM	470 x 450 x 600

- Includes 1x whisk, 1x flat beater, 1x dough hook
- Quality all round
- Adjustable wheel to move bowl up and down
- Bowl guard
- Reliable



20 Liter Planetary Mixer		
Model		B20GA
Voltage	V	220
Power	KW	0.75
Speed	R/MIN	197/317/462
Volume	L	20
Capacity	KG	5
Weight	KG	83
Dimension	MM	540 x 490 x 780

- Includes 1x whisk, 1x flat beater, 1x dough hook
- Adjustable wheel to move bowl up and down
- Bowl guard
- Quality all round
- Reliable



GATTO

20 Liter Planetary Mixer (Grey) Econo		
Model		B20GAE
Voltage	V	220
Power	KW	1.1
Speed	R/MIN	105/180/425
Volume	L	20
Capacity	KG	3
Weight	KG	65
Dimension	MM	530 x 435 x 820

- Includes 1x whisk;1x flatbeater;1x dough hook
- Adjustable wheel to move bowl up and down
- Excludes safety switch and safety guard



GATTO

30 Liter Planetary Mixer		
Model		B30GA
Voltage	V	220
Power	KW	1.25
Speed	R/MIN	197/317/462
Volume	L	30
Capacity	KG	6
Weight	KG	88
Dimension	MM	570 x 510 x 810

- Includes 1x whisk, 1x flat beater, 1x dough hook
- Quality all round
- Adjustable wheel to move bowl up and down
- Bowl guard
- Reliable



GATTO

40 Liter Planetary Mixer		
Model		BM40N
Voltage	V	220
Power	KW	1.5
Speed	R/MIN	125/204/430
Volume	L	40
Capacity	KG	8
Weight	KG	165
Dimension	MM	740 x 640 x 1170

- Includes 1x whisk, 1x flat beater, 1x dough hook
- Quality all round
- Adjustable wheel to move bowl up and down
- Bowl guard
- Reliable



60 Liter Planetary Mixer		
Model		BM60KM
Voltage	V	380
Power	KW	2.5
Speed	R/MIN	74/150/288
Volume	L	60
Mix Flour	KG	8
Weight	KG	234
Dimension	MM	768 x 625 x 1250

- Includes 1x whisk, 1x flat beater, 1x dough hook
- Lifting system to adjust bowl height
- Special order only



**GATTO**

10 Liter Dough Mixer 1 Speed		
Model		CS10
Voltage	V	220
Power	W	550
Bowl Speed	R/MIN	10
Mixing Speed	R/MIN	165
Volume	L	10
Capacity	KG	5
Weight	KG	68
Dimension	MM	680 x 360 x 750
Finished Dough	KG	6

- Stainless steel safety grid
- Easy to use
- Designed to work in all bakery applications
- Great for pizza and bread
- Heavy duty

**GATTO**

20 Liter Dough Mixer 1 Speed		
Model		CS20
Voltage	V	220
Power	W	750
Bowl Speed	R/MIN	15
Mixing Speed	R/MIN	185
Volume	L	21
Capacity	KG	8
Weight	KG	70
Dimension	MM	690 x 380 x 730
Finished Dough	KG	15

- Stainless steel safety grid
- Easy to use
- Designed to work in all bakery applications
- Great for pizza and bread
- Heavy duty

**GATTO**

30 Liter Dough Mixer 1 Speed		
Model		CS30
Voltage	V	220
Power	W	1100
Bowl Speed	R/MIN	15
Mixing Speed	R/MIN	185
Volume	L	35
Capacity	KG	12
Weight	KG	90
Dimension	MM	730 x 430 x 770
Finished Dough	KG	20

- Stainless steel safety grid
- Easy to use
- Designed to work in all bakery applications
- Great for pizza and bread
- Heavy duty


GATTO
40 Litre Dough Mixer 1 Speed

Model		CS40
Voltage	V	220
Power	W	2200
Bowl Speed	R/MIN	15
Mixing Speed	R/MIN	185
Volume	L	40
Capacity	KG	16
Weight	KG	127
Dimension	MM	870 x 480 x 935
Finished Dough	KG	25

- Stainless steel safety grid
- Easy to use
- Designed to work in all bakery applications
- Great for pizza and bread
- Heavy duty


GATTO
50 Litre Dough Mixer 1 Speed

Model		CS50
Voltage	V	220
Power	W	2200
Bowl Speed	R/MIN	15
Mixing Speed	R/MIN	185
Volume	L	50
Capacity	KG	20
Weight	KG	130
Dimension	MM	920 x 530 x 935
Finished Dough	KG	32

- Stainless steel safety grid
- Easy to use
- Designed to work in all bakery applications
- Great for pizza and bread
- Heavy duty


GATTO
50 Litre Dough Mixer 2 Speed

Model		CS50A
Voltage	V	380
Power	kW	1.1/2.2
Bowl Speed	R/MIN	8/16
Mixing Speed	R/MIN	101/202
Volume	L	50
Capacity	KG	20
Weight	KG	130
Dimension	MM	920 x 530 x 935
Finished Dough	KG	32

- 2 speeds for professional baking applications
- Stainless steel safety grid
- Great for pizza and bread
- Heavy duty



GATTO

80 Litre Dough Mixer 2 Speed

Model		CS80
Voltage	V	380
Power	W	1500/2400
Bowl Speed	R/MIN	16
Mixing Speed	R/MIN	100/210
Volume	L	80
Capacity	KG	25
Weight	KG	429
Dimension	MM	1222 x 750 x 1430
Finished Dough	KG	40

- Includes high speed and low speed timer
- Great for pizza and bread
- Heavy duty
- Stainless steel safety grid



GATTO

130 Litre Dough Mixer 2 Speed

Model		CS130
Voltage	V	380
Power	W	2800/5600
Bowl Speed	R/MIN	16
Mixing Speed	R/MIN	107/210
Volume	L	130
Capacity	KG	50
Weight	KG	507
Dimension	MM	1222 x 750 x 1430
Finished Dough	KG	80

- Silent transmission system
- For big production
- Great for pizza and bread
- Heavy duty
- Stainless steel safety grid



GATTO

200 Litre Dough Mixer 2 Speed

Model		CS200
Voltage	V	380
Power	W	5000/7500
Bowl Speed	R/MIN	17
Mixing Speed	R/MIN	107/210
Volume	L	200
Capacity	KG	75
Weight	KG	675
Dimension	MM	1332 x 950 x 1510

- Bowl runs separate on its own chain system
- For big production
- Great for pizza and bread
- Heavy duty
- Stainless steel safety grid



Dough Moulder		
Model		NFZ380
Voltage	V	220
Power	W	750
Plate size	MM	380
Yield	G	10-1000
Weight	KG	190
Dimension	MM	1380 x 665 x 1095

- Rollers can be adjusted according to the dough size
- Great for bigger production
- Saves time and labour
- 4 Rollers
- Rolls dough twice



Dough Divider		
Model		NFK-36
Voltage	V	220
Power	W	750
Dough capacity	g/PC	30-120
Capacity	PC/TIME	36
Weight	KG	65
Dimension	MM	580 x 530 x 1400

- Complete with one tray & stainless steel blades
- Cuts 36 portions of 30 grams to 120 grams
- Ideal for bread rolls and small loafs production
- Smooth cutting motion



Dough Divider - Moulder		
Model		NFK-30
Voltage	V	380
Power	W	1130
Dough capacity	g/PC	30-100
Capacity	PC/TIME	30
Weight	KG	300
Dimension	MM	640 x 540 x 2100

- Moulds and divides bread rolls
- 30 portion operation
- Great quality heavy duty divider/moulder for any supermarket and bakery applications

GATTO

Dough Sheeter Table Model		
Model		SPT380
Voltage	V	220
Power	W	750
Roller speed	R/MIN	133
Roller adjust gap	MM	1-35
Weight	KG	122
Dimension	MM	1630 x 730 x 640

- Foldable conveyor belt
- Stainless steel safety grid
- Supermarket quality
- Smooth operation
- Quality finish
- Reliability is what you buy here

GATTO

Dough Sheeter Floor Standing		
Model		JDR520
Voltage	V	220
Power	W	370
Roller size	MM	520x Ø 88
Roller speed	R/MIN	124
Roller adjust gap	MM	1-35
Dough	KG	5
Belt size	MM	2000 x 500
Weight	KG	190
Dimension	MM	2050 x 870 x 1220

- Stainless steel safety grid
- Supermarket quality
- Smooth operation
- Quality finish
- Includes castors

GATTO

Single Door Prover		
Model		HT-15B
Voltage	V	220
Power	W	2500
Dimension	MM	495 x 750 x 1890

- Includes 16 adjustable tray slides
- Excludes trays
- Water temp and dry element controlled separately



Double Door Prover		
Model		HT-30B
Voltage	V	220
Power	W	2500
Dimension	MM	1000 x 750 x 1890

- Includes 32 adjustable tray slides
- No tray's included
- Water temp and dry element controlled separately



Bread Slicer (Gravity feed)		
Model		CS-Q(A)
Voltage	V	220
Power	KW	0.55
Blade QTY	PCS	32
Bread Thickness	MM	12
Weight	KG	71
Dimension	MM	750 x 650 x 780

- High quality aluminum casting
- Stainless steel cutting blades
- Manual cut



Bread Slicer Blade		
Model		CS31-BL
Blade Length	MM	570



Bread Slicer Stand		
Model		CS31S
Weight	KG	15
Stand Size	MM	560 x 570 x 900

- Stand sold separately



1 Deck 2 Pan Deck Oven Electric		
Model		HTD-20
Voltage	V	220
Power	KW	6.6
Loaves per deck		4x STD B03 or 3x STD B04 or 2x STD B05
Pans per deck		2
Dimension	MM	1260 x 810 x 530

- Takes 2x 600x400 baking trays
- Top and bottom heat control



2 Deck 4 Pan Deck Oven Electric		
Model		HTD-40
Voltage	V	380+N
Power	KW	13.2
Loaves per deck		4x STD B03 or 3x STD B04 or 2x STD B05
Pans per deck		2
Dimension	MM	1260 x 810 x 1190

- Takes 4x 600x400 baking trays
- Top and bottom heat control
- Castors for easy cleaning

BAKERY EQUIPMENT

BAKERY EQUIPMENT



DECK OVEN (ELECTRIC) - 2 TRAY & 3 TRAY



3 Deck 6 Pan Deck Oven Electric		
Model		HTD-60
Voltage	V	380+N
Power	KW	19.8
Loaves per deck		4x STD B03 or 3x STD B04 or 2x STD B05
Pans per deck		2
Dimension	MM	1260 x 810 x 1520

- Takes 6x 600x400 baking trays
- On castors for easy cleaning
- Top and bottom heat control on each deck



1 Deck 3 Pan Deck Oven Electric		
Model		YXD-30C
Voltage	V	220 / 1ph
Power	KW	8
Pan size	MM	W400 x 600
Loaves per deck		6x STD B03 or 3x STD B05 or 4x STD B04
Pans per deck		3
Weight	KG	160
Dimensions	MM	1660 x 870 x 525
Internal Dimensions	MM	1260 x D620 x 250

- Fitted glass in door for viewing process
- Takes 3x 600x400 baking trays
- Top and bottom heat control



2 Deck 6 Pan Deck Oven Electric		
Model		YXD-S-60C
Voltage	V	380 +N
Power	KW	16
Pan size	MM	W400 x D600
Loaves per deck		6x STD B03 or 3x STD B05 or 4x STD B04
Pans per deck		3
Weight	KG	288
Dimensions	MM	1660 x 895 x 1255
Internal Dimensions	MM	1260 x 620 x 250

- Maximum temperature:400°C
- On castors for easy cleaning
- Takes 6x 600x400 baking trays
- Top and bottom heat control on each deck

DECK OVEN (ELECTRIC) - 3 TRAY AND PIZZA OVEN (GAS) - 1 TRAY

GATTO



3 Deck 9 Pan Deck Oven Electric		
Model		YXD-90C
Voltage	V	380 +N
Power	KW	24
Loaves per deck		6x STD B03 or 3x STD B05 or 4x STD B04
Pans per deck incl.		3 x 600 x 400
Weight	KG	380
Dimensions	MM	1660 x 910 x 1565
Internal Dimensions	MM	1260 x 620 x250

- Takes 9x 600x400 baking pans
- On castors for easy cleaning
- Top and bottom heat control on each deck



GATTO



Gas 1 Deck 1 Pan Pizza Oven c/w Ceramic		
Model		YXY-10A
Voltage	V	220
Power	W	100
Gas type		LPG
Pressure	KPa	2,8
Gas Consumption	KG/HR	0,3
BTU		36000
N weight	KG	130
G Weight	KG	150
Dimensions	MM	1050 x 700 x 550
Internal Dimensions	MM	670 x 470 x 190

Loaves per deck	4 x STD B03 or 3 x STD B04 or 2 x STD B05
-----------------	---

- Takes 2 pizzas per ceramic
- Flame failure device
- Includes chimney
- Spare ceramic floor can be purchased separately. Code: CERAMIC 640X430 (page 32)



DECK OVEN (GAS) - 2 TRAY & 3 TRAY



220v



Loaves per deck	4 x STD B03 or 3 x STD B04 or 2 x STD B05
-----------------	---

1 Deck 2 Pan Deck Oven Gas		
Model		YXY-20A
Voltage	V	220
Power	W	100
Gas type		LPG
Pressure	KPa	2,8
Gas Consumption	KG/HR	0,3
BTU		36000
N weight	KG	130
G Weight	KG	150
Dimensions	MM	1330 x 840 x 730

- Flame failure device
- Includes chimney
- Takes 2x 600x400 Baking trays



220v



Loaves per deck	6 x STD B03 or 4 x STD B04 or 3 x STD B05
-----------------	---

1 Deck 3 Pan Deck Oven Gas		
Model		YXY-30A
Voltage	V	220
Power	W	100
Gas type		LPG
Pressure	KPa	2,8
Gas Consumption	KG/HR	0.3
BTU		36000
N weight	KG	135
Dimensions	MM	1770 x 890 x 650

- Flame failure device
- Includes chimney
- Takes 3x 600x400 Baking trays



220v



Loaves per deck	4 x STD B03 or 3 x STD B04 or 2 x STD B05
-----------------	---

2 Deck 4 Pan Deck Oven Gas		
Model		YXY-40A
Voltage	V	220
Power	W	200
Gas type		LPG
Pressure	KPa	2,8
Gas Consumption	KG/HR	0,6
BTU		72000
N weight	KG	230
G Weight	KG	270
Dimensions	MM	1330 x 840 x 1280

- Flame failure device
- Includes chimney
- Takes 4x 600x400 Baking trays

DECK OVEN (GAS) - 2 TRAY & 3 TRAY & STAND

BAKERY EQUIPMENT

BAKERY EQUIPMENT



Loaves per deck	4 x STD B03 or 3 x STD B04 or 2 x STD B05
-----------------	---

3 Deck 6 Pan Deck Oven Gas		
Model		YXY-60A
Voltage	V	220
Power	W	300
Gas type		LPG
Pressure	KPa	2,8
Gas Consumption	KG/HR	0,9
BTU		108000
N weight	KG	300
G Weight	KG	350
Dimensions	MM	1330 x 840 x 1660

- Flame failure device
- Includes chimney
- Takes 6x 600x400 Baking trays



Loaves per deck	6 x STD B03 or 4 x STD B04 or 3 x STD B05
-----------------	---


3 Deck 9 Pan Deck Oven Gas		
Model		YXY-90A
Voltage	V	220
Power	W	300
Gas type		LPG
Pressure	KPa	2,8
Gas Consumption	KG/HR	0,9
BTU		108000
N weight	KG	328
G Weight	KG	350
Dimensions	MM	1770 x 890 x 1705
Internal Dimensions	MM	1300 x 640 x 230

- Flame failure device
- Includes chimney
- Takes 6x 600x400 Baking trays



Mild Steel Stand for 1 Deck 2 Tray Oven		
Model		MSS-1002

- Fits YXY-20A
- Fits HTD-20



Mild Steel Stand for 1 Deck 3 Tray Oven		
Model		MSS-1003

- Fits YXY-30A
- Fits YXD-30C



GATTO

Pressed Aluminized Alloy Baking Tray		
Model		NF-2013
Measurements	MM	400 x 600 x 30
Thickness	MM	0.8



GATTO

Pressed Aluminized Alloy Baking Tray Perforated		
Model		NF-2013P
Measurements	MM	400 x 600 x 30



GATTO

Pressed Aluminized Steel Baking Tray		
Model		NF-2015
Measurements	MM	400 x 600 x 50
Thickness	MM	0.8



GATTO

Alusteel Mini Muffin Pan - 35 Cup		
Model		MPA-0035
Tray Dimension	MM	600 x 400 x 32
Single Mold Size	MM	52Ø TOP x 42Ø BOTTOM x 24 DEPTH
No. of Cups		35



GATTO

Alusteel Regular Muffin Pan - 24 Cup		
Model		MPA-0024
Tray Dimension	MM	600 x 400 x 32
Single Mold Size	MM	73Ø TOP x 52Ø BOTTOM x 27 DEPTH
No. of Cups		24

MUFFIN PAN, WIRE CHROME GRID AND CERAMIC FLOOR



GATTO

Alusteel Large Muffin Pan - 15 Cup		
Model		MPA-0015
Tray Dimension	MM	600 x 400 x 32
Single Mold Size	MM	80Ø TOP x 72Ø BOTTOM x 20 DEPTH
No. of Cups		15



GATTO

Alusteel Jumbo Muffin Pan - 15 Cup		
Model		MPA-1015
Tray Dimension	MM	600 x 400 x 38
Single Mold Size	MM	90Ø TOP x 87Ø BOTTOM x 35 DEPTH
No. of Cups		15



GATTO

Baking Wire Chrome Grid - 600 x 400mm		
Model		SGC-0600
Measurements	MM	400 x 600



GATTO

Gastronorm Wire Chrome Grid - GN1/1		
Model		SGG-0530
Measurements	MM	530 x 325
Size		GN1/1



GATTO

Gastronorm Wire Chrome Grid (GN2/1)		
Model		SGG-0650
Measurements	MM	650 x 530
Size		GN2/1



GATTO

Ceramic Floor - Rectangular		
Model		CERAMIC 640x430
Dimension	MM	640X430

- Ideal for Pizza ovens



GATTO

Standard 3 Division Bread Pan		
Model		BO3
Single Pan Measurement	MM	275 x 105 x 115
Strap Measurements	MM	360 x 285



GATTO

Standard 3 Division Bread Pan Lid		
Model		BO3 LID
Measurements	MM	360 x 285



GATTO

Standard 4 Division Bread Pan		
Model		BO4
Single Pan Measurement	MM	275 x 105 x 115
Strap Measurements	MM	470 x 285



GATTO

Standard 4 Division Bread Pan Lid		
Model		BO4 LID
Measurements	MM	470 x 285



GATTO

Standard 5 Division Bread Pan		
Model		BO5
Single Pan Measurement	MM	275 x 105 x 115
Strap Measurements	MM	585 x 285



GATTO

Standard 5 Division Bread Pan Lid		
Model		BO5 LID
Measurements	MM	585 x 285



GATTO

15 Tier Baking Tray - Stainless Steel		
Model		A1055
Dimension	MM	470 x 620 x 1735

- 15 Trays size: 400x600mm



GATTO

5 Tier Bread Cooling Trolley		
Model		BTD-5
Dimension	MM	900 x 580 x 1500
Wheel Diameter	MM	100

- Ideal for supermarkets
- Swivel castors for easy movement



GATTO

7 Tier Bread Cooling Trolley		
Model		BTD-7
Dimensions	MM	900 x 580 x 1955
Wheel Diameter	MM	100

- Ideal for supermarkets
- Swivel castors for easy movement

FAST FOOD EQUIPMENT



GATTO



GATTO

Coffee Machine 1 Jug		
Model		JK-B
Voltage	V	220
Power	W	2020
Weight	KG	6.8
Dimension	MM	205 x 405 x 455

- 1 glass jug included (Capacity 1.8L)
- Built in stainless steel, with tank
- Manual filling
- Heating pad on bottom and top



GATTO

Coffee Machine Jug 1.8L		
Model		CM001-J
Capacity	L	1.8

- Extra Coffee machine jugs



GATTO



Water Urn 6L - Anti-boil dry		
Model		ML-6B1
Voltage	V	220
Power	W	1600
Capacity	L	6
Weight	KG	1.5
Dimension	MM	150 x 350

- Anti-boil dry safety included
- Advanced fast heat system
- Low energy consumption



GATTO



Water Urn 10L - Anti-boil dry		
Model		ML-10B1
Voltage	V	220
Power	W	1600
Capacity	L	10
Weight	KG	2
Dimension	MM	220 X 500

- Anti-boil dry safety included
- Advanced fast heat system
- Low energy consumption



GATTO



Water Urn 16L - Anti-boil dry		
Model		ML-16B1
Voltage	V	220
Power	W	1600
Capacity	L	16
Weight	KG	2.6
Dimension	MM	290 x 452

- Anti-boil dry safety included
- Advanced fast heat system
- Low energy consumption



GATTO



Water Urn 20L - Anti-boil dry		
Model		ML-20B1
Voltage	V	220
Power	W	1600
Capacity	L	20
Weight	KG	2.8
Dimension	MM	290 x 558

- Anti-boil dry safety included
- Advanced fast heat system
- Low energy consumption



GATTO



Water Urn 30L - Anti-boil dry		
Model		ML-30B1
Voltage	V	220
Power	W	2500
Capacity	L	30
Weight	KG	3.5
Dimension	MM	290 x 618

- Anti-boil dry safety included
- Advanced fast heat system
- Low energy consumption



GATTO

Wall Type Water Boiler 5lt		
Model		BF-05
Voltage	V	220
Power	W	1500
Tank volume	L	5
Capacity	L/H	19
Weight	KG	7.8
Dimension	MM	430 x 178 x 290

- Thermostatically controlled
- Instant boiling water system



GATTO

Wall Type Water Boiler 10lt		
Model		BF-10
Voltage	V	220
Power	W	2000
Tank volume	L	10
Capacity	L/H	32
Weight	KG	9.8
Dimension	MM	330 x 210 x 430

- Includes a 2 way safety tap
- Instant boiling water system



GATTO

Wall Type Water Boiler 18lt		
Model		BF-18
Voltage	V	220
Power	W	3000
Tank volume	L	18
Capacity	L/H	60
Weight	KG	13
Dimension	MM	400 x 250 x 520

- S/steel boiling chamber
- Instant boiling water system



GATTO

Wall Type Water Boiler 30lt		
Model		BF-30
Voltage	V	380
Power	W	6000
Tank volume	L	30
Capacity	L/H	90
Weight	KG	15.2
Dimension	MM	450 x 260 x 580

- S/steel boiling chamber
- Instant boiling water system



GATTO

1x6Lt Table Top Electric Fryer		
Model		OT-6L
Voltage	V	220
Power	KW	2500
Weight	KG	5.5
Dimension	MM	265 x 430 x 295

- Sold with 1 basket
- Limit switch safety
- Override thermostat protection



GATTO

2X6Lt Table Top Electric Fryer		
Model		OT-6L-2
Voltage	V	220
Power	KW	2500+2500
Weight	KG	12
Dimension	MM	550 x 430 x 295

- Sold with 2 baskets
- Limit switch safety
- Override thermostat protection



GATTO

6LT Fryer Basket		
Model		OT-6L-BASKET
Measurements	MM	240 x 190 x 100

- Fits on OT-6L & OT-6L-2



GATTO

1x8Lt Table Top Electric Fryer		
Model		OT-8L
Voltage	V	220
Power	KW	3250
Weight	KG	5.5
Dimension	MM	265 x 430 x 345

- Sold with 1 basket
- Limit switch safety
- Override thermostat protection



GATTO

2x8Lt Table Top Electric Fryer		
Model		OT-8L-2
Voltage	V	220
Power	KW	3.25+3.25
Weight	KG	12
Dimension	MM	550 x 430 x 345

- Sold with 2 baskets
- Limit switch safety
- Override thermostat protection



GATTO

8LT Fryer Basket		
Model		OT-8L-BASKET
Measurements	MM	240 x 190 x 140

- Fits on OT-8L-2



GATTO

1x6LT Econo Fryer		
Model		OT-6L (ECONO)
Voltage	V	220
Power	KW	2500
Weight	KG	5.5
Dimension	MM	265 x 430 x 295

- Sold with 1 basket
- Limit switch
- Override thermostat protection
- Night Cover included



GATTO

2x6LT Econo Fryer		
Model		OT-6L-2 (ECONO)
Voltage	V	220
Power	KW	2500+2500
Weight	KG	12
Dimension	MM	550 x 430 x 295

- Sold with 2 baskets
- Limit switch
- Override thermostat protection
- Night cover included



GATTO

6LT Fryer Basket		
Model		OT-6L-BASKET
Measurements	MM	240 x 190 x 100

- Fits on OT-6L (ECONO) & OT-6L-2 (ECONO)



GATTO

1x12L Table Top Gas Fryer with Safety Devices		
Model		OT-71A
Power		LPG
BTU		20700
Capacity	L	8
Weight	KG	14
Dimension	MM	310 x 660 x 550

- Sold with 1 basket
- Gas fryer with flame failure device



GATTO

2x12L Table Top Gas Fryer with Safety Devices		
Model		OT-72A
Power		LPG
BTU		41400
Capacity	L	8+8
Weight	KG	27
Dimension	MM	616 x 660 x 550

- Sold with 2 baskets
- Gas fryer with flame failure device

GATTO



12L Fryer Basket		
Model		OT-71/72A BASKET
Measurements	MM	280 x 200 x 150

- Fits on OT-71A & OT-72A



GATTO

Floor Standing 2x14Lt Fryer includes Baskets		
Model		OT14-2
Voltage	V	380+N
Power	KW	9+9
Capacity	L	14x2
Weight	KG	60
Dimension	MM	400 x 800 x 1100

- Double tank sold with 2 baskets
- Very fast - 18kw
- Safety thermostat cut out system
- Night cover included



GATTO

Floor Standing 1x28Lt Fryer includes Baskets		
Model		OT-28L
Voltage	V	380
Power	KW	18
Capacity	L	28
Weight	KG	60
Dimension	MM	400 x 800 x 1100

- Single tank sold with 2 baskets
- Night cover included
- Very fast - 18kw
- Floor standing fryer suitable for medium size facilities
- Night cover included



GATTO

Floor Standing 2x28Lt Fryer includes Baskets		
Model		OT-28L-2
Voltage	V	380+N
Power	KW	18+18
Capacity	L	28x2
Weight	KG	100
Dimension	MM	800 x 800 x 1100

- Sold with 4 baskets
- Very fast - 36kw
- Night cover included



GATTO

Floor Standing Fryer Basket		
Model		OT-FRYER-BASKET
Measurements	MM	335 x 160 x 150

- Fits on OT14L-2, OT-28L, OT-28L-2 & OT-2G

GAS FRYER, SPARE FRYER BASKET



1x28Lt Gas Floor Standing Fryer includes baskets		
Model		OT-2G
Power		LPG
Weight	KG	60
Dimension	MM	380 x 720 x 1050

- High power 3 burner tube fryer
- Single tank sold with 2 baskets
- Complete with flame failure device



2x20Lt Gas Floor Standing Fryer includes baskets		
Model		OT-2G-2
Power		LPG
Capacity	L	20+20
Weight	KG	70
Dimension	MM	638 x 770 x 1110

- Double tank sold with 2 baskets
- Complete with flame failure device



4 Burner 1 Tank 2 Basket Fryer - Millivolt Gas Valve		
Model		MOD-CP-F4S-LP
Voltage	V	220
Power/burner	kW	8
Number of burners		4
Total power	kW	32
Oil capacity	L	20-23
Weight	KG	63
Dimension	MM	394 x 794 x 1150

- Solid state control behind the door to ensure faster, more precise heat recovery
- Standard with melt cycle and drain valve interlock switch (DVI) - interlock control prevents 'dry firing'
- Melt cycle switch that allows the shortening to heat slowly when in the "ON" position
- Indicator lights; "ON/OFF" & Melt Cycle
- Solid state control thermostat: 92—190°C
- Over temperature protection on 232°C
- Requires a 220V plug point connection



Floor Standing Fryer Basket		
Model		OT-FRYER-BASKET
Measurements	MM	335 x 160 x 150

- Fits on OT14L-2, OT-28L, OT-28L-2 & OT-2G

CHICKEN HIGH PRESSURE FRYER, SPARE BASKET & FILTER PAPER



GATTO

Chicken High Pressure Fryer - Electric		
Model		PFE-600
Voltage	V	380+N
Power	KW/H	13.5
Temperature	°C	50-300
Capacity	L	25
Dimension	MM	486 x 968 x 1219

- Programmable mode for busy chicken outlets
- Pressure safety
- Includes filter and pump
- Cooking capacity of 5-6 kg of chicken or 36 chicken pieces or 4 x 1/2 chickens.
- Cooking time : 12-15 min



GATTO

Basket For Chicken Pressure Fryer - Single Layer		
Model		PFE-600-BASKET-SNG
Dimension	MM	390 x 355 x 155



GATTO

Basket For Chicken Pressure Fryer - Multi Layer		
Model		PFE-600-BASKET-MUL
Dimension	MM	390 x 355 x 155



GATTO

Filter Paper for Pressure Fryer		
Model		PFE600-FILTERBAG
Dimension	MM	500 x 350

- Sold in a pack of 100



GATTO

Chip Dump		
Model		OT-310
Voltage	V	220
Power	KW	1
Weight	KG	8
Dimension	MM	330 x 560 x 500

- Perforated holding bin to drain excess oil from chips
- Heated light



MODULUKS



900mm Gas Salamander		
Model		MOD-CP-HP36-M
BTU		32 000
Weight	KG	58
Dimension	MM	914 x 453 x 450

- Full width broiler
- 3/4 inch rear gas connection
- Three position adjustable spring balanced rack
- Ball grip handle on adjustable rack for ease and comfort
- Four inch adjustable height, non-skid stainless steel
- Ready to mount over MOD-CP-R36
- Full stainless steel front and sides



GATTO

Electric Salamander - 400mm Wide		
Model		EB400
Voltage	V	220
Power	KW	2.8
Temperature	°C	50-300
Weight	KG	39
Dimension	MM	450 x 450 x 500

- Adjustable top
- Crum tray included



GATTO

Electric Salamander - 600mm Wide		
Model		EB600
Voltage	V	220
Power	KW	4
Temperature	°C	50-300
Weight	KG	49
Dimension	MM	600 x 450 x 500

- Adjustable top
- Crum tray included

SALAMANDER (ELECTRIC) & FLAT TOP GRILLER (ELECTRIC)

GATTO



Table Model Electric Salamander		
Model		OT-937
Voltage	V	220
Power	KW	4
Weight	KG	28
Dimension	MM	840 x 415 x 475

- Full S/steel
- Adjustable shelves
- Crum tray included

GATTO



400MM Flat Top Table Top Electric Griller		
Model		OT-400
Voltage	V	220
Power	KW	3
Weight	KG	23
Dimension	MM	400 x 500 x 265

- User friendly
- Ideal for small operations
- Flat surface- easy to clean

GATTO



600MM Flat Top Table Top Electric Griller		
Model		OT-600
Voltage	V	220
Power	KW	6
Weight	KG	33
Dimension	MM	600 x 500 x 265

- Flat surface- easy to clean

GATTO



600MM 1/2 Flat 1/2 Ribbed Table Top Electric Griller		
Model		OT-600F
Voltage	V	220
Power	KW	6
Weight	KG	33
Dimension	MM	600 x 500 x 265

- Multi functional griller - for ribbed or flat grilling

GATTO



Flat Top Grill 530mm ECONO		
Model		OT-818
Voltage	V	220
Power	KW	3
Weight	KG	26
Dimension	MM	530 x 410 x 225

- User friendly
- Ideal for small operations
- Flat surface- easy to clean

GATTO



Flat Top Grill 730mm ECONO		
Model		OT-820
Voltage	V	220
Power	KW	4
Weight	KG	38
Dimension	MM	730 x 480 x 225

- User friendly
- Ideal for small operations
- Flat surface - easy to clean



GATTO



600MM Flat Top Gas Griller		
Model		OT-GT-24
Power		LPG
Weight	KG	91
Dimension	MM	610 x 840 x 360+60

- Heavy duty
- Gas ideal for outside use

600MM Flat Top Gas Griller - Floor Standing		
Model		OT-GT-24FS
Power		LPG
Weight	KG	91
Dimension	MM	610 x 840 x 900

- Option of floor standing or table model



GATTO

900MM Flat Top Gas Griller		
Model		OT-GT-36
Power		LPG
Weight	KG	129
Dimension	MM	915 x 840 x 360+60

- Heavy duty

900MM Flat Top Gas Griller - Floor Standing		
Model		OT-GT-36FS
Power		LPG
Weight	KG	129
Dimension	MM	915 x 840 x 900

- Option of floor standing or table model



GATTO

1200MM Flat Top Gas Griller		
Model		OT-GT-48
Power		LPG
Weight	KG	169
Dimension	MM	1220 x 840 x 360+60

- Gas ideal for outside use

1200MM Flat Top Gas Griller - Floor Standing		
Model		OT-GT-48FS
Power		LPG
Weight	KG	169
Dimension	MM	1220 x 840 x 900

- Option of floor standing or table model



CHAR GRILLER (GAS)



GATTO

600MM Gas Char Broiler		
Model		OT-24A
Power		LPG
Weight	KG	94
Dimension	MM	610 x 770 x 360+100

600MM Gas Char Broiler - Floor Standing		
Model		OT-24AFS
Power		LPG
Weight	KG	94
Dimension	MM	610 x 770 x 900

- Robust
- Automatic flame failure device



GATTO

900MM Gas Char Broiler		
Model		OT-36A
Power		LPG
Weight	KG	134
Dimension	MM	915 x 770 x 360+100

900MM Gas Char Broiler - Floor Standing		
Model		OT-36AFS
Power		LPG
Weight	KG	134
Dimension	MM	915 x 770 x 900

- Robust
- Stainless steel splash back
- Ideal for steak



GATTO

1200MM Gas Char Broiler		
Model		OT-48A
Power		LPG
Weight	KG	174
Dimension	MM	1220 x 770 x 360+100

1200MM Gas Char Broiler - Floor Standing		
Model		OT-48AFS
Power		LPG
Weight	KG	174
Dimension	MM	1220 x 770 x 900

- Robust
- Heavy duty
- Drip tray included

BOILING TABLE (GAS)



GATTO

Boiling Table 2 Burner		
Model		OT-RB-2
Power		LPG
Weight	KG	34
Dimension	KG	300 X 770 X 360+60

Boiling Table 2 Burner - Floor Standing		
Model		OT-RB-2FS
Power		LPG
Weight	KG	34
Dimension	KG	300 X 770 X 900

- Heavy duty cast iron burners
- Drip tray included

GATTO



Boiling Table 4 Burner		
Model		OT-RB-4
Power		LPG
Weight	KG	59
Dimension	KG	600 X 770 X 360+60

Boiling Table 4 Burner - Floor Standing		
Model		OT-RB-4FS
Power		LPG
Weight	KG	59
Dimension	KG	600 X 770 X 900

- Heavy duty cast iron burners
- Drip tray included



GATTO

Boiling Table 6 Burner		
Model		OT-RB-6
Power		LPG
Weight	KG	84
Dimension	KG	900 X 770 X 360+60

Boiling Table 6 Burner - Floor Standing		
Model		OT-RB-6FS
Power		LPG
Weight	KG	84
Dimension	KG	900 X 770 X 900

- Heavy duty cast iron burners
- Drip tray included

MODULUKS GAS CHAR BROILER



600MM Radiant Gas Char Broiler		
Model		MOD-CP-CB24-M
BTU/Burner	BTU	35 000
Number of burners		2
Power	KW	17
Weight	KG	50.5
Dimension	MM	610 x 734 x 390



900MM Radiant Gas Char Broiler		
Model		MOD-CP-CB36-M
BTU/Burner	BTU	35 000
Number of burners		3
Power	KW	25.5
Weight	KG	70
Dimension	MM	910 x 734 x 390

- Stainless steel cabinets sold separately
- Open base cabinet code for MOD-CP-CB24-M: MOD-CTC24
- Stand code for MOD-CP-CB24-M: MOD-CTB24
- Open base Cabinet code for MOD-CP-CB36-M: MOD-CTC36
- Stand code for MOD-CP-CB36-M: MOD-CTB36
- U-shape burners provides even heat distribution
- Flame failure protection included
- Cool-to-the-touch front stainless steel edge
- Adjustable stainless steel legs, non-skid feet
- Easy to remove, full width drip tray
- Available without flame failure: MOD-CP-CB24-M-NFF
- Available without flame failure: MOD-CP-CB36-M-NFF





600MM Gas Flat Top Grill		
Model		MOD-CP-G24-M
BTU/Burner	BTU	35 000
Number of burners		2
Power	KW	17
Weight	KG	70.5
Dimension	MM	610 x 734 x 390



900MM Gas Flat Top Grill		
Model		MOD-CP-G36-M
BTU/Burner	BTU	35 000
Number of burners		3
Power	KW	25.5
Weight	KG	100
Dimension	MM	914 x 734 x 390

- Stainless steel cabinets sold separately
- Includes flame failure protection
- Open base cabinet code for MOD-CP-G24-M: MOD-CTC2
- Stand code for MOD-CP-G24-M: MOD-CTB24
- Open Base Cabinet code for MOD-CP-G36-M: MOD-CTC36
- Stand code for MOD-CP-G36-M: MOD-CTB36
- 20mm thick griddle plate
- Flame failure protection
- Cool-to-the-touch front stainless steel edge
- Adjustable stainless steel legs, non-skid feet
- Easy to remove, 4.25L grease drawer with weep hole
- Back and side splash guards fully welded to griddle plate
- Available without flame failure: MOD-CP-G24-M-NFF
- Available without flame failure: MOD-CP-G36-M-NFF



900MM Electric Flat Top Grill		
Model		MOD-CP-EG36
Voltage	V	220V
Power	KW	10
No. of elements		3
kW per element	kW	3356
Weight	KG	115.5
Dimension	MM	914 x 734 x 390mm

- Cabinet sold separately
- Open Base Cabinet code for MOD-CP-EG36: MOD-CTC36
- Stand code for MOD-CP-EG36: MOD-CTB36
- 25mm thick griddle plate for even heat distribution
- Cool-to-the-touch front stainless steel edge
- Adjustable stainless steel legs, non-skid feet
- Easy to remove, 4.25L grease drawer with weep hole
- Back and side splash guards fully welded to griddle plate



900MM Gas Salamander		
Model		MOD-CP-HP36-M
BTU		32 000
Weight	KG	58
Dimension	MM	914 x 453 x 450

- Full width broiler
- 3/4 inch rear gas connection
- Three position adjustable spring balanced rack
- Ball grip handle on adjustable rack for ease and comfort
- Four inch adjustable height, non-skid stainless steel legs included for countertop operation
- Ready to mount over MOD-CP-R36
- Full stainless steel front and sides

MODULUKS BOILING TABLE & 4 BURNER GAS STOVE WITH GAS OVEN



4 Burner Boiling Table		
Model		MOD-CP-HP24-M
Power	kW	30
No. of burners		4
Weight	KG	43.5
Dimension	MM	310 x 734 x 325mm



6 Burner Boiling Table		
Model		MOD-CP-HP36-M
Power	kW	45
No. of burners		6
Weight	KG	61.5
Dimension	MM	915 x 734 x 325

- Stainless steel cabinets sold separately
- Open Base Cabinet code for MOD-CP-HP24-M: MOD-CTC24
- Stand code for MOD-CP-HP24-M: MOD-CTB24
- Open Base Cabinet code for MOD-CP-HP36-M: MOD-CTC36
- Stand code for MOD-CP-HP36-M: MOD-CTB36
- 12" x 12" cast iron grates, octagonal open burner
- Flame failure protection
- Cool-to-the-touch front stainless steel edge
- Adjustable stainless steel legs, non-skid feet
- Easy to remove, full width drip tray
- Available without flame failure: MOD-CP-HP24-M-NFF
- Available without flame failure: MOD-CP-HP36-M-NFF



4 Burner Gas Stove with Gas Oven		
Model		MOD-CP-R24
Power/top burner	kW	7.5
Power/oven burner	KW	7.5
Total power	kW	37.5
Oven cavity	MM	508 x 635 x 350
Weight	KG	121.5
Dimension	MM	610 x 760 x 1500

MODULUKS 6 BURNER GAS STOVE WITH GAS OVEN & GAS FRYER



6 Burner Gas Stove with Gas Oven		
Model		MOD-CP-R36
Power/top burner	kW	7.5
Power/oven burner	KW	7.5
Total power	kW	52.5
Oven cavity	MM	660 x 635 x 350
Weight	KG	165
Dimension	MM	910 x 760 x 1500

- Flame failure protection
- Cool-to-the-touch front stainless steel edge
- Stainless steel rear Splashback with riser
- Oven thermostat adjustable from 100—250°C
- Oven interior side guides & bottom is porcelain coated
- Available without flame failure: MOD-CP-R24-NFF
- Available without flame failure: MOD-CP-R36-NFF



4 Burner 1 Tank 2 Basket Fryer - Millivolt Gas Valve		
Model		MOD-CP-F4S-LP
Voltage	V	220
Power/burner	kW	8
Number of burners		4
Total power	kW	32
Oil capacity	L	20-23
Weight	KG	63
Dimension	MM	394 x 794 x 1150

- Solid state control behind the door to ensure faster, more precise heat recovery
- Standard with melt cycle and drain valve interlock switch (DVI) - interlock control prevents 'dry firing'
- Melt cycle switch that allows the shortening to heat slowly when in the "ON" position
- Indicator lights; "ON/OFF" & Melt Cycle
- Solid state control thermostat: 92—190°C
- Over temperature protection on 232°C
- Requires a 220V plug point connection



What are the advantages of a solid state control fryer?

- **Greater Temperature Control** - With a plus or minus 16°C reactivity from a 180°C set temperature, millivolt controls offer a more accurate and precise control of the heating temperature. A more precise temperature results in a more consistent quality of the product being fried. A solid state thermostat reacts much faster than the traditional thermostat which can be at least 15% out.
- **Longer Oil Life** - Over-temperature as a result of inaccurate thermostatic control can drastically degrade oil quality.
- **Safety** - A more accurate millivolt controller is less likely to result in over-temperature of the oil, making it safer to operate



GATTO

Table Model Pasta Cooker - 4 basket		
Model		OT-4
Voltage	V	220
Power	KW	4
Weight	KG	7.5
Dimension	MM	355 x 380 x 295

- 4 pasta baskets included
- Firm durable and easy to operate
- Extra baskets sold separately



GATTO

Table Model Pasta Cooker - 6 baskets		
Model		OT-6
Voltage	V	220
Power	KW	6
Weight	KG	10.5
Dimension	MM	535 x 380 x 295

- 6 pasta baskets included
- Firm durable and easy to operate
- Extra baskets sold separately



GATTO

Pasta Cooker Basket		
Model		OT-6-BASK/OT-4-BASK
Measurements	MM	585 x 285

- Fits on OT-4 & OT-6



GATTO

Sausage Griller		
Model		HD-11S
Voltage	V	220
Power	KW	0.88
Element QTY	PCS	11
Dimension	MM	580x465x225

- Stainless steel frame
- 11 rollers for display cooking



GATTO

Hot Dog Cooker 3 Spikes		
Model		HD-TW
Voltage	V	220
Power	KW	0.7
Weight	KG	9.23
Dimension	MM	467 x 300 x 385

- Cooks sausages while heating up rolls
- Ideal for fast food outlets



GATTO

Electric Shawarma Machine		
Model		OT-850
Voltage	V	220
Power	KW	6
Weight	KG	26
Dimension	MM	580 x 650 x 950

- Adjustable spit base
- Individual heating options



GATTO

Gas Shawarma Machine - 4 Burner		
Model		OT-950
Power		LPG
Weight	KG	27
Dimension	MM	580 x 650 x 950

- Adjustable spit base
- Gas type: high infrared heat regulation

GATTO

Shawarma Machine Shaft		
Model		OT-950/850 SHAFT
Measurements	MM	585 x 285

- Fits on OT-850 & OT-950





GATTO

8 OZ Popcorn Machine		
Model		OT-08
Voltage	V	220
Power	KW	1.3
Weight	KG	22
Dimension	MM	520 x 420 x 680

- Counter top unit
- Non stick pot for easy cleaning



GATTO

16 OZ Popcorn Machine		
Model		OT-08B
Voltage	V	220
Power	KW	2.3
Weight	KG	46
Dimension	MM	800 x 600 x 1100

- Counter top unit
- Non stick pot for easy cleaning



GATTO

Candy Floss Machine (Electric)		
Model		ET-MF01
Voltage	V	220
Power	KW	1.03
Output	MIN/PC	30
Dimension	MM	520 x 520 x 500

- Candy floss in seconds
- Electric



GATTO

Candy Floss Machine (Gas)		
Model		ET-RMF01
Voltage	V	220
Power	KW	0.08
Output	MIN/PC	30
Dimension	MM	730 x 730 x 500

- Candy floss in seconds
- Gas heated



GATTO

Single Crepe Machine		
Model		OE-1
Voltage	V	220
Weight	KG	23
Dimension	MM	450 x 485 x 240

- Cast iron plate ensures even heat
- Non stick
- Includes wood batter spreader



GATTO

Single Waffle Baker - Round		
Model		OT-UB-1
Voltage	V	220
Power	KW	1
Weight	KG	8
Dimension	MM	250 x 330 x 280

- Iron mold allows an equal cooking



GATTO

Rectangular Waffle Maker - Flip Over		
Model		OT-UB-1Y
Voltage	V	220
Power	KW	1.3
Temperature	°C	50-275
Plate size	MM	220 x 150
Tooth size	MM	11 x 12.5 x 16
Dimension	MM	450 x 460 x 245

- Cast iron design gives perfect regular cooking
- Non stick
- Easy to use
- Belgian



GATTO

2 Division Dip-a-Lait Machine		
Model		GDA-0002
Voltage	V	220
Capacity		2x GN1/6
Power	KW	1
Weight	KG	8
Dimension	MM	250 x 330 x 280

- To keep chocolate or caramel dips warm
- Dry heat, variable control
- Includes 2x GN1/6 inserts



GATTO

4 Slice Toaster		
Model		OT-4ATS
Voltage	V	220
Power	KW	1.9
Weight	KG	6
Dimension	MM	370 x 210 x 225

- Timer with sound alarm
- Hand pop up system



GATTO

6 Slice Toaster		
Model		OT-6ATS
Voltage	V	220
Power	KW	2.74
Weight	KG	7
Dimension	MM	460 x 210 x 225

- Timer with sound alarm
- Hand pop up system



GATTO

Conveyor Toaster		
Model		TDL-300
Voltage	V	220
Power	KW	1.94
Capacity	PCS/H	300-350
Weight	KG	16
Dimension	MM	418 x 368 x 387

- Designed for front or rear toast outlet
- Variable speed for different breads
- Removable crumb collector for easy cleaning



GATTO

Conveyor Toaster with Halogen Globes		
Model		H8600A
Voltage	V	220-240
Power	KW	1.7
Capacity	PCS/H	360
Weight	KG	11
Dimension	MM	362 x 502 x 330

- Designed for front or rear toast outlet
- Variable speed for different breads
- Removable crumb collector for easy cleaning



GATTO

Panini Toaster - Ribbed		
Model		OT-811
Voltage	V	220
Power	KW	1.8
Weight	KG	13
Dimension	MM	390 x 395 x 210

- Stainless steel frame



GATTO

Panini Toaster - Ribbed		
Model		OT-811E
Voltage	V	220
Power	KW	2.2
Weight	KG	20
Dimension	MM	425 x 305 x 210

- Stainless steel frame



GATTO

9 Slice Toaster Teflon Coated - Flat		
Model		OT-9ATS
Voltage	V	220
Power	KW	2.2
Weight	KG	14
Dimension	MM	500 x 900 x 360

- No squashed toast with weight controlled top
- Smooth surface-easy to clean



GATTO

9 Slice Toaster Non Teflon Coated		
Model		OT-9ATS-NT
Voltage	V	220
Power	KW	2.2
Weight	KG	14
Dimension	MM	500 x 900 x 360

- No squashed toast with weight controlled top
- Smooth surface-easy to clean
- Teflon Cover included



Gas 1 Deck 1 Pan Pizza Oven c/w Ceramic Floor		
Model		YXY-10A
Voltage	V	220
Power	W	100
Gas type		LPG
Pressure	KPa	2,8
Gas Consumption	KG/HR	0,3
BTU		36000
N weight	KG	130
G Weight	KG	150
Dimensions	MM	1050 x 700 x 550
Internal Dimensions	MM	670 x 470 x 190

- Takes 2x 300mm (Dia) pizzas at a time
- Flame failure device
- Includes chimney



Pizza Oven Single Deck		
Model		OT-661
Voltage	V	380
Power	KW	4.2
Weight	KG	60
Dimension	MM	910 x 820 x 430

- Heavy duty pizza oven
- Top and bottom temperature control for best results
- Heavy ceramic base
- Takes 4x 300mm (Dia) pizzas at a time



Pizza Oven double Deck		
Model		OT-662
Voltage	V	380+N
Power	KW	14.4
Weight	KG	104
Dimension	MM	910 x 820 x 750

- Heavy duty pizza oven
- Top and bottom temperature control for best results
- Heavy ceramic base
- Takes 4x 300mm (Dia) pizzas at a time



Single Deck Pizza Oven with Ceramic Floor 2 Tray		
Model		YXD-20C
Voltage	V	220+N
Power	KW	6.6
Tray size	MM	600x400
Dimension	MM	1230 x 820 x 530

- Includes 2 ceramic plates
- Heavy duty pizza oven
- Top and bottom heat control
- Takes 4x 300(dia) pizza



Double Deck Pizza Oven with Ceramic Floor 4 Trays		
Model		YXD-40C
Voltage	V	380+N
Power	KW	13.2
Tray size	MM	600x400
Dimension	MM	1230 x 820 x 1250

- Complete on castors for easy cleaning
- Heavy ceramic base per deck
- Top and bottom heat control
- Takes 8x 300(dia) pizza



Three Deck Pizza Oven with Ceramic Floor 6 Trays		
Model		YXD-60C
Voltage	V	380+N
Power	KW	19.8
Tray size	MM	600x400
Dimension	MM	1230 x 820 x 1490

- Complete on castors for easy cleaning
- Ideal for bigger pizza production
- Includes heavy ceramic base per deck
- Takes 12x 300(Dia) pizza



Ceramic Floor Rectangular		
Model		CERAMIC 640 x 430
Dimension	MM	640 x 430

- Ideal for Pizza ovens



Ceramic Floor Square		
Model		CERAMIC 395 x 395
Dimension	MM	395 x 395

- Ideal for Pizza ovens



GATTO

Induction Wok Sit-on - 3500W		
Model		BK-350KC-L
Power	W	500-3500
Temperature	°C	60-240
Dimension	MM	340 x 440 x 117

- Fast heat induction cooker
- Counter top



GATTO

Induction Cooker Drop-in - 3500W		
Model		BK-350T2
Power	W	500-3500
Voltage	V	220-240
Temperature	°C	60-240
Dimension	MM	360 X 360 X 100

- Fast heat induction cooker
- Counter top



GATTO

Induction Cooker Sit-on - 3500W		
Model		BK-350K-L
Power	W	500-3500
Voltage	V	220-240 / 50-60Hz
Temperature	°C	60-240
Timer	MIN	0-180
Dimension	MM	330 x 425 x 105

- Stainless steel body, ceramic glass
- Fast heat induction cooker
- LED display, bottom control



GATTO

Induction Cooker - 2000W - Semi-Commercial		
Model		BT-200T1
Power	W	2000
Voltage	V	220
Weight	KG	3.2
Dimension	MM	302 x 372 x 77

- Fast heat induction cooker
- Can be dropped in or sit on
- Can be used as a warmer or cooker



GATTO

Induction Warmer Drop-in - 700W		
Model		E310G
Power	W	700
Voltage	V	220
Dimension	MM	320 x 340 x 105

- Drop-in
- Ideal for buffets

ROUND INDUCTION CHAFING DISH, CERAMIC INSET & FRAME

FAST FOOD EQUIPMENT

FAST FOOD EQUIPMENT



GATTO

Induction Chafing Dish - Round		
Model		IND06LT-R
Capacity	LT	6
Dimensions	MM	540 x 440 x 160

- Elegant, upmarket induction chafer with viewing window
- Table top frame to sit on a counter that requires no cut out - mobile option
- Open position lock with soft close
- Ceramic dish optional



GATTO

Ceramic Dish		
Model		HY03



GATTO

Table Top Frame		
Model		FRAME06LT
Dimensions	MM	480 x 480 x 90



GATTO

Induction Warmer For Above Frame		
Model		BT-350K-1
Induction Dimensions	MM	245 x 245 x 70



SQUARE INDUCTION CHAFING DISH, CERAMIC & FRAME

GATTO



Induction Chafing Dish - Square		
Model		IND06LT-S
Capacity	LT	6
Dimensions	mm	400 x 475 x 160

- Elegant, upmarket induction chafer with viewing window
- Table top frame to sit on a counter that requires no cut out - mobile option
- Open position lock with soft close
- Ceramic dish optional

GATTO



Ceramic Dish		
Model		HY05

GATTO



Table Top Frame		
Model		FRAME2/3F
Dimensions	MM	400 x 375 x 70

GATTO



Induction Warmer For Above Frame		
Model		BT-350K-1
Induction Dimensions	MM	245 x 245 x 70





GATTO

Soup Kettle – Black		
Model		AT51588
Voltage	V	220
Power	KW	0.4
Capacity	L	10
Weight	KG	3
Dimension	MM	300 x 350

- 10Lt Capacity
- Great for soup, sauces and stews



GATTO

Soup Kettle – Stainless Steel		
Model		AT51388
Voltage	V	220
Power	KW	0.4
Capacity	L	10
Weight	KG	3
Dimension	MM	300 x 350

- 10Lt Capacity
- Modern design





GATTO

Table Model Bain Marie includes 2 Inserts + Lids		
Model		OT-2B
Voltage	V	220
Power	KW	1.5
Capacity	PCS	1/2 x2
Dimension	MM	550 x 400 x 300

- Tap for easy drainage
- Includes 2x GN1/2 stainless steel inserts with lids



GATTO

Table Model Bain Marie includes 4 Inserts + Lids		
Model		OT-4B
Voltage	V	220
Power	KW	1.5
Capacity	PCS	1/2 x4
Dimension	MM	694 x 565 x 240

- Tap for easy drainage
- Includes 4x GN1/2 stainless steel inserts with lids



GATTO

Table Model Bain Marie includes 6 Inserts + Lids		
Model		OT-6B
Voltage	V	220
Power	KW	1.5
Capacity	PCS	1/2 x6
Dimension	MM	1035 x 590 x 240

- Tap for easy drainage
- Includes 6x GN1/2 stainless steel inserts with lids



GATTO

Table Model Bain Marie c/w sneeze guard includes 3 Inserts + Lids		
Model		OT-BM-3
Voltage	V	220
Power	KW	1.5
GN pan	PCS	1/2 x3
Weight	KG	13.5
Dimension	MM	920 x 350 x 340

- Includes sneeze guard for hygiene
- Includes 3x GN1/2 stainless steel inserts with lids



GATTO

Model	Description	Size	Model	Description	Size
GN1/1-65P	Gastronorm Inserts - Full 65mm	530 x 325 x 65	GN1/3-LIDP	Gastronorm Inserts - Third Lid	325 x 176
GN1/1-100P	Gastronorm Inserts - Full 100mm	530 x 325 x 100	GN1/4-65P	Gastronorm Inserts - Quarter 65mm	265 x 162 x 65
GN1/1-150P	Gastronorm Inserts - Full 150mm	530 x 325 x 150	GN1/4-100P	Gastronorm Inserts - Quarter 100mm	265 x 162 x 100
GN1/1-65PP	Gastronorm Inserts - Perforated Full 65mm	530 x 325 x 65	GN1/4-150P	Gastronorm Inserts - Quarter 150mm	265 x 162 x 150
GN1/1-100PP	Gastronorm Inserts - Perforated Full 100mm	530 x 325 x 100	GN1/4-LIDP	Gastronorm Inserts - Quarter Lid	265 x 162
GN1/1-LIDP	Gastronorm Inserts - Full Lid	530 x 325	GN1/6-65P	Gastronorm Inserts - Sixth 65mm	176 x 162 x 65
GN1/2-65P	Gastronorm Inserts - Half 65mm	325 x 265 x 65	GN1/6-100P	Gastronorm Inserts - Sixth 100mm	176 x 162 x 100
GN1/2-100P	Gastronorm Inserts - Half 100mm	325 x 265 x 100	GN1/6-150P	Gastronorm Inserts - Sixth 150mm	176 x 162 x 150
GN1/2-150P	Gastronorm Inserts - Half 150mm	325 x 265 x 150	GN1/6-LIDP	Gastronorm Inserts - Sixth Lid	176 x 162
GN1/2-LIDP	Gastronorm Inserts - Half Lid	325 x 265	GN1/9-65P	Gastronorm Inserts - Ninth 65mm	108 x 176 x 65
GN1/3-65P	Gastronorm Inserts - Third 65mm	325 x 176 x 65	GN1/9-100P	Gastronorm Inserts - Ninth 100mm	108 x 176 x 100
GN1/3-100P	Gastronorm Inserts - Third 100mm	325 x 176 x 100	GN1/9-150P	Gastronorm Inserts - Ninth 150mm	108 x 176 x 150
GN1/3-150P	Gastronorm Inserts - Third 150mm	325 x 176 x 150	GN1/9-LIDP	Gastronorm Inserts - Ninth Lid	108 x 176



GATTO

Model	Description	Size	Model	Description	Size
GN1/1-65V	Gastronorm Inserts - Full 65mm	530 x 325 x 65	GN1/3-LIDV	Gastronorm Inserts - Third Lid	325 x 176
GN1/1-100V	Gastronorm Inserts - Full 100mm	530 x 325 x 100	GN1/4-65V	Gastronorm Inserts - Quarter 65mm	265 x 162 x 65
GN1/1-150V	Gastronorm Inserts - Full 150mm	530 x 325 x 150	GN1/4-100V	Gastronorm Inserts - Quarter 100mm	265 x 162 x 100
GN1/1-65PV	Gastronorm Inserts - Perforated Full 65mm	530 x 325 x 65	GN1/4-150V	Gastronorm Inserts - Quarter 150mm	265 x 162 x 150
GN1/1-100PV	Gastronorm Inserts - Perforated Full 100mm	530 x 325 x 100	GN1/4-LIDV	Gastronorm Inserts - Quarter Lid	265 x 162
GN1/1-LIDV	Gastronorm Inserts - Full Lid	530 x 325	GN1/6-65V	Gastronorm Inserts - Sixth 65mm	176 x 162 x 65
GN1/2-65V	Gastronorm Inserts - Half 65mm	325 x 265 x 65	GN1/6-100V	Gastronorm Inserts - Sixth 100mm	176 x 162 x 100
GN1/2-100V	Gastronorm Inserts - Half 100mm	325 x 265 x 100	GN1/6-150V	Gastronorm Inserts - Sixth 150mm	176 x 162 x 150
GN1/2-150V	Gastronorm Inserts - Half 150mm	325 x 265 x 150	GN1/6-LIDV	Gastronorm Inserts - Sixth Lid	176 x 162
GN1/2-LIDV	Gastronorm Inserts - Half Lid	325 x 265	GN1/9-65V	Gastronorm Inserts - Ninth 65mm	108 x 176 x 65
GN1/3-65V	Gastronorm Inserts - Third 65mm	325 x 176 x 65	GN1/9-100V	Gastronorm Inserts - Ninth 100mm	108 x 176 x 100
GN1/3-100V	Gastronorm Inserts - Third 100mm	325 x 176 x 100	GN1/9-150V	Gastronorm Inserts - Ninth 150mm	108 x 176 x 150
GN1/3-150V	Gastronorm Inserts - Third 150mm	325 x 176 x 150	GN1/9-LIDV	Gastronorm Inserts - Ninth Lid	108 x 176



Gastronorm Wire Chrome Grid (GN1/1)		
Model		SGG-0530
Measurements	MM	530 x 325



Gastronorm Wire Chrome Grid (GN2/1)		
Model		SGG-0650
Measurements	MM	650 x 530
Size		GN2/1



Baking Wire Chrome Grid - 600 x 400mm		
Model		SGC-0600
Measurements	MM	400 x 600



GATTO



Oil Filter		
Model		LF5-JY (F1)
Voltage	V	220
Power	KW	0.2
Filtration are	M²	0.13
Oil temperature	°C	120-200
Model		Movable
Rate of flow (arg)	L/MIN	5
Filtering Compartment	L	40
Specification of filtering compound	48 bags/ctn;8.5kg/ctn;177g/bag	
Dimension	MM	590 x 342 x 350

- Save 50% on oil
- Extend oil life
- Used with powder for excellent results
- Drain fryer into filter and pump back at the same time

GATTO



Powder for LF5-JY (F1)		
Model		FC48-1
Specification	bags/ctn	48
Weight	g/bag	177

Powder for LF5-JY (F1)		
Model		FC10-1
Specification	bags/ctn	10
Weight	g/bag	850

GATTO



Paper for LF5-JY (F1)		
Model		FS5-W
Size	MM	450 x 330

PROCESSING EQUIPMENT



GATTO



GATTO

Single Milkshake Machine		
Model		BL-015
Dimensions	MM	240 x 225 x 520
Power	W	300
Weight	KG	5

- Speed control switch
- Fast and efficient
- Micro switch
- High power motor



GATTO

Milkshake Machine Cup		
Model		BL-015-CUP
Measurements	MM	585 x 285



GATTO

Chip Cutter	
Model	Description
SMP-008	8x8MM Blade & Press Chip Cutter (11 Hole)
SMP-010	10x10MM Blade & Press Chip Cutter (9 Hole)
SMP-012	12x12MM Blade & Press Chip Cutter (7 Hole)



SMP-008-BLADE



SMP-010-BLADE



SMP-012-BLADE

GATTO

Spare Chip Cutter Blade	
Model	Description
SMP-008-BLADE	8x8MM Spare Blade For Chip Cutter (11 Hole)
SMP-010-BLADE	10x10MM Spare Blade For Chip Cutter (9 Hole)
SMP-012-BLADE	12x12MM Spare Blade For Chip Cutter (7 Hole)



GATTO

Chipper Bridge		
Model		SMP-BRIDGE
Dimension	MM	500 Inner

- Ideal for 510mm sinks



GATTO

Sausage Slicer		
Model		HSS-18
Slice thickness	MM	18
Weight	KG	2.6
Dimension	MM	330 x 200 x 260

- Great for bratwurst





Veg Prep Machine with 6 Sets (P2, P4, H3, H4, H7, T10)		
Model		G784-A
Voltage	V	220
Power	KW	0.55
Speed	R/MIN	260
Capacity	KG/HR	300
Weight	KG	24.5
Dimension	MM	655 x 315 x 535

- Easy to operate
- Quality blades
- Capacity 300kg per hour
- High aluminum casting
- 6 blades included
- Includes ejector blades
- High security guaranteed by micro switches

Blades Included

- P2- 2mm slicing blade
- P4- 4mm slicing blade
- H3- 3mm DIA grating blade
- H4- 4mm DIA grating blade
- H7- 7mm DIA grating blade
- T10- 10x10mm French blade

Name	Model	Size
Dicing blade	D20	20 x 20 x 10mm
Dicing blade	D12	12 x 12 x 10mm
Dicing blade	D10	10 x 10 x 10mm
Dicing blade	D8	8 x 8 x 8mm
French blade	T10	10 x 10mm
French blade	T8	8 x 8mm
Slicing blade	H10	10mm
Julienne blade	HU2.5	2.5 x 2.5mm
Julienne blade	HU4	4 x 4mm
Julienne blade	HU8	8 x 8mm
Julienne blade	HU10	10 x 10mm (work alone)
Slicing blade	H14	14mm (work alone)
Slicing blade	E1	1mm
Slicing blade	E2	2mm
Slicing blade	E5	5mm (work alone)
Grating blade	H7	DIA 7mm (work alone)
Grating blade	H4	DIA 4mm (work alone)
Grating blade	H3	DIA 3mm (work alone)
Slicing blade	P4	4mm (work alone)
Slicing blade	P2	2mm (work alone)

- D8 works with H8, D10 blade works with H10
- T10 works with H10, T8 works with H8
- H10 & H8 can work alone or with other blades






Blades Included


- SDA-1005
- GDA-1002
- GBL-0003
- DBL-0006
- DBL-0008
- DBL-0010
- DBL-0012
- DBL-0016
- FBL-0010
- SDB-0001

Vegetable Prep Machine - NEW DESIGN - Light Duty		
Model		GJ817 (HLC-300)
Voltage	V	220 / 50Hz
Power	W	200
Speed	R/MIN	260
Capacity	KG/HR	150
Weight	KG	7
Dimension	MM	251 x 247 x 387

- INCLUDES 10 BLADES
- Equipped with safety micro switch
- S/Steel 304 upper cover lock buckle, durable performance
- Die-cast aluminum, suitable for various environments and easy to clean
- Large discharge port, discharge not blocked
- Equipped with a built-in feeding paddle
- Waterproof switch, safe and reliable for use in humid environments
- Each functional component is easy to disassemble and clean
- Includes spanner 1pcs



Slicing Blade Adjustable Manually (Works Alone)	
Model	Blade sizes
SDA-1005	1 - 5 mm



Grating Disc w/ 2 Blades (Works Alone)	
Model	Blade Size
GDA-1002	Grating disc w/ 2mm blades
GBL-0002	2 mm Blades (set of 2)
GBL-0003	3 mm Blades (set of 2)



Dicing Blades (Works with SDB-0001)	
Model	Blade Size
DBL-0006	6 mm
DBL-0008	8 mm
DBL-0010	10 mm
DBL-0012	12 mm
DBL-0016	16 mm



French Blade (Works with SDB-0001)	
Model	Blade Size
FBL-0010	10 x 10 x 90mm



Cutting Blade	
Model	SDB-0001

- Works with Dicing blades and French blades

Plastic Ejector	
Model	EJP-0001
Material	Plastic

VEG PREP COMBO BOWL CUTTER MACHINE & SPARE BLADE



Veg Prep Combo Machine C/W 4 Blades & 5LT Interchangeable Bowl Cutter		
Model		VCM-5L
Voltage	V	220
Power	W	735
Speed	RPM	1500
Veg prep Weight	KG	17.2
Veg prep Dimensions	MM	470 x 385 x 630
Bowl Cutter Capacity	LT	5
Bowl Cutter Weight	KG	2.5
Bowl Cutter Dimension	MM	260 x 225 x 280



- Veg Prep
- Easy to operate
- Quality blades
- Capacity 300kg per hour
- High aluminum casting
- 4 blades included (3MM Grating Blade, 7MM Grating Blade, 2MM Slicing Blade and 4MM Slicing Blade)
- Includes ejector blade



SBC-002 & SBC-004

SBC-006 & SBC-010



GBC-003



GBC-007

JBC-404

Optional Extra Blades		
Name	Size	Model
Slicing Blade	2MM	SBC-002
Slicing Blade	4MM	SBC-004
Slicing Blade	6MM	SBC-006
Slicing Blade	10MM	SBC-010
Grating Blade	3MM	GBC-003
Grating Blade	7MM	GBC-007
Julienne Blade	4x4MM	JBC-404



Spare Blade for Bowl Cutter
Model: VCM-5L-BLD



6 Piece Wedger		
Model		LMW-006
Blade Cut Size	PCS	6
Blade Material		Stainless Steel
Body Material		Cast Aluminum
Dimensions	MM	190 x 190 x 480
Weight	KG	1.9

- Razor sharp stainless steel blades. Simply press down on the push block and watch as your fruit is smoothly transformed into uniform sections
- Easy to clean and maintain. The blade assembly and push block come apart to clean

8 Piece Wedger		
Model		LMW-008
Blade Cut Size	PCS	8
Blade Material		Stainless Steel
Body Material		Cast Aluminum
Dimensions	MM	190 x 190 x 480
Weight	KG	1.9

- Razor sharp stainless steel blades. Simply press down on the push block and watch as your fruit is smoothly transformed into uniform sections
- Easy to clean and maintain. The blade assembly and push block come apart to clean



Spare 6 Piece Wedger Blade		
Model		LMW-006-BLD
Blade Cut Size	PCS	6
Blade Material		Stainless Steel
Body Material		Cast Aluminum




Spare 8 Piece Wedger Blade		
Model		LMW-008-BLD
Blade Cut Size	PCS	8
Blade Material		Stainless Steel
Body Material		Cast Aluminum



GATTO

Manual Tomato Slicer		
Model		TMS-0001
Slice Thickness	MM	4.7
Blade Material		Stainless Steel
Body Material		Cast Aluminium
Dimensions	MM	400 x 230 x 200
Weight	KG	3

- Self-lubricating track that resists misalignment to maximize longevity
- Rubber feet with table hook to safely operate
- Cuts down on labour and time
- The unique blade design stays properly aligned and tightened without the need to adjust it



GATTO

Spare Blade for Tomato Slicer		
Model		TMS-0001-BLD
Slice Thickness	MM	4.7
Blade Material		Stainless Steel
Body Material		Cast Aluminium



GATTO

Heavy Duty Juice Extractor		
Model		WFA3000
Voltage	V	220
Power	W	180
Speed	R/PM	1500
Weight	KG	15.2
Dimension	MM	210 x 246 x 400

- Ideal for high volume production of fruit or vegetable juice
- Heavy duty



GATTO

Juice Extractor Spare Blade		
Model		WFA3000-BLADE
Measurements	MM	585 x 285

- Fits only on WFA3000



Citrus Juicer		
Model		GCJ-0250
Voltage	V	220-240
Power	W	250
Speed	R/PM	1500
Weight	KG	8.65
Dimension	MM	375 x 245 x 460

- Ideal for all citrus fruits like oranges
- Heavy duty



Spice Grinder		
Model		SCG-0750
Power	W	750
Speed	RPM	20000
Voltage	V	220
Capacity	ML	750
Weight	KG	4.3
Dimensions	MM	415 x 235 x 260

- Includes extra Stainless Steel grinding bowl



Blender - Manual		
Model		BL-767
Voltage	V	220-240
Power	W	1500W/1200W
Capacity	L	2
Dimension	MM	205 x 230 x 510

- Poly carbonate jug
- Stainless steel and hardened blade
- Different speed options
- Pulse option



Blender Jug		
Model		BL-767-JUG
Measurements	MM	585 x 285

- Fits only on BL-767
- Excludes Blade Assembly



Blender Blade		
Model		BL-767-BLADE
Measurements	MM	585 x 285

- Fits only on BL-767



Blender Manual Control With Sound Enclosure Black		
Model		G250
Voltage	V	220
Power	W	2200
Capacity	L	2
Dimension	MM	251 x 234 x 534
Weight	KG	8.3

- Manual Controls
- Adjustable Speed
- Adjustable Time
- Pulse Function
- Sound enclosure
- ON/OFF Switch



Blender Digital Control With Sound Enclosure White		
Model		G450
Voltage	V	220
Power	W	2200
Capacity	L	2
Dimension	MM	251 x 234 x 534
Weight	KG	8.3

- Digital Screen
- Electronic Controls, 5 Programs
- Adjustable Speed & Adjustable Time
- Pulse Function
- Sound enclosure



GATTO

Blender Jug		
Model		G250/450-Jug
Measurements	MM	585 x 285

- Fits only on G250 and G450
- Excludes Blade Assembly



GATTO

Heavy Duty Blender Manual Control S/Steel		
Model		HSSIGVS
Voltage	V	220
Power	W	3200
Capacity	L	4
Dimension	MM	304 x 280 x560
Weight	KG	10.5

- Manual Control
- Adjustable Speed
- Pulse Function
- Heavy Duty S/Steel Jug
- Lockable Lid



GATTO

Ice Crusher		
Model		EIC-0003
Power	W	200
Speed	RPM	1000
Voltage	V	220
Capacity	L	3
Weight	KG	6
Dimensions	MM	338 x 199 x 524

- Used to crush ice





GATTO

Immersion Blender 270W		
Model		IB270MV
Voltage	V	220V/50Hz
Power	W	270
Speed	R/MIN	6000-20000
Weight	KG	1.4

- Variable speed
- Excludes tube and blade
- ONLY compatible with BLD160 - 160mm tube

**EXCLUDES
TUBE AND BLADE**



GATTO

Immersion Blender 350W		
Model		IB350CV
Voltage	V	220V/50Hz
Power	W	350
Speed	R/MIN	4000-16000
Weight	KG	1.8

- Variable speed
- Excludes blender tube and blade
- ONLY compatible with BLD250 - 250mm tube, BLD300 - 300mm tube, BLD400 - 400mm tube, BLD500 - 500mm tube and WIK250 - Whisk

**EXCLUDES
TUBE AND BLADE**



GATTO

Immersion Blender 500W		
Model		IB500LV
Voltage	V	220V/50Hz
Power	W	500
Speed	R/MIN	4000-16000
Weight	KG	1.95

- Variable speed
- Excludes blender tube and blade
- ONLY compatible with BLD250 - 250mm tube, BLD300 - 300mm tube, BLD400 - 400mm tube, BLD500 - 500mm tube and WIK250 - Whisk

**EXCLUDES
TUBE AND BLADE**



160mm Blender Tube c/w Blade for IB270MV		
Model		BLD160
Stick length	MM	160
Diameter	MM	25Ø
Weight	KG	0.46

• ONLY Suitable for IB270MV



250mm Blender Tube c/w Blade		
Model		BLD250
Stick length	MM	250
Diameter	MM	35Ø
Weight	KG	0.82

• ONLY Suitable for IB350CV and IB500LV



300mm Blender Tube c/w Blade		
Model		BLD300
Stick length	MM	300
Diameter	MM	35Ø
Weight	KG	1.02

• ONLY Suitable for IB350CV and IB500LV



400mm Blender Tube c/w Blade		
Model		BLD400
Stick length	MM	400
Diameter	MM	35Ø
Weight	KG	1.28

• ONLY Suitable for IB350CV and IB500LV



500mm Blender Tube c/w Blade		
Model		BLD500
Stick length	MM	500
Diameter	MM	35Ø
Weight	KG	1.56

• ONLY Suitable for IB350CV and IB500LV



GATTO

250mm Whisk		
Model		WIK250
Whisk length	MM	250
Weight	KG	0.86

- ONLY Suitable for IM350CV and IB500LV



GATTO

Wall hanger for Immersion blenders		
Model		WB-3

- Designed to neatly store Immersion blender and accessories when not in use



GATTO

Potato Peeler 10kg		
Model		PP10
Voltage	V	220
Power	KW	0.55
Input power	KW	0.75
Capacity	KG	10
Time	MIN	0.5-2

- High quality stainless steel
- Includes peel trap below
- Built in stand





GATTO

Potato Peeler 15kg		
Model		PP15
Voltage	V	220
Power	KW	0.75
Capacity	L	15
Weight	KG	68
Dimension	MM	570 x 535 x 905

- Peels potatoes fast
- Includes a rinsing hose pipe



GATTO

Potato Peeler 30kg		
Model		PTPL30
Voltage	V	220
Power	KW	1.5
Capacity	L	30
Weight	KG	87
Dimension	MM	590 x 590 x 1020

- Peels potatoes fast
- Includes a rinsing hose pipe



GATTO

Industrial Can Opener		
Model		BR290

- Made to be mounted on a table to provide stability
- Durable and heavy duty

GATTO

Industrial Can Opener Spare Blade		
Model		BR290-BL

- Spare blade for BR290
- Durable and heavy duty



Price Computing Scale - 15kg		
Model		ACS-15C
Voltage	V	220
Display		LED
Capacity		15kg/5g
Weight	KG	5.7
Platform size	MM	340 x 230
Dimension	MM	335 x 330 x 125

- Calculates price to weight
- Excludes label printer



Price Computing Scale - 30kg		
Model		ACS-30C
Voltage	V	220
Display		LED
Capacity		30kg/10g
Weight	KG	5.7
Platform size	MM	340 x 230
Dimension	MM	335 x 330 x 125

- Calculates price to weight
- Excludes label printer



Electric Scale - 150kg		
Model		TCSA-150
Power		AC/DC
Display		Large LCD
Capacity		150kg/50g
Weight	KG	19.5
Dimension	MM	225 x 480 x 945

- Floor model platform scale 150kg ideal for stock checks and receiving department

Electric Scale - 300kg		
Model		TCSA-300
Power		AC/DC
Display		Large LCD
Capacity		300kg/100g
Weight	KG	19.5
Dimension	MM	225 x 480 x 945

- Floor model platform scale 300kg ideal for stock checks and receiving department



S/Steel Portion Control Scale - 10KG - IP67 Waterproof		
Model		PCS-0010
Power		AC/DC
Display		LCD w/ white backlight
Capacity		10kg/1g
Weight	KG	13.3
Dimension	MM	305 x 250 x 107

- [M+] Add-up function
- [MC] Clear memories
- LCD display: total, unit weight and count
- C/ZERO/TARE function
- Additional performance - Target weight
- Additional performance - Counting/Sampling function
- Built-in 4V/4Ah rechargeable battery
- Operating time: 3 weeks when fully charged
- Low voltage display & overcharge protection



S/Steel Portion Control Scale - 15KG - IP67 Waterproof		
Model		PCS-0015
Power		AC/DC
Display		LCD w/ white backlight
Capacity		15kg/1g
Weight	KG	13.3
Dimension	MM	305 x 250 x 107

- [M+] Add-up function
- [MC] Clear memories
- LCD display: total, unit weight and count
- C/ZERO/TARE function
- Additional performance - Target weight
- Additional performance - Counting/Sampling function
- Built-in 4V/4Ah rechargeable battery
- Operating time: 3 weeks when fully charged
- Low voltage display & overcharge protection



S/Steel Portion Control Scale - 20KG - IP67 Waterproof		
Model		PCS-0020
Power		AC/DC
Display		LCD w/ white backlight
Capacity		20kg/1g
Weight	KG	13.3
Dimension	MM	305 x 250 x 107

- [M+] Add-up function
- [MC] Clear memories
- LCD display: total, unit weight and count
- C/ZERO/TARE function
- Additional performance - Target weight
- Additional performance - Counting/Sampling function
- Built-in 4V/4Ah rechargeable battery
- Operating time: 3 weeks when fully charged
- Low voltage display & overcharge protection

DISPLAY EQUIPMENT



GATTO

PACIFIC



GATTO

Single Head Heating Lamp For Carvery Station - Silver		
Model		A6510-0151
Voltage	V	220
Dimension	MM	Ø250mm

- Excludes Globe - Code: HEATLAMP-GLOBE



GATTO

Double Head Heating Lamp For Carvery Station - Silver		
Model		A6510-0211
Voltage	V	220
Dimension	MM	Ø250mm

- Excludes Globe - Code: HEATLAMP-GLOBE



GATTO

Big Hanging Hot Light w/ Retractable Reel - Silver		
Model		A6512-2201
Voltage	V	220
Dimension	MM	Ø250mm

- Excludes Globe - Code: HEATLAMP-GLOBE



GATTO

Big Hanging Hot Light w/ Retractable Reel - Gold		
Model		A6512-2202
Voltage	V	220
Dimension	MM	Ø250mm

- Excludes Globe - Code: HEATLAMP-GLOBE



Small Hanging Hot Light w/ Retractable Reel - Black		
Model		A6512-1202
Voltage	V	220
Dimension	MM	Ø175mm

- Excludes Globe - Code: HEATLAMP-GLOBE



Double Carvery Unit with Overhead Light		
Model		B12-G
Voltage	V	220
Power	KW	0.25
Dimension	MM	470 x 500 x 600/750

- Ideal for all hot food display
- Great for hot croissants
- Excludes Globe - Code: HEATLAMP-GLOBE



Carvery Unit with Double Overhead Light and Removable Base		
Model		CUH-0002
Voltage	V	220
Power	W	850
Dimension	MM	700 x 550 x 800

- Removable base
- 2x Adjustable Overhead heated lights
- Heating from below
- Excludes Globe - Code: HEATLAMP-GLOBE
- Porcelain inserts sold separately



Globe for Carvery Unit and Heating Lamps		
Model		HETALAMP-GLOBE
Voltage	V	220
Power	W	250

- Fits in all carvery units and hanging light



Two Plate Carvery Unit - Drop In		
Model		CU2AG
Voltage	V	220
Power	KW	1.3
Dimension	MM	W835 x D690

- 1x grill plate or Carvery plate with removable spiked plate
- Small spiked plates
- Small cutting board
- Heated light c/w glass
- Excludes Inserts



Three Plate Carvery Unit - Drop In		
Model		CU3AG
Voltage	V	220
Power	KW	2.1
Dimension	MM	W1160 x D690

- 1x grill plate or Carvery plate
- Small spiked plates
- Small cutting board
- Heated light c/w glass
- Excludes Inserts



Combo Carvery Unit		
Model		COMBO CARV
Voltage	V	220
Power	KW	3
Weight	KG	40.4
Dimension	MM	610 x 760 x 650

- Combo Carvery Grill
- Overhead heated Light
- 3 Sauce Bowls - 150x80mm
- Excludes glass
- Removable spiked plate



GATTO

Two Plate Drop-In Hot Unit		
Model		HP2
Voltage	V	220
Power	KW	1.3
Dimension	MM	W835 x D750

- 2x GN hot plates
- Complete with overhead heated light c/w glass



GATTO

Two Plate Sit-On Hot unit		
Model		SHP2
Voltage	V	220
Power	KW	1.3
Dimension	MM	835 x 690 x 700

- 2x GN hot plates sit on unit
- Complete with heated light and fitted glass
- No cut out needed



GATTO

Three Plate Drop-In Hot Unit		
Model		HP3
Voltage	V	220
Power	KW	1.95
Dimension	MM	W1160 x D690

- 3x GN hot plates sit on unit
- Includes overhead light c/w glass



Three Plate Sit-On Hot unit		
Model		SHP3
Voltage	V	220
Power	KW	1.95
Dimension	MM	1160 x 690 x 70

- 3x GN hot plates sit on unit
- Includes overhead light c/w glass



Static Coldwell 1200mm		
Model		CW3AG
Voltage	V	220
Dimension	MM	1200 x 690

- Static Coldwell c/w compressor
- Overhead light c/w glass
- Counter sunk unit



Static Coldwell 1800mm		
Model		CW5AG
Voltage	V	220
Dimension	MM	1800 x 690

- Static Coldwell c/w compressor
- Overhead light c/w glass
- Counter sunk unit



Double Refrigerated Juice Dispenser		
Model		LSJ-12Lx2
Voltage	V	220
Refrigerant		R134a
Power	KW	0.39
Capacity	L	12x2
Type		Pedal
Weight	KG	25
Dimension	MM	510 x 470 x 740

- Crystal clear durable bowl
- Complete with bowls, taps, lids and drip trays



Triple Refrigerated Juice Dispenser		
Model		LSJ-12Lx3
Voltage	V	220
Refrigerant		R134a
Power	KW	0.475
Capacity	L	12x3
Type		Pedal
Weight	KG	40
Dimension	MM	750 x 470 x 740

- Crystal clear durable bowl
- Controlled by on/off switch
- Easy to use



Slush Machine 2 Tanks		
Model		XRJ-15Lx2
Voltage	V	220
Refrigerant		R134a
Power	KW	0.4
Capacity	L	12X2
Dimension	MM	600 x 400 x 750

- Crystal clear bowls
- Complete with lid, taps and drip trays



Slush Machine 3 Tanks		
Model		XRJ-15Lx3
Voltage	V	220
Refrigerant		R134a
Power	KW	0.5
Capacity	L	12X3
Dimension	MM	600 x 600 x 750

- High quality
- Slush churn
- 3 flavours



Slush Machine 2 Tanks - U SERIES		
Model		SLUSHY-2S
Voltage	V	220 / 50Hz
Power	W	870
Refrigerant		R404a
Temperature	°C	-2~-10
Capacity	L	12 x 2
Weight	KG	50
Dimension	MM	410 x 480 x 775

- Modern design with baked varnish shell
- High density anti-cracking polycarbonate bowl, BPA free. Easy to remove and clean.
- Electronic expansion valve control system, which separately controls each tank.
- Adjustable stirring speed to adapt to the different concentrations of beverages.
- Strong cooling system, reaches up to -10 °C
- Features both juice mode and slush mode.
- LED illumination
- Minimum sugar content in the mix should be 13%



Slush Machine 3 Tanks - U SERIES		
Model		SLUSHY-3S
Voltage	V	220 / 50Hz
Power	W	1162
Refrigerant		R404a
Temperature	°C	-2~-10
Capacity	L	12 x 3
Weight	KG	65
Dimension	MM	610 x 480 x 775

- Modern design with baked varnish shell
- High density anti-cracking polycarbonate bowl, BPA free. Easy to remove and clean.
- Electronic expansion valve control system, which separately controls each tank.
- Adjustable stirring speed to adapt to the different concentrations of beverages.
- Strong cooling system, reaches up to -10 °C
- Features both juice mode and slush mode.
- LED illumination
- Minimum sugar content in the mix should be 13%



**CAN CHILL
DAIRY & ALCOHOL**

Slush Machine 2 Tanks - X SERIES		
Model		MODEL X II
Voltage	V	220-240 / 50Hz
Power	W	765
Refrigerant		R290
Temperature (Slush Mode)	°C	-2~-12
Temperature (Juice Mode)	°C	1-7
Capacity	L	12 x 2
Weight	KG	57
Dimension	MM	496 x 610 x 940

- Easy to use controls, low noise level ≤ 60 dB.
- Adjustable stirring speed for varying beverage concentrations.
- Features both juice mode and slush mode.
- Each bowl is independently controlled and easy to remove for cleaning.
- Removable spigot, easy to remove and clean.
- Requires only 5% sugar content, compared to the 13% minimum of most machines, allowing retailers to offer healthier products.
- Approx. max. alcohol concentration 20% vol.
- Adjustable LED light colors for customizing the display to match the frozen drink or brand/store colors.
- Hot gas defrost for the evaporator cylinder, avoiding freezing block on auger.
- The cooling technology keeps the slush at an optimum consistency.



**CAN CHILL
DAIRY & ALCOHOL**

Slush Machine 3 Tanks - X SERIES		
Model		MODEL X III
Voltage	V	220-240 / 50Hz
Power	W	1040
Refrigerant		R290
Temperature (Slush Mode)	°C	-2~-12
Temperature (Juice Mode)	°C	1-7
Capacity	L	12 x 3
Weight	KG	78
Dimension	MM	714 x 610 x 940

- Easy to use controls, low noise level ≤60 dB
- Adjustable stirring speed for varying beverage concentrations.
- Features both juice mode and slush mode.
- Each bowl is independently controlled and easy to remove for cleaning.
- Removable spigot, easy to remove and clean.
- Requires only 5% sugar content, compared to the 13% minimum of most machines, allowing retailers to offer healthier products.
- Approx. max. alcohol concentration 20% vol.
- Adjustable LED light colors for customizing the display to match the frozen drink or brand/store colors.
- Hot gas defrost for the evaporator cylinder, avoiding freezing block on auger.
- The cooling technology keeps the slush at an optimum consistency.

ICE CREAM MACHINE (WITHOUT PRE-COOLING)



Ice Cream Machine Table Model - 2 Flavour + Mix		
Model		MQ-L20AN
Voltage	V	220
Power	KW	1.9
Refrigeration Capacity	L/H	20
Refrigerant		R410a
Weight	KG	88
Dimension	MM	544 x 710 x 850

- Table model 2 flavours 1 mix
- Strong performance for a great price and reliable



Ice Cream Machine Floor Model - 2 Flavour + Mix		
Model		MQ-L20N
Voltage	V	220
Power	KW	1.9
Refrigeration Capacity	L/H	20
Refrigerant		R410a
Weight	KG	98
Dimension	MM	504 x 705 x 1177

- Floor standing 2 flavours 1 mix machine



Ice Cream Machine Table Model - Single Flavour		
Model		MQ-L16E
Voltage	V	220
Power	KW	1.2
Refrigeration Capacity	L/H	16
Weight	KG	40
Refrigerant		R404A
Dimension	MM	220 x 660 x 720

- Table model 1 flavour machine
- With air pump

ICE CREAM MACHINE WITH PRE-COOLING

DISPLAY EQUIPMENT

DISPLAY EQUIPMENT



Ice Cream Machine with Pre-Cooling Table Model

2 Flavour + Mix

Model		MQ-L20AN-PC
Voltage	V	220
Power	KW	1.8
Pre-Cool Power	W	150
Refrigeration Capacity	L/H	18
Refrigerant		R404a
Weight	KG	90
Dimension	MM	520 x 695 x 735

- Comes with Pre-Cooling
- Table model 2 flavours + 1 mix
- Strong performance for a great price and reliable



Ice Cream Machine with Pre-Cooling Floor Model

2 Flavour + Mix

Model		MQ-L20N-PC
Voltage	V	220
Power	KW	1.8
Pre-Cool Power	W	150
Refrigeration Capacity	L/H	18
Refrigerant		R404a
Weight	KG	119
Dimension	MM	540 x 575 x 1370

- Comes with Pre-Cooling & cone holder
- Floor standing 2 flavours + 1 mix machine
- Strong performance for a great price and reliable





3 Dozen Pie Warmer		
Model		OT-580
Voltage	V	220
Power	KW	1
Weight	KG	21
Dimension	MM	640 x 360 x 530

- Ideal for the smaller market to keep pies warm
- Sliding doors



4 Dozen Pie Warmer		
Model		OT-805
Voltage	V	220
Power	KW	1.5
Weight	KG	35
Dimension	MM	865 x 360 x 625

- Thermostatically controlled
- Includes crumb catcher



Pie Warmer - Econo		
Model		OT-2P
Voltage	V	220
Power	KW	0.84
Weight	KG	23
Dimension	MM	660 x 500 x 620

- Ideal for small bakeries and petrol station



600mm Pie Warmer - 2 Dozen		
Model		OT60-1
Voltage	V	220
Power	KW	1.84
Weight	KG	37
Dimension	MM	600 x 480 x 610

- Great product visibility
- Modern design
- Front and Rear sliding glass



900mm Pie Warmer - 4 Dozen		
Model		OT60-2
Voltage	V	220
Power	KW	1.84
Weight	KG	50
Dimension	MM	900 x 480 x 610

- Self service
- Modern design
- Front and Rear sliding glass



1200mm Pie Warmer - 5 Dozen		
Model		OT60-3
Voltage	V	220
Power	KW	2.2
Weight	KG	72
Dimension	MM	1200 x 480 x 610

- Ideal for the bigger market (bakeries and petrol station)
- Self service
- Front and Rear sliding glass

DOUGHNUT FRYER AND COUNTER TOP PIZZA INGREDIENT CHILLER

DISPLAY EQUIPMENT

DISPLAY EQUIPMENT



Manual Doughnut Fryer		
Model		WHA-TD01
Voltage	V	220
Power	KW	2.5
Dimension	MM	1020 x 528 x 648

- Easy to use and maintain
- Fully manual
- Includes fryer
- Includes 2 different dyes: 1x mochi and 1x regular doughnut



1200 Counter Top Pizza Ingredient Chillers		
Model		VRX1200
Voltage	V	220
Power	W	170
Capacity	L	32
Refrigerant		R134a
Cooling Type		static
Temperature	°C	2-8
Weight	KG	48
Dimension	MM	1200 x 335 x 430

- Excludes inserts
- Great product viewer
- Can fit 4 x GN1/3 (65/100 MM)



1800 Counter Top Pizza Ingredient Chillers		
Model		VRX1800
Voltage	V	220
Power	W	170
Capacity	L	56
Refrigerant		R134a
Cooling Type		static
Temperature	°C	2-8
Weight	KG	59
Dimension	MM	1800 x 335 x 430

- Excludes inserts
- Great product viewer
- Can fit 8 x GN1/3 (65/100 inserts)



GATTO

Electric Chicken Rotisserie 4 Basket 8 Chickens		
Model		OT-266
Voltage	V	220
Power	KW	6
Weight	KG	65
Dimension	MM	810 x 630 x 680

- Fast seller for any operation
- Basket operation



GATTO

Electric Chicken Rotisserie 4 Basket 12 Chickens		
Model		OT-268
Voltage	V	380
Power	KW	10
Weight	KG	179
Dimension	MM	1000 x 900 x 1060

- Complete with castors for easy cleaning
- Basket operation



GATTO

Electric Chicken Rotisserie 6 Basket 18 Chickens		
Model		OT-201
Voltage	V	220
Power	KW	10
Weight	KG	179
Dimension	MM	1000 x 900 x 1060

- Complete with swing door
- High production rotisserie
- Convection assisted





Counter Top Heated Display		
Model		RTR-130L-2
Voltage	V	220
Power	W	1150
Capacity	L	130
Temperature	°C	30-90
Weight	KG	55
Dimension	MM	779 x 590 x 685

- Modern Contemporary design
- Great for food viewer



Counter Top Cold Display		
Model		GN-660RT
Voltage	V	220
Power	W	160
Capacity	L	108
Temperature	°C	+2-+8
Refrigerant		R134a/R600a
Shelves		2
Dimension	MM	660 x 530 x 730

- Modern contemporary design
- LED lights



Counter Top Heated Display		
Model		GN-660HRT
Voltage	V	220
Power	W	450
Capacity	L	108
Temperature	°C	+40-+65
Shelves		2
Dimension	MM	660 x 530 x 730

- Modern contemporary design
- Great for food viewer

PASTRY/CAKE UPRIGHT DISPLAY FRIDGE AND COUNTER TOP HEATED DISPLAY



Pastry/Cake Upright Display Fridge - Counter Top		
Model		CDF-0615
Voltage	V	220
Power	KW	0.2
Capacity	L	146
Temperature	°C	2-12
Refrigerant		R290
Shelves		3
Dimension	MM	615 x 560 x 874

- 3 Adjustable Chrome Shelves



Counter Top Heated Single Display		
Model		HDC-0001
Voltage	V	220
Power	KW	0.8
Capacity	L	35
Temperature	°C	30-85
Shelves		1
Dimension	MM	555 x 361 x 312

- Ideal for pies and hot pastries
- Hinged door front and back
- Stainless steel fittings



Counter Top Heated Double Display		
Model		HDC-0002
Voltage	V	220
Power	KW	0.8
Capacity	L	50
Temperature	°C	30-85
Shelves		2
Dimension	MM	555 x 361 x 379

- Ideal for pies and hot pastries
- Hinged door front and back
- Stainless steel fittings



Counter Top Ambient Single Display		
Model		ABC-0001
Capacity	L	40
Shelves		1
Dimension	MM	555 x 361 x 312

- Hinged door front and back
- Stainless steel fittings
- Ideal for pastries, muffins, tarts, etc.



Counter Top Ambient Double Display		
Model		ABC-0002
Capacity	L	50
Shelves		2
Dimension	MM	555 x 361 x 379

- Hinged door front and back
- Stainless steel fittings
- Ideal for pastries, muffins, tarts, etc.





6 Flavour Gelato Freezer - Counter Top		
Model		GDF6
Voltage	V	220
Power	KW	0.53
Temperature	°C	-12 — -22
Refrigerant		R290
Dimension	MM	1170 X 850 X 618

- Includes 6x GN1/3 inserts



12 Flavour Gelato Freezer - Floor Standing		
Model		GDF12
Voltage	V	220
Power	W	275
Temperature	°C	0 - 22
Refrigerant		R290
Dimension	MM	1230 x 835 x 1290

- Includes 12x GN1/3 inserts



16 Flavour Gelato Freezer - Floor Standing		
Model		GDF16
Voltage	V	220
Power	W	325
Temperature	°C	0 - 22
Refrigerant		R290
Dimension	MM	1540 x 835 x 1290

- Includes 16x GN1/3 inserts



900mm Curved Glass Cold Display		
Model		GN-900C2
Voltage	V	220
Power	W	450
Capacity	L	255
Shelves	TIER	2
Temperature	°C	+2-+8
Refrigerant		R134a
Dimension	MM	900 x 730 x 1200

- Stainless steel modern base
- Digital temperature display
- Available in 3 Tier 1360mm Height - GN-900C3



900mm Curved Glass Heated Display		
Model		GN-900CH2
Voltage	V	220
Power	W	450
Capacity	L	380
Shelves	TIER	2
Temperature	°C	+40~+65
Dimension	MM	900 x 730 x 1200

- Stainless steel modern base
- Digital temperature display



1200mm Curved Glass Cold Display		
Model		GN-1200C2
Voltage	V	220
Power	W	450
Capacity	L	345
Shelves	TIER	2
Temperature	°C	+2-+8
Refrigerant		R134a
Dimension	MM	1200 x 730 x 1200

- Low frost compressor
- 2 shelves
- Double glazed
- Available in 3 Tier 1360mm Height - GN-1200C3



1500mm Curved Glass Cold Display		
Model		GN-1500C2
Voltage	V	220
Power	W	550
Capacity	L	435
Shelves	TIER	2
Temperature	°C	+2-+8
Refrigerant		R134a
Dimension	MM	1500 x 730 x 1200

- Low frost compressor
- 2 shelves
- Stainless steel modern base
- Heated front glass, low condensation
- Available in 3 Tier 1360mm Height - GN-1500C3



1800mm Curved Glass Cold Display		
Model		GN-1800C2
Voltage	V	220
Power	W	650
Capacity	L	525
Shelves	TIER	2
Temperature	°C	+2-+8
Refrigerant		R134a
Dimension	MM	1800 x 730 x 1200

- Low frost compressor
- 2 shelves
- Stainless steel modern base
- Heated front glass, low condensation
- Available in 3 Tier 1360mm Height - GN-1800C3



900mm Square Glass Cold Display		
Model		GN-900R2
Voltage	V	220
Power	W	450
Capacity	L	380
Shelves	TIER	2
Temperature	°C	+2-+8
Refrigerant		R134a
Dimension	MM	900 x 730 x 1200

- Low frost compressor
- Double glazed
- Stainless steel modern base
- Digital temperature display
- Available in 3 Tier 1360mm Height - GN-900RE3



900mm Square Glass Heated Display		
Model		GN-900H2
Voltage	V	220
Power	W	450
Capacity	L	380
Shelves	TIER	2
Temperature	°C	+40~+65
Dimension	MM	900 x 730 x 1200

- Stainless steel modern base
- Digital temperature display



1200mm Square Glass Cold Display		
Model		GN-1200R2
Voltage	V	220
Power	W	450
Capacity	L	515
Shelves	TIER	2
Temperature	°C	+2-+8
Refrigerant		R134a
Dimension	MM	1200 x 730 x 1200

- Low frost compressor
- Double glazed
- Modern design
- Heated front glass for low condensation
- Available in 3 Tier 1360mm Height - GN-1200RE3



1200mm Heated Square Glass Display		
Model		GN-1200H2
Voltage	V	220
Power	W	1485
Capacity	L	380
Shelves	TIER	2
Temperature	°C	+40~+60
Dimension	MM	1200 x 730 x 1200

- Stainless steel modern base
- Digital temperature display
- Available in 3 Tier 1360mm Height - GN-1200H3



1500mm Square Glass Cold Display		
Model		GN-1500R2
Voltage	V	220
Power	W	550
Capacity	L	650
Shelves	TIER	2
Temperature	°C	+2-+8
Refrigerant		R134a
Dimension	MM	1500 x 730 x 1200

- Low frost compressor
- Stainless steel modern base
- Digital temperature display
- Heated front glass for low condensation
- Available in 3 Tier 1360mm Height - GN-1500RE3




1800mm Square Glass Cold Display		
Model		GN-1800R2
Voltage	V	220
Power	W	650
Capacity	L	785
Shelves	TIER	2
Temperature	°C	+2-+8
Refrigerant	KG	R134a
Dimension	MM	1800 x 730 x 1200

- Low frost compressor
- Stainless steel modern base
- Digital temperature display
- Heated front glass for low condensation
- Available in 3 Tier 1360mm Height - GN-1800RE3



Open Display Chiller - 500mm		
Model		FGOR500LC
Voltage	V	220
Power	W	900
Capacity	L	220
Temperature	°C	2-10
Refrigerant		R404A
Shelf	tier	3
Dimension	MM	600 x 600 x 1920

- Ideal for self-service applications
- Mirror finish
- Great in supermarkets
- Cools very well



Open Display Chiller - 900mm		
Model		FGOR900LC
Voltage	V	220
Power	W	1900
Capacity	L	396
Temperature	°C	2-10
Refrigerant		R404A
Shelf	tier	3
Dimension	MM	900 x 600 x 1920

- Night cover included
- Separate light for each shelf



Open Display Chiller - 1300mm		
Model		FGOR1300LB
Voltage	V	220
Power	W	2360
Capacity	L	740
Temperature	°C	4-12
Refrigerant		R404A
Shelf	tier	4
Dimension	MM	1300 x 840 x 2000

- Pull down night cover included
- 4 adjustable show shelves
- Cools very well

Open Display Chiller - 2000mm		
Model		FGOR2000LB
Voltage	V	220
Power	W	2930
Capacity	L	1160
Temperature	°C	4-12
Refrigerant		R404A
Shelf	tier	4
Dimension	MM	2000 x 840 x 2000

- Pull down night cover included
- 4 adjustable show shelves
- Cools very well



BUFFETWARE



GATTO



GATTO

Cutlery Holder 3 Cup		
Model		D0001
Weight	KG	1.8
Dimension	MM	380 x 150 x 180

- Stainless steel base and cups
- Dispenser for knives and forks
- Ideal for server counters



GATTO

Chafing Dish Square 2/3 on Stand with Glass Lid		
Model		F1217
Capacity	L	9
Dimension	MM	400 x 420 x 300

- Burner holders included
- Chafing fuel not included



GATTO

Chafing Dish Round on Stand with Glass Lid		
Model		F1218
Capacity	L	9
Dimension	MM	480 x 440 x 300

- Burner holders included
- Chafing fuel not included



GATTO

Economy Rectangular Chafer		
Model		822
Capacity	L	9
Dimension	MM	580 x 355 x 315

- Burner holders included
- Chafing fuel not included

INDUCTION CHAFER AND CHAFING DISH



GATTO

Induction Chafer Round		
Model		1218
Capacity	L	6
Dimension	MM	480 x 440 x 200

- Elegant Chafer with viewing window
- Open position lock with soft close



GATTO

Economy Roll Top Round Chafer		
Model		AT51363
Dimension	MM	510 x 540 x 480

- Polished finish
- Roll back lid
- Burner holders included
- Chafing fuel not included



GATTO

Economy Roll Top Square Chafer		
Model		AT61363-1
GN		1/1X1PC
Dimension	MM	660 x 490 x 460

- Polished finish
- Roll back lid
- Burner holders included
- Chafing fuel not included



GATTO

Economy Roll Top Round Chafer		
Model		721
Dimension	MM	470 x 470 x 440

- Polished finish
- Roll back lid
- Burner holders included
- Chafing fuel excluded



GATTO

Economy Roll Top Rectangular Chafer		
Model		723
Dimension	MM	645 x 465 x 435

- Polished finish
- Roll back lid
- Burner holders included
- Chafing fuel excluded

GATTO



Induction Chafer Red with Silicone Handle - 4L		
Model		ICR-0004
Capacity	L	4
Outer Material		Cast Aluminum
Inner Material		304 Stainless Steel
Handle		Silicone
Dimensions	MM	410 Ø x 230 H

- Induction Compatible
- Clear glass lid
- Colour Red
- Lid clips into holder to keep open during service

GATTO



Induction Chafer Black with Silicone Handle - 4L		
Model		ICB-0004
Capacity	L	4
Outer Material		Cast Aluminum
Inner Material		304 Stainless Steel
Handle		Silicone
Dimensions	MM	410 Ø x 230 H

- Induction Compatible
- Clear glass lid
- Colour Black
- Lid clips into holder to keep open during service

GATTO



Induction Chafer Light Blue with Silicone Handle - 4L		
Model		ICLB-0004
Capacity	L	4
Outer Material		Cast Aluminum
Inner Material		304 Stainless Steel
Handle		Silicone
Dimensions	MM	410 Ø x 230 H

- Induction Compatible
- Clear glass lid
- Colour White
- Lid clips into holder to keep open during service

Clips into holder





GATTO

Induction Buffet Pot - Blue		
Model		BPB-0001I
Handle		Chromed
Material		Stainless Steel
Dimensions	MM	325 Ø x 170 H

- Induction Compatible
- Clear glass vision
- Colour Blue
- Hinges will automatically slow down the lid



GATTO

Induction Buffet Pot - Yellow		
Model		BPY-0001I
Handle		Chromed
Material		Stainless Steel
Dimensions	MM	325 Ø x 170 H

- Induction Compatible
- Clear glass vision
- Colour Yellow
- Hinges will automatically slow down the lid



GATTO

Induction Buffet Pot - Red		
Model		BPR-0001I
Handle		Chromed
Material		Stainless Steel
Dimensions	MM	325 Ø x 170 H

- Induction Compatible
- Clear glass vision
- Colour Red
- Hinges will automatically slow down the lid



ROUND INDUCTION CHAFING DISH, CERAMIC INSERT & FRAME

BUFFETWARE

BUFFETWARE



GATTO

Induction Chafing Dish - Round		
Model		INSD06LT
Capacity	LT	6
Dimensions	mm	540 x 440 x 160

- Elegant, upmarket induction chafer with viewing window
- Table top frame to sit on a counter that requires no cut out - mobile option
- Open position lock with soft close
- Ceramic dish optional



GATTO

Ceramic Dish		
Model		HY03



GATTO

Table Top Frame		
Model		FRAME06LT
Dimensions	MM	480 x 480 x 90



GATTO

Induction Warmer for Above		
Model		BT-350K-1
Induction Dimensions	MM	245 x 245 x 70





GATTO

Induction Chafing Dish - Square		
Model		INDCHAF06LT-S
Capacity	LT	6
Dimensions	mm	400 x 475 x 160

- Elegant, upmarket induction chafer with viewing window
- Table top frame to sit on a counter that requires no cut out - mobile option
- Open position lock with soft close
- Ceramic dish optional



GATTO

Ceramic Dish		
Model		HY05



GATTO

Table Top Frame		
Model		FRAME2/3F
Dimensions	MM	400 x 375 x 70



GATTO

Induction Warmer for Above		
Model		BT-350K-1
Induction Dimensions	MM	245 x 245 x 70



CERAMIC INSERT



GATTO

1/1 GN Ceramic Insert		
Model		HY07
Depth	MM	65



GATTO

1/1 GN Ceramic Insert - Low Sided		
Model		GN1/1-CER-30
Depth	MM	30



GATTO

2/3 GN Ceramic Insert		
Model		HY05
Depth	MM	65



GATTO

1/2 GN Ceramic Insert		
Model		HY06
Depth	MM	60



GATTO

1/3 GN Ceramic Insert		
Model		GN1/3-CER-65
Depth	MM	65



GATTO

1/6 GN Ceramic Insert		
Model		GN1/6-CER-100
Depth	MM	100



GATTO

Round Ceramic Insert - Straight Divide		
Model		HY04
Dimensions	MM	385 x 385 x 65



GATTO

Round Ceramic Insert - S Divide		
Model		HY01
Dimensions	MM	325 x 325 x 65



GATTO

Round Ceramic Insert		
Model		HY03
Dimensions	MM	385 x 385 x 65



GATTO

Soup Kettle - Black		
Model		AT51588
Voltage	V	220
Power	KW	0.4
Capacity	L	10
Weight	KG	3
Dimension	MM	300 x 350

- 10Lt Capacity
- Great for soup, sauces and stews



GATTO

Soup Kettle - Stainless Steel		
Model		AT51388
Voltage	V	220
Power	KW	0.4
Capacity	L	10
Weight	KG	3
Dimension	MM	300 x 350

- 10Lt Capacity
- Modern design

DISHWASHER & RACKS



GATTO







Undercounter Dishwasher - Single Phase		
Model		MODU50/220
Tank capacity	LT	27
Boiler capacity	LT	6
Power supply		230V –NPE
Power	KW	5,5
Hour production		35 racks/H
Basket size	MM	500x500
Weight	KG	75
Dimension	MM	650 x 595 x 830

- Excludes drain pump



Undercounter Dishwasher - Three Phase		
Model		MODU50/380
Tank capacity	LT	27
Boiler capacity	LT	6
Power supply	V	380V
Max power rating	AMP/KW	
Hour production		35 racks/h
Basket size	MM	500x500
Weight	KG	75
Dimension	MM	650 x 595 x 830

- Front loading undercounter
- Electronic control
- Temperature display





Hoodtype Dishwasher		
Model		MODU1000
Tank capacity	LT	19
Boiler capacity	LT	7
Tank heater	KW	3
Boiler heater	KW	9
Power supply		400V - 3NPE
Washing pump	KW	0,66
Power	KW	9,66
Hour production		69 racks/H
Basket size	MM	500x500
Weight	KG	130
Dimension	MM	700x790x1420/1860

- Front and side loading hoodtype dish washer
- User friendly Digital Control Panel
- Temperature display



Rack Type Dishwasher		
Model		MODU-101XL
Voltage	V	400/50Hz - 3N
Power	KW	22
Boiler	L	17
	KW	9.5 (16-12)
	°C	60
Tank	L	70
	KW	1.5
	°C	60
Wash Pump	KW	1.5
Water Consumption	L/H	160
Rack size	MM	500 x 500
Productivity	RACK/H	60-120
Glass Maximum Height	MM	440
Dish Maximum Height	MM	460
Door opening height	MM	450
Dimension	MM	770 x 1150 x 1610

- Special Order
- Excludes Dryer, Order Code: A
- Order Code for 90° Curve Roller Table: 717068



GATTO

3 Division Cutlery Box with 3 Small Round Holders		
Model		71
Size	MM	540 x 325 x 105

- 3 compartments with 3 small round holders
- Ideal for commercial use in pubs, restaurants, canteens, and cafeterias
- 100% dishwasher save



GATTO

4 Division Cutlery Box		
Model		72
Size	MM	540 x 325 x 105

- 4 compartments
- Ideal for commercial use in pubs, restaurants, canteens, and cafeterias
- 100% dishwasher save



GATTO

Cover for Cutlery Box		
Model		71/72-COVER

- Fits on cutlery boxes



GATTO

Flatware		
Model		3117
Size	MM	500 x 500 x 100

- Poly prop-flatware rack



GATTO

Fine Flatware		
Model		3116
Size	MM	500 x 500 x 100

- Poly prop-fine flatware rack



GATTO

Multi-Purpose Peg Rack		
Model		3123
Size	MM	500 x 500 x 100

- Ideal for plates & odd sized dishes



GATTO

9 Compartment Glass Rack		
Model		3109
Size	MM	500 x 500 x 100

- Poly prop-9 compartment glass rack



GATTO

9 Compartment Extender Rack		
Model		3102
Size	MM	500 x 500 x 45

- Poly prop-extender for 9 compartment glass rack



GATTO

16 Compartment Glass Rack		
Model		3110
Size	MM	500 x 500 x 100

- Durable 16 compartment polypropylene



GATTO

16 Compartment Extender Rack		
Model		3103
Size	MM	500 x 500 x 45

- Poly propylene extender rack for 16 compartments



GATTO

20 Compartment Glass Rack		
Model		3111
Size	MM	500 x 500 x 100

- Durable 20 compartment glass rack polypropylene



GATTO

20 Compartment Extender Rack		
Model		3104
Size	MM	500 x 500 x 45

- Durable extender rack for 20 compartment



GATTO

25 Compartment Glass Rack		
Model		3112
Size	MM	500 x 500 x 100

- Durable polypropylene 25 compartment glass rack



GATTO

25 Compartment Extender Rack		
Model		3105
Size	MM	500 x 500 x 45

- Durable polypropylene 25 compartment glass extender



GATTO

36 Compartment Glass Rack		
Model		3113
Size	MM	500 x 500 x 100

- Durable polypropylene 36 compartment glass rack



36 Compartment Extender Rack		
Model		3106
Size	MM	500 x 500 x 45

- Durable polypropylene 36 extender compartment rack



49 Compartment Glass Rack		
Model		3114
Size	MM	500 x 500 x 100

- Durable polypropylene 49 compartment glass rack



49 Compartment Extender Rack		
Model		3107
Size	MM	500 x 500 x 45

- Durable polypropylene 49 compartment extender rack



Rack Trolley		
Model		JW-ST
Size	MM	538 x 538 x 915

- Trolley for convenient transporting of racks



HEAVY DUTY EQUIPMENT



GATTO

MODULUKS

THERMACART

ATOSA



Heavy Duty Mobile Food Warming Cart - Full Size		
Model		FWC-0016
Voltage	V	220
Power	KW	2.5
Capacity	TIER	16
Doors		2
Dimension	MM	705 x 810 x 1850

- Can take 32x 1/1 GN inserts per cart (GN inserts not included)
- Two half doors to minimize heat loss when loading & unloading
- Lockable castors
- Wire racks sold separately. Code: SGG-0650 (takes 16)
- Available in a half size, 8-tier. Code: FWC-0008





Electric Heated Banqueting Transport Trolley - 14 Tray		
Model		HBT-0014
Voltage	V	220 / 50Hz
Power	W	1075
Heating Range	°C	+65 ~ +90
Tray		14
Tray Spacing	MM	50
Shelf Material		PC
Volume	M ²	0.45
N. Weight	KG	39
G. Weight	KG	44
Dimensions	MM	570 x 790 x 990

- Can take 1x GN1/1 insert per shelf, 2x GN1/2 inserts per self or 3x GN1/3 inserts per shelf
- Includes 4x castors with brakes
- Castor type: Medical
- Comes with a safety switch
- Digital Thermometer display
- Isolation: All sides
- Outer body: Aluminium (Electrostatic Painted) + ABS surrounded
- Inner body: Aluminium (Electrostatic Painted) + PC surrounded



Electric Heated Banqueting Transport Trolley - 24 Tray		
Model		HBT-0014
Voltage	V	220 / 50Hz
Power	W	1300
Heating Range	°C	+65 ~ +90
Tray		24
Tray Spacing	MM	50
Shelf Material		PC
Volume	M ²	0.67
N. Weight	KG	57
G. Weight	KG	63
Dimensions	MM	570 x 790 x 1490

- Can take 1x GN1/1 insert per shelf, 2x GN1/2 inserts per self or 3x GN1/3 inserts per shelf
- Includes 4x castors with brakes
- Castor type: Medical
- Comes with a safety switch
- Digital Thermometer display
- Isolation: All sides
- Outer body: Aluminium (Electrostatic Painted) + ABS surrounded
- Inner body: Aluminium (Electrostatic Painted) + PC surrounded



Electric Chilled Banqueting Transport Trolley - 10 Tray		
Model		CBT-0019
Voltage	V	220 / 50Hz
Power	W	235
Heating Range	°C	+2~5
Refrigerant		R290A
Tray		10
Tray Space	MM	500
Volume	M ²	0.76
N. Weight	KG	75
G. Weight	KG	82
Dimensions	MM	570 x 790 x 1600

- Can take 1x GN1/1 insert per shelf, 2x GN1/2 inserts per self or 3x GN1/3 inserts per shelf
- Includes 4x castors with brakes
- Castor type: Medical
- Comes with a safety switch
- Digital Thermometer display
- Isolation: All sides
- Outer body: Aluminium (Electrostatic Painted) + ABS surrounded
- Inner body: Aluminium (Electrostatic Painted) + PC surrounded



Insulated Thermacart Banqueting Transport Trolley - 24 Tray		
Model		IBT-0024
Tray		24
Tray Space	MM	50
Shelf Material		PC
Volume	M ²	0.62
N. Weight	KG	37
G. Weight	KG	43
Dimensions	MM	530 x 780 x 1490

- Can take 1x GN1/1 insert per shelf, 2x GN1/2 inserts per self or 3x GN1/3 inserts per shelf
- Includes 4x castors with brakes
- Castor type: Medical
- Comes with a safety switch
- Isolation: All sides
- Outer body: Aluminium (Electrostatic Painted) + ABS surrounded
- Inner body: Aluminium (Electrostatic Painted) + PC surrounded



Single Door Heated + Neutral Hospital Ward Trolley - 14 Tray		
Model		HWT-0014
Voltage	V	220 / 50Hz
Power	W	1200
Heating Range	°C	+65 ~ +90
Tray		12 Heated + 2 Neutral = 14 Total
Tray Spacing	MM	75
Shelf Material		PC
Tray Sizes	MM	360x460 / 370x530
Volume	M ²	0.71
N. Weight	KG	59
G. Weight	KG	84
Dimensions	MM	570 x 790 x 1580

- Includes 4x castors with brakes
- Castor type: Medical
- Comes with a safety switch
- Digital Thermometer display
- Isolation: All sides
- Outer body: Aluminium (Electrostatic Painted) + ABS surrounded
- Inner body: Aluminium (Electrostatic Painted) + PC surrounded



Single Door Heated + Neutral Hospital Ward Trolley - 14 Tray		
Model		HWT-0024
Voltage	V	220 / 50Hz
Power	W	1200
Heating Range	°C	+65 ~ +90
Tray		24 Heated + 4 Neutral = 14 Total
Tray Spacing	MM	75
Shelf Material		PC
Tray Sizes	MM	360x460 / 370x530
Volume	M ²	0.71
N. Weight	KG	59
G. Weight	KG	84
Dimensions	MM	570 x 790 x 1580

- Includes 4x castors with brakes
- Castor type: Medical
- Comes with a safety switch
- Digital Thermometer display
- Isolation: All sides
- Outer body: Aluminium (Electrostatic Painted) + ABS surrounded
- Inner body: Aluminium (Electrostatic Painted) + PC surrounded



Double Free Standing Drawer Warmer - Mechanical Controller		
Model		DWF-0002
Voltage	V	220
Power	W	900
Drawers		2
Temperature	°C	27-105
Weight	KG	69
Dimensions	MM	705 x 534 x 616

- Can take 1x GN1/1 insert per shelf, 2x GN1/2 inserts per self or 3x GN1/3 inserts per shelf
- Food grade stainless steel construction
- Keep hot food ready for serve at any time
- Pan supports different sizes of food pans
- Individual thermostat control for each drawer
- Reliable insulation and drawer gaskets enhance heat efficiency
- Jam-free with durable drawer slides, brackets and rolling bearings
- Stainless steel feet
- Easy to use and clean



Triple Free Standing Drawer Warmer - Mechanical Controller		
Model		DWF-0003
Voltage	V	220
Power	W	1350
Drawers		3
Temperature	°C	27-105
Weight	KG	92
Dimensions	MM	705 x 534 x 854

- Can take 1x GN1/1 insert per shelf, 2x GN1/2 inserts per self or 3x GN1/3 inserts per shelf
- Food grade stainless steel construction
- Keep hot food ready for serve at any time
- Pan supports different sizes of food pans
- Individual thermostat control for each drawer
- Reliable insulation and drawer gaskets enhance heat efficiency
- Jam-free with durable drawer slides, brackets and rolling bearings
- Stainless steel feet
- Easy to use and clean



Counter Model Mini Slow Cook and Hold Oven - Digital Control with Probe		
Model		MSC-0001
Voltage	V	220
Power	W	1200
Cooking Mode Timer		00:00 - 23:59
Warming Mode Timer		00:00 - 99:59
Temperature	°C	Max to 110
Capacity	L	70
Weight	KG	62
Dimensions	MM	568 x 726 x 520

- Can take 1x GN1/1 insert or 600x400mm baking tray per shelf
- Stainless steel construction with cooking and keeping warm combination
- Cooks, roasts, re-heats and holds food for the best serving taste
- Precise temperature control
- Full insulated double wall structure with enfolded heating elements
- Provide the best and consistent cooking and holding results with less shrinkage of meats
- Designed to fit standard GN pans and baking tray



Undercounter Cook & Hold Smoker Oven Programmable Digital Control		
Model		CHS-0001
Voltage	V	220
Power	W	4000+260
Layers		8
Temperature	°C	93-160
Max. Storage	KG	58
Weight	KG	62
Dimensions	MM	568 x 726 x 520

- Can take 1x GN1/1 insert per shelf
- Commercial stainless steel construction
- Smoke, heat, holding as function
- Hold food for hours without compromising food quality
- Digital temperature and time display
- Solid with seal door
- LCD temperature display
- Casters with brakes for easy movement



Solid Top 3 Plate Stove		
Model		RS3
Dimensions	MM	1000 x 890 x 860
Dimensions Ext. Oven	MM	605 x 620 x 405
Total power	KW	18
Voltage	V	380/3 phase
Temperature	°C	7-280
Oven Capacity	LT	150lt- 6kw
Weight	KG	320
Hob:		
Three 675 x 295 x 16mm Hot plates.		
Loading of 4kw per plate.		

- All stainless steel body
- Heavy duty-suitable for all industrial kitchens
- Can be used for baking and cooking
- Temperature control
- High quality EGO 3 heat switches for top plates



Solid Top 3 Plate Stove		
Model		RS3-1
Voltage	V	380/3 phase
Power	KW	19
Temperature	°C	7-280
Dimension	MM	1200 x 900 x 950

- The perfect stove for all large industrial kitchens
- Modern heavy duty chrome zinc knobs
- High quality EGO 3 heat switches for top plates
- Manufactured for heavy duty applications



Solid Top 3 Plate Stove		
Model		RS3-NS
Dimensions	MM	1000 x 890 x 860
Total power	KW	18
Voltage	V	380/3 phase
Weight	KG	320
Hob:		
Three 675 x 295 x 16mm Hot plates.		
Loading of 4kw per plate.		

- 3 plate industrial stove without oven
- Temperature control
- Easy to operate and clean
- High quality EGO 3 heat switches for top plates



GATTO

Solid Top 2 Plate Stove		
Model		RS2-1
Voltage	V	380/3 phase
Power	KW	14
Temperature	°C	7-280
Dimension	MM	900 x 900 x 950

- Ideal for cooking and baking
- Modern heavy duty chrome sink knobs
- High quality EGO 3 heat switches for top plates
- Manufactured for heavy duty applications



GATTO

Oil Jacketed Boiling Pot - Electric 135LT		
Model		BP135
Dimensions	MM	D1100 x H900
Power Supply		Electric
Voltage	V	380+N
Capacity	LT	135
Weight	KG	90

- Heavy duty-stainless steel
- Takes 60LT thermo-D oil- sold separately
- Easy to operate
- Temperature control and over temperature control
- Circuit breaker protection



GATTO

Oil Jacketed Boiling Pot - Gas 135LT		
Model		BPG135
Dimensions	MM	D1100 x H1100
Capacity	LT	135
BTU		70000
Weight	KG	90

- Flame failure protection
- Thermostatically controlled
- Takes 60LT thermo-D oil- sold separately

OIL JACKETED BOILING POT & HEAT TRANSFER OIL

HEAVY DUTY EQUIPMENT

HEAVY DUTY EQUIPMENT



GATTO

Oil Jacketed Boiling Pot - Electric 225LT		
Model		BP5
Dimensions	MM	D1100 x H1060
Power Supply		Electric
Voltage	V	380+N
Capacity	LT	225
Weight	KG	180

- Heavy duty-stainless steel
- Takes 60LT thermo-D oil- sold separately
- Easy to operate
- Temperature control and over temperature control
- Circuit breaker protection



GATTO

Oil Jacketed Boiling Pot - Gas 225LT		
Model		BPG
Dimensions	MM	D1100 x H1200
Capacity	LT	225
BTU		70000
Weight	KG	180

- Flame failure protection
- Thermostatically controlled
- Takes 60LT thermo-D oil- sold separately



GATTO

Heat Transfer Thermo Oil		
Model		OIL
Litre	L	20

- Used for oil jacketed boiling pots
- Heat transfer oil



GATTO

Stainless Steel Tilt Pan - 80L - Electric		
Model		TP2S
Dimension	MM	1440 x 867 x 940
Voltage	V	380+N
Capacity	LT	80
Power	KW	14.4
Weight	KG	370

- 304 stainless steel inner pan, mild steel base
- Ideal for any industrial cooking site
- Smooth and safe tilt mechanism
- Ideal for stews, soup, rice, etc.



GATTO

Stainless Steel Tilt Pan - Gas - 80L		
Model		TP2SG
Dimension	MM	1440 x 867 x 940
Capacity	LT	80
Weight	KG	370
BTU		140000

- 304 stainless steel inner pan, mild steel base
- Ideal for stews, soup, rice, etc.



GATTO

Stainless Steel Tilt Pan Gas - 80L - NEW DESIGN		
Model		TPG80L
Dimension	MM	800 x 900 x 850+70
Capacity	LT	80
Gas Consumption	KG/H	1.76
Weight	KG	143

- Ideal for stews, soup, rice, etc.



Stainless Steel Tilt Pan - Electric - 120L		
Model		TP120S
Dimension	MM	1440 x 867 x 940
Voltage	V	380+N
Power	KW	14.4
Capacity	LT	120
Weight	KG	390

- 304 stainless steel inner pan, mild steel machine and base
- Ideal for stews, soup, rice, etc.



Stainless Steel Tilt Pan - Gas - 120L		
Model		TP120SG
Dimension	MM	1440 x 867 x 940
Capacity	LT	120
Weight	KG	390
BTU		140000

- Heated by means of tubular flame failure device
- Smooth tilting mechanism



Stainless Steel Tilting Skillet - Electric - 38L		
Model		E-TB-889
Dimension	MM	800 x 750 x 930
Pan dimension	MM	690 x 450 x 180
Power	KW	7.5
Voltage	V	380V/3ph+N
Capacity	LT	38
Weight	KG	220

- Compact design
- Hand tilt



GATTO

Stainless Steel Skillet - Gas - 38L		
Model		OT-NF-400
Dimension	MM	800 x 750 x 930
Capacity	LT	38
Weight	KG	220

- Compact design
- Hand tilt
- Flame failure device
- Ideal for stews, rice, meat, etc.



GATTO

700 Range - Electric 4 Plate with Electric Oven		
Model		OT-892D
Voltage	V	380
Power	KW	14
Weight	KG	130
Dimension	MM	700 x 700 x 920

- Plate sizes: 2x 220mm & 2x 180mm



MODULUKS

2 Burner Gas Wok Floor Standing		
Model		TW5 100
Power		LPG
Pressure	kPa	2.8
Dimension	MM	1100 x 465 x 900

- Requires a cold water connection and drainage point
- Does not have a fan blower
- Manual controls & ignition

GAS FRYER, SPARE FRYER BASKET



GATTO

1x28L Gas Floor Standing Fryer includes baskets		
Model		OT-2G
Power		LPG
Weight	KG	60
Dimension	MM	380 x 720 x 1050

- High power 3 burner tube fryer
- Single tank sold with 2 baskets
- Complete with flame failure device



GATTO

2x20L Gas Floor Standing Fryer includes baskets		
Model		OT-2G-2
Power		LPG
Capacity	L	20+20
Weight	KG	70
Dimension	MM	638 x 770 x 1110

- Double tank sold with 2 baskets
- Complete with flame failure device



4 Burner 1 Tank 2 Basket Fryer - Millivolt Gas Valve		
Model		MOD-CP-F4S-LP
Voltage	V	220
Power/burner	kW	8
Number of burners		4
Total power	kW	32
Oil capacity	L	20-23
Weight	KG	63
Dimension	MM	394 x 794 x 1150

- Solid state control behind the door to ensure faster, more precise heat recovery
- Standard with melt cycle and drain valve interlock switch (DVI) - interlock control prevents 'dry firing'
- Melt cycle switch that allows the shortening to heat slowly when in the "ON" position
- Indicator lights; "ON/OFF" & Melt Cycle
- Solid state control thermostat: 92—190°C
- Over temperature protection on 232°C
- Requires a 220V plug point connection



GATTO

Floor Standing Fryer Basket		
Model		OT-FRYER-BASKET
Measurements	MM	335 x 160 x 150

- Fits on OT14L-2, OT-28L, OT-28L-2 & OT-2G

HIGH SPEED FAST OVEN



Moduluks High Speed Oven		
Model		MSO-0017
Voltage	V	220-240 / 50Hz
Power	W	3500
Hot Air Power	W	3000
Microwave Power	W	1500
Capacity	L	17
Actual Dimensions	MM	460 x 675 x 660
Chamber Dimensions	MM	305 x 305 x 185
Packaging Dimensions	MM	770 x 565 x 840
Gross Weight	KG	84
Nett Weight	KG	64

HOT AIR IMPINGEMENT
With vertical hot air impingement and convection, food is heated rapidly and evenly, food is crisp, tasty and with attractive color.

COMBINATION OF MICROWAVE AND IMPINGEMENT
With combination of microwave and hot air impingement, it is able to cook food in more ways.

ULTRA-SPEED COOKING
With high efficient magnetrons on top, food is cooked ultra rapidly without significant loss of moisture in the food due to hot air impingement.

FROZEN FOOD THAWING
Microwave thaws food rapidly without drying out food moisture.

- 5" Touch Screen CTL
- Stock Menu: 1024
- Cooking Stage: 15
- Cooking Mode: vertical hot air impingement, microwave and convection
- Microwave output range: 0-100% in 10% increments
- Blower speed: 10 Grade
- Max cooking temperature: 280°C
- Catalytic converters: Yes
- USB Port: Yes
- IP Rating: IPX3

ACCESSORIES

MSO-0017-OS
➔ OVEN SHOVEL



INCLUDED

MSO-0017-GP
➔ ALUMINIUM GRILL PLATE



NOT INCLUDED

MSO-0017-PP
➔ ROUND PIZZA PAN



INCLUDED

MSO-0017-TP
➔ TEFLON PLATE



INCLUDED
146

MSO-0017TB
➔ TEFLON BASKET



INCLUDED

MODELS , PICTURES AND SPECIFICATIONS MAY CHANGE WITHOUT NOTICE.

HEAVY DUTY EQUIPMENT

HEAVY DUTY EQUIPMENT



6 Pan Modulux Combi Steamer		
Model		MODU6
Voltage	V	380
Power	KW	9
Water Inlet		R3/4
Drainage Connection		DN25
Fuse		3x 16A
Steam Generation		Injection
Steam Temperature	°C	30-130
Roast Temperature	°C	30-300
Weight	KG	
Dimension	MM	817 x 771 x 782

- Takes 6x GN1/1 full inserts
- Not self cleaning
- Does not have boiler
- Does come with Core temperature probe
- Combi stand sold separately - Code: COMBI-STAND



10 Pan Modulux Combi Steamer		
Model		MODU10
Voltage	V	380
Power	KW	18
Water Inlet		R3/4
Drainage Connection		DN25
Fuse		3x 32A
Steam Generation		Injection
Steam Temperature	°C	30-130
Roast Temperature	°C	30-300
Weight	KG	
Dimension	MM	817 x 771 x 1060

- Takes 10x GN1/1 full inserts
- Not self cleaning
- Does not have boiler
- Does come with Core temperature probe
- Combi stand sold separately - Code: COMBI-STAND



20 Pan Modulux Combi Steamer		
Model		MODU20
Voltage	V	380
Power	KW	37
Water Inlet		R3/4
Drainage Connection		DN25
Fuse		3x 63A
Steam Generation		Injection
Steam Temperature	°C	30-130
Roast Temperature	°C	30-300
Weight	KG	
Dimension	MM	817 x 771 x 1880

- Takes 20x GN1/1 full inserts
- Not self cleaning
- Does not have boiler
- Does come with Core temperature probe



5 Pan Combi Oven		
Model		EPC-0511E1
Voltage	V	380/415
Power	KW	8.5/10.1
Weight	KG	95
Dimension	MM	786 x 870 x 712

- Takes 5x GN1/1 full inserts
- Touchscreen controls with picture-based selections for pre-programmed recipes
- Automatically selects optimal humidity based on temperature and time for no-fuss combi mode
- Self-cleaning and descaling for convenient, quick maintenance
- Increased labor savings due to easy-to-use and consistent programmed recipes



7 Pan Combi Oven		
Model		EPC-0711E2
Voltage	V	380/415
Power	KW	13.1/15.5
Weight	KG	121
Dimension	MM	786 x 870 x 888

- Takes 7x GN1/1 full inserts
- Touchscreen controls with picture-based selections for pre-programmed recipes
- Automatically selects optimal humidity based on temperature and time for no-fuss combi mode
- Self-cleaning and descaling for convenient, quick maintenance
- Increased labor savings due to easy-to-use and consistent programmed recipes



10 Pan Combi Oven		
Model		EPC-1011E2
Voltage	V	380/415
Power	KW	17/20.1
Weight	KG	136.4
Dimension	MM	786 x 870 x 1052

- Takes 10x GN1/1 full inserts
- Touchscreen controls with picture-based selections for pre-programmed recipes
- Automatically selects optimal humidity based on temperature and time for no-fuss combi mode
- Self-cleaning and descaling for convenient, quick maintenance
- Increased labor savings due to easy-to-use and consistent programmed recipes



5 Pan & 7 Pan Combi Steam Oven Stand		
Model		J571
Weight	KG	19.5
Actual Dimensions	MM	811 X 751 X 581
Packaging Dimensions	MM	742 X 500 X 230

- Stand for EPC-0511E1 and EPC-0711E2
- Designed to hold combi ovens
- Sturdy stainless steel construction for long-lasting use
- Sold flat packed



10 Pan Combi Steam Oven Stand		
Model		J1011
Weight	KG	16.9
Actual Dimensions	MM	811 X 751 X 410
Packaging Dimensions	MM	742 X 325 X 230

- Stand for EPC-1011E2
- Designed to hold combi ovens
- Sturdy stainless steel construction for long-lasting use
- Sold flat packed



10 Pan Combi Steamer		
Model		CSC-0010
Voltage	V	380
Power	KW	9.2
Temperature	°C	0-250
N. Weight	KG	86
G. Weight	KG	100
Inner Dimension	MM	450 x 600 x 650
Actual Dimensions	MM	705 x 950 x 900
Packaging Dimensions	MM	800 x 1050 x 1000

- Takes 10x GN1/1 full inserts
- Double latch door handle
- Includes a timer
- Three cooking modes: hot air, steam, hot air and steam
- Forward reverse fan
- Manual controls
- Requires water connection and drainage point
- Stand sold separately, code: CSC-STAND



10 Pan Convection Oven		
Model		COC-0010
Voltage	V	380
Power	KW	9
Capacity	L	170
Temperature	°C	0-250
N. Weight	KG	108
G. Weight	Kg	118
Inner Dimension	MM	690 x 440 x 750
Actual Dimensions	MM	910 x 740 x 850
Packaging Dimensions	MM	1020 x 910 x 890

- Takes 10x (600x400mm) Baking trays
- Double latch door handle
- Includes a timer
- Push button steam injection
- Forward reverse fan
- Manual controls
- Requires water connection
- Stand sold separately, code: CSC-STAND



4 Pan Convection Oven		
Model		OT-893 (EC01E)
Voltage	V	220
Power	KW	3
Temperature	°C	50 to 300
Capacity	L	86
Weight	KG	55
Dimension	MM	835 x 770 x 575

- Accommodates 4x (600x400mm) Baking trays
- Forward and reverse fan
- Italian motor
- Water injection
- Interior light
- Ideal for baking and cooking
- Grill function



4 Pan Convection Oven		
Model		EB-1A
Voltage	V	220
Power	KW	2.2
Timer	MIN	120
Temperature	°C	50 to 300
Capacity	L	60
N Weight	KG	39
Pan Size	MM	435 x 315
Inner Dimensions	MM	460 x 360 x 360
Actual Dimensions	MM	595 x 530 x 570

- 2 Fan motors
- Fold down door
- Double glazed glass
- No grill function
- Trays sold separately (CODE: EB-1A-TRAY)
- No steam function



Heavy Duty Microwave - 1000W - 25L		
Model		GMW-1000
Voltage	V	230 / 50Hz
Power Input	W	1500
Power Output	W	1000
Cavity Size	LT	25
Interior Material		Stainless Steel
Magnetron		1
Interior Light		LED
N. Weight	KG	14.7
G. Weight	KG	16.5
Interior Dimensions	MM	327 x 346 x 200
Actual Dimensions	MM	511 x 432 x 311
Packaging Dimensions	MM	581 x 478 x 380

- Comes with filter board
- Auto Menu: 100
 - Power Levels: 5
 - Stage Cooking: 3
- Control Type: Membrane Touch
 - Defrost by Time: Yes
 - Time Entry Option: Yes
- Max. Cooking Time: 00:60:00
 - X2: Yes
 - X3: No
- Add 10 Sec: No
 - Express cook
 - Cooking end signal: Yes
- Microwave Distribution: Bottom rotating antenna



Heavy Duty Microwave - 1800W - 34L		
Model		GMW-1800
Voltage	V	230 / 50Hz
Power Input	W	2800
Power Output	W	1800
Cavity Size	LT	34
Interior Material		Stainless Steel
Magnetron		2
Interior Light		LED
N. Weight	KG	32.2
G. Weight	KG	34.3
Interior Dimensions	MM	360 x 409 x 225
Actual Dimensions	MM	574 x 528 x 367
Packaging Dimensions	MM	641 x 559 x 451

- Comes with filter board
- Auto Menu: 100
 - Power Levels: 5
 - Stage Cooking: 3
- Control Type: Membrane Touch
 - Defrost by Time: Yes
 - Time Entry Option: Yes
- Max. Cooking Time: 00:60:00
 - X2: Yes
 - X3: No
- Add 10 Sec: No
 - Express cook
 - Cooking end signal: Yes
- Microwave Distribution: Double rotating antenna - top and bottom

REFRIGERATION

EQUIPMENT



PACIFIC



ruJVE Tm0..0GII! OIL INDJ0



Single Door Beer Fridge		
Model		SC126H
Voltage	V	220
Power	KW	0.21
Refrigerant		R134a
Temperature	°C	0 to 10
Capacity	L	126
Cooling system		fan cooling
Weight	KG	55
Dimension	MM	600 x 505 x 870

- Single door commercial beer refrigerator is ideal for restaurants, bars, clubs and pubs
- Lighting provided
- Swing door



2 Door Beer Fridge		
Model		SC220H
Voltage	V	220
Power	KW	0.23
Refrigerant		R134a
Temperature	°C	0 to 10
Capacity	L	220
Cooling system		fan cooling
Weight	KG	80
Dimension	MM	920 x 505 x 870

- Internal light c/w self closing doors
- Wire coated adjustable shelves



3 Door Beer Fridge		
Model		SC300H
Voltage	V	220
Power	KW	0.5
Refrigerant		R134a
Temperature	°C	0 to 10
Capacity	L	300
Cooling system		fan cooling
Weight	KG	105
Dimension	MM	1335 x 505 x 870

- Easily adjustable shelving allows you to fit those larger than normal items



Ice Cream Machine Table Model - 2 Flavour + Mix		
Model		MQ-L20AN
Voltage	V	220
Power	KW	1.9
Refrigeration Capacity	L/H	20
Refrigerant		R410a
Weight	KG	88
Dimension	MM	544 x 710 x 850

- 2 flavours + 1 mix
- Strong performance for a great price and reliable



Ice Cream Machine Floor Model - 2 Flavour + Mix		
Model		MQ-L20N
Voltage	V	220
Power	KW	1.9
Refrigeration Capacity	L/H	20
Refrigerant		R410a
Weight	KG	98
Dimension	MM	504 x 705 x 1177

- Floor standing 2 flavours + 1 mix machine



Ice Cream Machine Table Model - Single		
Model		MQ-L16E
Voltage	V	220
Power	KW	1.2
Refrigeration Capacity	L/H	16
Weight	KG	40
Refrigerant		R404A
Dimension	MM	220 x 660 x 720

- Table model 1 flavour machine
- With air pump

ICE CREAM MACHINE (WITH PRE-COOLING)



Ice Cream Machine with Pre-Cooling Table Model

2 Flavour + Mix

Model		MQ-L20AN-PC
Voltage	V	220
Power	KW	1.8
Pre-Cool Power	W	150
Refrigeration Capacity	L/H	18
Refrigerant		R404a
Weight	KG	90
Dimension	MM	520 x 695 x 735

- Comes with Pre-Cooling
- Table model 2 flavours + 1 mix
- Strong performance for a great price and reliable



Ice Cream Machine with Pre-Cooling Floor Model

2 Flavour + Mix

Model		MQ-L20N-PC
Voltage	V	220
Power	KW	1.8
Pre-Cool Power	W	150
Refrigeration Capacity	L/H	18
Refrigerant		R404a
Weight	KG	119
Dimension	MM	540 x 575 x 1370

- Comes with Pre-Cooling & cone holder
- Floor standing 2 flavours + 1 mix machine
- Strong performance for a great price and reliable





Upright Refrigerator GN Range - 1 door		
Model		MBF8116
Voltage	V	220
Power	W	338
Capacity	L	670
Temperature	°C	0 to 8
Weight	KG	120
Dimension	MM	730 x 845 x 2130

- Special handle design
- Modern appearance
- Excludes castors
- Capacity: GN2/1 per shelf



Upright Freezer GN Range - 2 doors		
Model		MBF8119
Voltage	V	220
Power	W	520
Capacity	L	670
Temperature	°C	-22 to -17
Weight	KG	120
Dimension	MM	730 x 845 x 2130

- Special handle design
- Modern appearance
- Excludes castors
- Capacity: GN2/1 per shelf



Upright Refrigerator GN Range - 2 doors		
Model		MBF8117
Voltage	V	220
Power	W	390
Capacity	L	1300
Temperature	°C	1 to 8
Weight	KG	175
Dimension	MM	1314 x 845 x 2130

- Special handle design
- Modern appearance
- Excludes castors
- Capacity: GN2/1 per shelf



Upright Freezer GN Range - 4 doors		
Model		MBF8120
Voltage	V	220
Power	W	830
Capacity	L	1300
Temperature	°C	-22 to -14
Weight	KG	185
Dimension	MM	1314 x 845 x 2130

- 4x 1/2 doors for easy use
- Capacity: GN2/1 per shelf



Upright Refrigerator Snack 1 door		
Model		YBF9206
Voltage	V	220
Power	W	512
Capacity	L	395
Temperature	°C	2 to 8
Weight	KG	90
Dimension	MM	620 x 760 x 1980

- Foaming thickness: 60mm
- Automatic defrost with hot gas
- Evaporator: Aluminium tube fin
- Condenser: Copper tube fin
- Foot style: Bullet feet (castors available separately)
- Capacity: GN1/1 per shelf



Upright Freezer Snack 1 door		
Model		YBF9207
Voltage	V	220
Power	W	565
Capacity	L	395
Temperature	°C	0 to -18
Weight	KG	90
Dimension	MM	620 x 760 x 1980

- Foaming thickness: 60mm
- Automatic defrost with hot gas
- Evaporator: Aluminium tube fin
- Condenser: Copper tube fin
- Foot style: Bullet feet (castors available separately)
- Capacity: GN1/1 per shelf



Upright Refrigerator Snack 2 doors		
Model		YBF9218
Voltage	V	220
Power	W	840
Capacity	L	865
Temperature	°C	2 to 8
Weight	KG	163
Dimension	MM	1220 x 760 x 1980

- Foaming thickness: 60mm
- Automatic defrost with hot gas
- Evaporator: Aluminium tube fin
- Condenser: Copper tube fin
- Foot style: Bullet feet (castors available separately)
- Capacity: GN1/1 per shelf



Upright Freezer Snack 2 doors		
Model		YBF9219
Voltage	V	220
Power	W	880
Capacity	L	865
Temperature	°C	0 to -18
Weight	KG	163
Dimension	MM	1220 x 760 x 1980

- Foaming thickness: 60mm
- Automatic defrost with hot gas
- Evaporator: Aluminium tube fin
- Condenser: Copper tube fin
- Foot style: Bullet feet (castors available separately)
- Capacity: GN1/1 per shelf



2 Door Stainless Steel Door Underbar Refrigerator		
Model		YPF9022
Voltage	V	220
Power	W	430
Capacity	L	260
Temperature	°C	2 to 8
Refrigerant		R134a
Dimension	MM	1200 x 700 x 800

- Foaming thickness: 60mm
- Automatic defrost with hot gas
- Evaporator: Aluminium tube fin
- Condenser: Copper tube fin
- Foot style: Bullet feet (castors available separately)



3 Door Stainless Steel Door Underbar Refrigerator		
Model		YPF9042
Voltage	V	220
Power	W	620
Capacity	L	480
Temperature	°C	2 to 8
Refrigerant		R134a
Dimension	MM	1800 x 700 x 800

- Foaming thickness: 60mm
- Automatic defrost with hot gas
- Evaporator: Aluminium tube fin
- Condenser: Copper tube fin
- Foot style: Bullet feet (castors available separately)



4 Door Stainless Steel Door Underbar Refrigerator		
Model		EPF3442
Voltage	V	220
Power	W	660
Capacity	L	500
Temperature	°C	2 to 8
Refrigerant		R134a
Dimension	MM	2400 x 700 x 800

- Foaming thickness: 60mm
- Automatic defrost with hot gas
- Evaporator: Aluminium tube fin
- Condenser: Copper tube fin
- Foot style: Bullet feet (castors available separately)



2 Door Glass Door Underbar Refrigerator		
Model		EPF3721
Voltage	V	220
Power	W	430
Capacity	L	260
Temperature	°C	2 to 8
Refrigerant		R134a
Dimension	MM	1200 x 700 x 800

- Glass doors are ideal for bars to quickly identify the contents of the refrigerator
- Foaming thickness: 60mm
- Automatic defrost with hot gas
- Evaporator: Aluminium tube fin
- Condenser: Copper tube fin
- Foot style: Bullet feet (castors available separately)



3 Door Glass Door Underbar Refrigerator		
Model		EPF3731
Voltage	V	220
Power	W	620
Capacity	L	480
Temperature	°C	2 to 8
Refrigerant		R134a
Dimension	MM	1200 x 700 x 800

- Glass doors are ideal for bars to quickly identify the contents of the refrigerator
- Foaming thickness: 60mm
- Automatic defrost with hot gas
- Evaporator: Aluminium tube fin
- Condenser: Copper tube fin
- Foot style: Bullet feet (castors available separately)



4 Door Glass Door Underbar Refrigerator		
Model		EPF3741
Voltage	V	220
Power	W	660
Capacity	L	500
Temperature	°C	2 to 8
Refrigerant		R134a
Dimension	MM	2400 x 700 x 800

- Glass doors are ideal for bars to quickly identify the contents of the refrigerator
- Foaming thickness: 60mm
- Automatic defrost with hot gas
- Evaporator: Aluminium tube fin
- Condenser: Copper tube fin
- Foot style: Bullet feet (castors available separately)



1200 Pizza Top Underbar Refrigerator		
Model		PT1200
Voltage	V	220
Temperature	°C	2 to 10
Shelf		1
Dimension	MM	1360 x 700 x 850

- Excludes inserts
- Includes raised pizza top
- Takes 6x GN1/6 or 3x GN1/3 inserts

PIZZA TOP UNDERCOUNTER REFRIGERATOR AND COUNTER TOP PIZZA INGREDIENT CHILLER

REFRIGERATION EQUIPMENT

REFRIGERATION EQUIPMENT



1800 Pizza Top Underbar Refrigerator		
Model		PT1800
Voltage	V	220
Temperature	°C	2 to 10
Shelf		1
Dimension	MM	1800 x 700 x 850

- Excludes inserts
- Includes s/steel hinged doors with magnetized gaskets in front
- Takes 9x GN1/6 or 4x GN1/3



1200 Counter Top Pizza Ingredient Chillers		
Model		VRX1200
Voltage	V	220
Power	W	170
Capacity	L	32
Refrigerant		R134a
Cooling Type		static
Temperature	°C	2 to 8
Weight	KG	48
Dimension	MM	1200 x 335 x 430

- Excludes inserts
- Great product viewer
- Can fit 4 x GN1/3 (65/100 MM)



1800 Counter Top Pizza Ingredient Chillers		
Model		VRX1800
Voltage	V	220
Power	W	170
Capacity	L	56
Refrigerant		R134a
Cooling Type		static
Temperature	°C	2 to 8
Weight	KG	59
Dimension	MM	1800 x 335 x 430

- Excludes inserts
- Great product viewer
- Can fit 8 x GN1/3 (65/100 inserts)



6-Flavour Counter Top Gelato Freezer		
Model		GDF6
Voltage	V	220
Power	KW	0.53
Temperature	°C	-12 to -22
Refrigerant		R290
Dimension	MM	1170 X 850 X 618

- Includes 6x GN1/3 inserts



12 Flavour Gelato Freezer - Floor Standing		
Model		GDF12
Voltage	V	220
Power	W	275
Temperature	°C	0 to -22
Refrigerant		R290
Dimension	MM	1230 x 835 x 1290

- Includes 12x GN1/3 inserts



16 Flavour Gelato Freezer - Floor Standing		
Model		GDF16
Voltage	V	220
Power	W	325
Temperature	°C	0 to -22
Refrigerant		R290
Dimension	MM	1540 x 835 x 1290

- Includes 12x GN1/3 inserts



Open Display Chiller - 500mm		
Model		FGOR500LC
Voltage	V	220
Power	W	900
Capacity	L	220
Temperature	°C	2 to 10
Refrigerant		R404A
Shelf	tier	3
Dimension	MM	600 x 600 x 1920

- Adjustable shelves
- LED canopy lighting
- Modern contemporary design



Open Display Chiller - 900mm		
Model		FGOR900LC
Voltage	V	220
Power	W	1900
Capacity	L	396
Temperature	°C	2 to 10
Refrigerant		R404A
Shelf	tier	3
Dimension	MM	900 x 600 x 1920

- Adjustable shelves
- LED lighting
- Pull down curtain



Open Display Chiller - 1300mm		
Model		FGOR1300LB
Voltage	V	220
Power	W	2360
Capacity	L	740
Temperature	°C	4 to 12
Refrigerant		R404A
Shelf	tier	4
Dimension	MM	1300 x 840 x 2000

- Adjustable shelves
- LED lighting
- Pull down curtain

Open Display Chiller - 2000mm		
Model		FGOR2000LB
Voltage	V	220
Power	W	2930
Capacity	L	1160
Temperature	°C	4 to 12
Refrigerant		R404A
Shelf	tier	4
Dimension	MM	2000 x 840 x 2000

- Adjustable shelves
- LED lighting
- Pull down curtain



Hippiechef 20kg Ice Machine		
Model		HC-ZB-20
Voltage	V	220 50HZ-1
Productivity	KG	25KG/24H
Bin Capacity	KG	5
Weight	KG	30
Dimension	MM	330 x 503 x 607

- Compact design



20kg Self Contained Ice Machine		
Model		SL35A
Voltage	V	220-240V 50HZ-1
Productivity	KG	20KG/24H
Standard ice cube size	g	14
Bin Capacity	KG	4
Weight	KG	34
Dimension	MM	355 x 404 x 590

- Fast production
- Crystalline and compact



32kg Self Contained Ice Machine		
Model		SL60A
Voltage	V	220-240V 50HZ-1
Productivity	KG	32KG/24H
Standard ice cube size	g	17
Bin Capacity	KG	9
Weight	KG	44
Dimension	MM	387 x 465 x 687

- Fast production
- Ideal for busy bars and restaurants



46kg Self Contained Ice Machine		
Model		SL90A
Voltage	V	220-240V 50HZ-1
Productivity	KG	46KG/24H
Standard ice cube size	g	17
Bin Capacity	KG	25
Weight	KG	61
Dimension	MM	497 x 592 x 797

- Fast production
- Crystalline and compact



68kg Ice Machine - Self Contained		
Model		SL140A
Voltage	V	220-240V 50HZ-1
Productivity	KG	68KG/24H
Standard ice cube size	g	17
Bin Capacity	KG	40
Weight	KG	79
Dimension	MM	735 x 603 x 907

- Fast production
- Ideal for busy bars and restaurants



140kg Ice Machine - Excludes Bin		
Model		CV305A
Voltage	V	220-240V 50HZ-1
Productivity	KG	140KG/24H
Standard ice cube size	g	7
Weight	KG	83
Dimension	MM	540 x 544 x 747

- Fast production
- Ideal for busy bars and restaurants
- Bin sold separately



200kg Ice Machine - Excludes Bin		
Model		CV475A
Voltage	V	220-240V 50HZ-1
Productivity	KG	200KG/24H
Standard ice cube size	g	7
Weight	KG	101
Dimension	MM	770 x 550 x 805

- Fast production
- Ideal for busy bars and restaurants
- Bin sold separately





300kg Ice Machine - Excludes Bin		
Model		CM650A
Voltage	V	220-240V 50HZ-1
Productivity	KG	300KG/24H
Standard ice cube size	g	7
Weight	KG	128
Dimension	MM	1250 x 580 x 848

- Suitable for any shape of glass, a cool boost for drinks
- Bin sold separately



400kg Ice Machine - Excludes Bin		
Model		CV950A
Voltage	V	220-240V 50HZ-1
Productivity	KG	400KG/24H
Standard ice cube size	g	7
Weight	KG	124
Dimension	MM	770 x 550 x 805

- Fast production
- Ideal for busy bars and restaurants
- Bin sold separately



3 YEAR WARRANTY



36KG Undercounter Ice Machine		
Model		IIM-0036
Voltage	V	220 / 50Hz
Power	W	370
Productivity	KG	36KG / 24H
Bin Capacity	KG	15
Refrigerant		R290
N. Weight	KG	36
G. Weight	KG	40
Actual Dimensions	MM	500 x 450 x 800
Packaging Dimensions	MM	580 x 530 x 835

- Suitable for any shape of glass, a cool boost for drinks
- Ice shape: Cube

3 YEAR WARRANTY



55KG Undercounter Ice Machine		
Model		IIM-0055
Voltage	V	220 / 50Hz
Power	W	565
Productivity	KG	55KG / 24H
Bin Capacity	KG	18
Refrigerant		R290
N. Weight	KG	45
G. Weight	KG	50
Actual Dimensions	MM	500 x 590 x 850
Packaging Dimensions	MM	580 x 670 x 835

- Suitable for any shape of glass, a cool boost for drinks
- Ice shape: Cube

3 YEAR WARRANTY



73KG Undercounter Ice Machine		
Model		IIM-0073
Voltage	V	220 / 50Hz
Power	W	580
Productivity	KG	73KG / 24H
Bin Capacity	KG	36
Refrigerant		R290
N. Weight	KG	55
G. Weight	KG	65
Actual Dimensions	MM	660 x 685 x 920
Packaging Dimensions	MM	780 x 745 x 900

- Suitable for any shape of glass, a cool boost for drinks
- Ice shape: Cube

3 YEAR WARRANTY



100KG Undercounter Ice Machine		
Model		IIM-0100
Voltage	V	220 / 50Hz
Power	W	800
Productivity	KG	100KG / 24H
Bin Capacity	KG	30
Refrigerant		R290
N. Weight	KG	62
G. Weight	KG	98
Actual Dimensions	MM	660 x 635 x 775
Packaging Dimensions	MM	740 X 720 X 820

- Suitable for any shape of glass, a cool boost for drinks
- Ice shape: Cube

3 YEAR WARRANTY



160KG Modular Ice Machine		
Model		IIM-0160
Voltage	V	220 / 50Hz
Power	W	765
Productivity	KG	160KG / 24H
Bin Capacity	KG	125
Refrigerant		R290
N. Weight	KG	50
G. Weight	KG	54
Actual Dimensions	MM	560 x 830 x 1718
Packaging Dimensions	MM	655 X 750 X 620

- Suitable for any shape of glass, a cool boost for drinks
- Ice shape: Cube
- Bin sold separate - Code: B125

3 YEAR WARRANTY



190KG Modular Ice Machine		
Model		IIM-0190
Voltage	V	220 / 50Hz
Power	W	920
Productivity	KG	190KG / 24H
Bin Capacity	KG	125
Refrigerant		R290
N. Weight	KG	52
G. Weight	KG	56
Actual Dimensions	MM	560 x 830 x 1718
Packaging Dimensions	MM	655 X 750 X 620

- Suitable for any shape of glass, a cool boost for drinks
- Ice shape: Cube
- Bin sold separate - Code: B125



315KG Modular Ice Machine		
Model		IIM-0315
Voltage	V	220 / 50Hz
Power	W	1680
Productivity	KG	315KG / 24H
Bin Capacity	KG	175
Refrigerant		R404a
N. Weight	KG	66
G. Weight	KG	71
Actual Dimensions	MM	760 x 830 x 1718
Packaging Dimensions	MM	845 X 750 X 620

- Suitable for any shape of glass, a cool boost for drinks
- Ice shape: Cube
- Bin sold separate - Code: B175



455KG Modular Ice Machine		
Model		IIM-0455
Voltage	V	220 / 50Hz
Power	W	2400
Productivity	KG	455KG / 24H
Bin Capacity	KG	175
Refrigerant		R404a
Weight	KG	85
G. Weight	KG	90
Actual Dimension	MM	760 x 830 x 1893
Packaging Dimensions	MM	848 X 696 X 811

- Suitable for any shape of glass, a cool boost for drinks
- Ice shape: Cube
- Bin sold separate - Code: B175

ICE STORAGE BIN (ICE PRO)

3 YEAR WARRANTY



Ice Storage Bin 125kg		
Model		B125
Bin Capacity	KG	125
Drain Size	MM	20 Ø
N. Weight	KG	35
G. Weight	KG	40
Actual Dimensions	MM	560 x 830 x 1150
Packaging Dimensions	MM	645 x 890 x 1055

• Suitable for IIM-0160 AND IIM-0190 (Sold separately)

3 YEAR WARRANTY



Ice Storage Bin 175kg		
Model		B175
Bin Capacity	KG	175
Drain Size	MM	20 Ø
N. Weight	KG	45
G. Weight	KG	50
Actual Dimensions	MM	760 x 832 x 1150
Packaging Dimensions	MM	850 x 890 x 1055

• Suitable for IIM-0315 AND IIM-0455 (Sold separately)



HOTEL, SUNDRIES, HARDWARE & PLUMBING



GATTO

ÖPMAK



GATTO

Soap Dispenser Single		
Model		ZYQ138
Drop Dosage	ML	1.5
Volume	ML	380
Weight	KG	0.3

- Ideal for washrooms and public areas



GATTO

Soap Dispenser Double		
Model		ZYQ138S
Drop Dosage	ML	1.5
Volume	ML	380 x 2
Weight	KG	0.6

- Ideal for washrooms and public areas



GATTO

Hot Box - Single (6x GN1/1)		
Model		EPP-GN1/1
Material	EPP	Expanded Polypropylene
Thickness	MM	35
N. Weight	KG	4.5
G. Weight	KG	5.8
Internal size	MM	535 x 435 x 525
Actual Dimension	MM	640 x 435 x 630
Packaging Dimensions	MM	653 x 450 x 645

- Holds 6x GN1/1-65mm deep inserts
- Incredibly lightweight and durable
- Brilliant insulation properties





Hot Box - Single (6x GN1/2)		
Model		EPP-GN1/2
Material	EPP	Expanded Polypropylene
Thickness	MM	55
N. Weight	KG	2.7
G. Weight	KG	3.86
Internal size	MM	540 x 340 x 310
Actual Dimension	MM	655 x 445 x 390
Packaging Dimensions	MM	660 x 460 x 410

- Holds 6x GN1/2 inserts OR 3x GN1/1 inserts
- Incredibly lightweight and durable
- Brilliant insulation properties



Dolley and Strap for Single Hotbox		
Model		EPP-DOLLEY

- Dolley with strap to double stack and transport the CPWK090-1-EPP Hotbox





GATTO

Cooler Box		
Model		CPWK080-3
Capacity	L	80
Weight	KG	12
Internal size	MM	600 x 450 x 300
Dimension	MM	720 x 560 x 380

- Ideal for packaged food
- Not Gastronorm



GATTO

Insulated Hot Box Top Load		
Model		HB16
Volume	LT	16
Capacity	GN1/1	1x 100MM(H)
Capacity	GN1/2	2x 100MM(H)
Capacity	GN1/3	3x 100MM(H)
Dimension	MM	610 x 410 x 210



GATTO

Insulated Hot Box Top Load		
Model		HB24
Volume	LT	24
Capacity	GN1/1	1x 150MM(H)
Capacity	GN1/2	2x 150MM(H)
Capacity	GN1/3	3x 150MM(H)
Dimension	MM	610 x 410 x 260



GATTO

Insulated Hot Box Top Load		
Model		HB30
Volume	LT	30
Capacity	GN1/1	1x 200MM(H)
Capacity	GN1/2	2x 200MM(H)
Capacity	GN1/3	3x 200MM(H)
Dimension	MM	610 x 410 x 310

- Great temperature preservations
- Robust for heavy duty food transportation
- Stackable



GATTO

Ice Trolley		
Model		CPWK1129-6
Dimension		790 x 600 x 740

- Heavy duty ice transporter and holding trolley



GATTO

81L Ingredient Bin		
Model		JW-STB81
Dimension		745 x 328 x 740

- Includes wheels
- Sliding Perspex door
- Ideal for bakeries
- Holds items like sugar, flour, rice, mielie meal etc.



GATTO

102L Ingredient Bin		
Model		JW-STB102
Dimension		750 x 410 x 745

- Mobile
- Ideal for bakeries
- Sliding Perspex door
- Holds items like sugar, flour, rice, mielie meal etc.



GATTO

Room Service Trolley		
Model		99.8329
Dimension	MM	1100x910x750H

- Ideal room service solution



GATTO

Electric Hot Box		
Model		92.8309BC
Voltage	V	220
Dimension	MM	430 x 330 x 490H

- Fits above room service trolley
- Ideal for hot food room service solution



GATTO

Plate Lowerator Drop In		
Model		DR-3
Voltage	V	220
Power	KW	0.4
Weight	KG	19
Dimension	MM	Dia: 405 x 725

- Tube size 303mm
- Adjustable
- Takes 40-50 plates
- Adjustable tube



GATTO

Mobile Plate Lowerator Single Tube		
Model		DTN-1
Voltage	V	220
Power	KW	1
Weight	KG	21
Dimension	MM	430 x 460 x 910

- Adjustable
- Takes 40-50 plates
- Tube size adjustable




Mobile Plate Lowerator Double Tube		
Model		DTN-2
Voltage	V	220
Power	KW	2
Weight	KG	32
Dimension	MM	430 x 750 x 910

- Adjustable
- Takes 40-50 plates
- Adjustable tube



Cup Warmer		
Model		2009/E
Voltage	V	220
Power	KW	0.75
Element	PC	1
Door	PC	1
Weight	KG	32
Dimension	MM	450 x 450 x 850

- Internal shelves
- Ideal for cups or holding food
- Heated cupboard



Mobile Plate Rack for 84 Plates		
Model		JWDC-84
Dimension	MM	1900 x 245 x 600

- Ideal for busy restaurants
- Adjustable to fit all plate sizes
- Holds plate for transport over bumpy surfaces



Plastic Shelving - Heavy Duty		
Model		JW-HL-912
Loading capacity per shelf	KG	300
Maximum loading capacity per 4 tier shelving unit	KG	1200
Dimension	MM	905 x 445 x 1730

Plastic Shelving - Heavy Duty		
Model		JW-HL-122
Loading capacity per shelf	KG	250
Maximum loading capacity per 4 tier	KG	1000
Dimension	MM	1210 x 445 x 1730

- Ideal for high-volume foodservice operations e.g. Hotels, Casinos, Restaurants, Healthcare and can be used in any areas, wet or dry.
- Wet storage - Walk in freezers, coolers and ware washing areas
- Dry storage - Bulk foods, Catering equipment, dish ware, linen and merchandising
- Posts and traverses are made of a steel core with a thick polypropylene exterior, making it strong, durable and stable.
- Easy to assemble and adjust
- Rust resistant
- Shelf plates are made of polypropylene which can easily be removed for cleaning and is dishwasher safe.
- Withstands temperatures as cold as – 38° C or warm environments .

GATTO



Chrome Shelving		
Model	Weight capacity	Description
1836BR-4TIER	909KG	900 x 450 x 1800mm
1848BR-4TIER	909KG	1200 x 450 x 1800mm
1860BR-4TIER	909KG	1500 x 450 x 1800mm
5M	N/A	2x Swivel Castor
5MB	N/A	2x Break Castor

- Spare shelf order code: 1836BR-SHELF (900x450mm)
- Spare shelf order code: 1848BR-SHELF (1200x450mm)
- Spare shelf order code: 1860BR-SHELF (1500x450mm)
- Economical finish for low humidity environment.
- Sold unassembled in convenient flat pack.
- Adjustable shelves
- Adjustable foot piece.
- Castors sold separately, item code 5M & 5MB

GATTO



Epoxy Coated Shelving		
Model	Weight capacity per shelf	Description
1836NK3-4TIER	909KG	900 x 450 x 1800mm
1848NK3-4TIER	909KG	1200 x 450 x 1800mm
1860NK3-4TEIR	909KG	1500 x 450 x 1800mm
5M	N/A	2x swivel castor
5MB	N/A	2x Break Castor

- Spare shelf order code: 1836NK3-SHELF (900x450mm)
- Spare shelf order code: 1848NK3-SHELF (1200x450mm)
- Spare shelf order code: 1860NK3-SHELF (1500x450mm)
- Epoxy coated for wet areas, IDEAL FOR COLDROOMS & FREEZER ROOMS
- All shelving coated in antimicrobial coating keeping product cleaner.
- Sold unassembled in convenient flat pack.
- Adjustable shelves.
- Adjustable foot pieces.
- Only available in green.
- Castors sold separately, item code 5M & 5MB

GATTO



Wall Mounted Epoxy Coated Shelf		
Model	Weight capacity per shelf	Description
EPOXY-SHELF	909KG	900 x 450mm

- Epoxy coated for wet areas, IDEAL FOR COLDROOMS & FREEZER ROOMS
- All shelving coated in antimicrobial coating keeping product cleaner.
- Only available in grey.

GATTO



Dunnage Rack		
Model		DRS-0900
Tier		1
Dimension	MM	900 x 600

- Suitable to store dry foods on such as rice, flour, sugar, etc.

GATTO



Tea Trolley - 2 Tiers		
Model		A1001
Tier		2
Dimension	MM	950 x 500 x 950

- High quality 2 tier tea trolley

GATTO



Tea Trolley - 3 Tiers		
Model		A1004
Tier		3
Dimension	MM	950 x 500 x 950

- High quality 3 tier tea trolley



Plastic Trolley with Tote & Bins		
Model		2003
Tier		3
Dimension	MM	1035 x 495 x 950
Note: Includes all bins.		

- Ideal for restaurants, bars and hotels
- Plate clearing and table clearing trolley
- Order code for trolley without tote boxes & bins: 2003-NT



0067



0053



0065



0330



0055



0328



0068



0054

Tote & Bins		
Model		Dimension
0068	MM	530 x 430 x 175
0067	MM	608 x 413 x 172
0065	MM	530 x 385 x 205
0055	MM	545 x 385 x 150
0054	MM	530 x 385 x 145
0053	MM	500 x 380 x 145
0330	MM	330 x 230 x 178
0328	MM	335 x 245 x 560



GATTO

Service Trolley - Open		
Model		2030-2
Dimension	MM	980 x 460 x 1050

- Multi purpose service trolley
- Quieter transport solution



GATTO

Freezer Stacking Crate		
Model		PLI-PI-735-VIRGIN
Dimension	MM	635 x 455 x 170

- Fits inside the blood crate trolley, item code: CC-BCT (page 8)



GATTO

Storage Container with Lid - Red (Dough box)		
Model		CT-R
Dimension	MM	600 x 400 x 200



GATTO

Storage Container with Lid - Yellow (Dough box)		
Model		CT-Y
Dimension	MM	600 x 400 x 200

GATTO



Storage Container with Lid - White (Dough box)

Model		CT-W
Dimension	MM	600 x 400 x 200

GATTO



Storage Container with Lid - Green (Dough box)

Model		CT-G
Dimension	MM	600 x 400 x 200

GATTO



Dish Caddy

Model		JW-DC320
Dimension	MM	1090 x 720 x 800

- Adjustable dish caddy

GATTO



Mobile Plate Rack for 84 Plates

Model		JWDC-84
Dimension	MM	1900 x 245 x 600

- Ideal for busy restaurants
- Adjustable to fit all plate sizes
- Holds plate for transport over bumpy surfaces



GATTO

Extraction Canopy Fat Filter - Stainless Steel		
Model		HK-PI-500SS
Material		Stainless Steel
Dimension	MM	500 x 500 x 50

- Filters are easily removable for cleaning purposes



GATTO

Knife Sterilizer		
Model		HK-UV-12
Voltage	V	220
Weight	KG	10
Dimension	MM	700 x 140 x 620

- Kitchen Hygiene Solution



GATTO

Mixer Tap	
Model	9814-12
Flow rate	5-5.5LT/MIN

- Wall-mounted pantry faucet
- 8"(203mm) centers
- Swing nozzle with 12"(305mm) length
- 1/2"NPT eccentric flanged female inlets
- The product includes check valve to prevent cross-flow



GATTO

Goose Neck Tap - Deck Mount	
Model	505SG03

- Single hole faucet
- Fits on Vanity Sink, Tilting pan, Tilting Skillet



Pre Rinse Spray with Mixer Tap - Includes Spout	
Model	98001-2
Flow Rate	4-4.5 LT/MIN

- Deck mounted type
- Heavy duty construction
- 20"(510mm) riser brass pipe
- 44"(1118mm) flexible stainless steel hose, SANTO-PRENE inner pipe
- Spray valve
- 6"(152) or 1 2"(305mm)Wall bracket
- The product includes check valve to prevent cross-flow
- Add-on faucet, swing nozzle with 6"(152mm) length
- The spray valve conforms to ANSI/ASTM F2324-03
- Ideal for food service, commercial kitchens, restaurants and hotel applications
- Includes spout



Pre Rinse Spray with Mixer Tap - Excludes Spout	
Model	98001-1

- Single hole faucet
- Supplied with 1/2" in-line check valves
- 18" flexible inlets with 1/2" couplings
- Includes 6" wall bracket
- Available with add-on faucet
- Excludes spout



Hose Reel	
Model	M98E-HRS11(XDF-5188)

- Open reel with epoxy coated steel finish
- (11m) of heavy-duty blue hose 7/8"-20UNEF female I.D.
- Ratcheting system holds the length of hose until a slight tug, retracts automatically
- 3/8" NPT female inlet
- Adjustable hose bumper
- Multi-fit bracket for wall, ceiling or under counter mounting

LEVER WASTE DRAIN, DRAIN INLET AND DRAIN OUTLET

GATTO



Lever Waste Drain	
Model	MV-3170
Size	3-1/2"*1-1/2"

GATTO



Drain Inlet		
Model		F-S
Top Dia	MM	69.5
Bottom Dia	MM	G1 1/2"
Height	MM	45

GATTO



Drain Out	
Model	Size
UK001	220MM
UK003	320MM



GATTO

Spray Head	
Model	98-SW



GATTO

Connector Hose For Pre-Rinse Spray	
Model	98001-CONN



GATTO

Foot Piece - 41MM c/w bolt down section	
Model	12141000



GATTO

Foot Piece - Dia 41MM Bullet Foot	
Model	1211100



GATTO

Set of 2 Swivel Castors	
Model	5M



GATTO

Set of 2 Braked Castors	
Model	5MB



1.5HP Professional Garbage Disposal unit		
Model		SM096
Voltage	V	220-240
Power	W	950
RPM		2800
HP		1.25
Amperage	A	4
Grinding capacity	KG/HR	50
Dimensions	MM	210W x 440H
Weight	KG	6

- Pneumatic (working with air) start button for a humid environment

- Anti-microbial odor & bacteria preventing system (bio shell)

- 304 quality stainless steel rotating disc & outer blade

- Safety thermal that prevents the motor from burning against hard objects that should not be thrown into the device





3HP Gold Garbage Disposal Unit		
Model		ST3000
Voltage	V	400
Power	W	2200
RPM		2900
HP		3
Grinding capacity	KG/HR	500




- AC Motor
- 304 quality stainless steel inner rotating disc & outer blade
- IP65 energy box
- Pneumatic operating button
- Special felt protection container fixed onto the disc that prevents fibrous waste from wrapping on the felt
- Electric motor manufactured in IP55 class against external influences (protect against water & dust)
- 304 quality stainless steel motor protection cage that protects the device against water & impact
- Current protection switch that prevents the motor from burning
- Three special felts that prevent water leakage into the engine
- Ability to operate continuously thanks to the cooling fan
- Aluminum light body
- Static paint
- 160mm garbage inlet under the counter
- 100mm wide discharge pipe
- Height 690mm



Knee Operated Hand Wash Basin		
Model		HC-10
Dimension	MM	400 x 400 x 200
Splashback	MM	38

- Complete with mixer valve and hoses with goose neck



Vanity Sink - Stainless Steel		
Model		SHY-01
Dimension	MM	400 x 400 x 200
Splashback	MM	38

- Convenient size
- Can be easily attached to wall
- Excludes all plumbing fittings



15 Tier Baking Tray Trolley - Stainless Steel		
Model		A1055
Dimension	MM	470 x 620 x 1735

- 15 Trays size: 400x600mm



15 Tier Gastronorm Trolley - Stainless Steel		
Model		A1051
Dimension	MM	380 x 550 x 1735

- 15x 1/1 GN inserts



Double Gastronorm Trolley - Stainless Steel		
Model		A1052
Dimension	MM	590 x 670 x 1735

- 30x 1/1 GN inserts



5 Tier Bread Cooling Trolley		
Model		BTD-5
Dimension	MM	900 x 580 x 1500
Wheel Diameter	MM	100

- Ideal for supermarkets
- Swivel castors for easy movement



GATTO

7 Tier Bread Cooling Trolley		
Model		BTD-7
Dimensions	MM	900 x 580 x 1955
Wheel Diameter	MM	100

- Ideal for supermarkets
- Swivel castors for easy movement



GATTO


Pot Rack Stainless Steel - Round Tube		
Model		SPR1250
Dimension	MM	1200 x 500 x 1800



GATTO

Chrome Wine Rack - 4 Tier		
Model		CWR-0910
Dimension	MM	910 x 360 x 1270

- Holds up to 36 bottles



GATTO

Chrome Wine Rack - 2 Tier		
Model		CWR-0912
Dimension	MM	910 x 360 x 620

- Holds up to 18 bottles

GATTO



Wall Mounted Crockery Rack		
Model		XY-4061
Dimension	MM	805 x 330 x 458

- Knock down for easy transport
- Plate size up to 280mm
- Plastic coated shelves
- Powder coated mild steel frames

GATTO



Wall Mounted Crockery Rack		
Model		XY-4062
Dimension	MM	805 x 330 x 758

- Knock down for easy transport
- Plate size up to 280mm
- Plastic coated shelves
- Powder coated mild steel frames


GATTO



Wall Mounted Crockery Rack		
Model		XY-4063
Dimension	MM	1105 x 330 x 458

- Knock down for easy transport
- Plate size up to 280mm
- Plastic coated shelves
- Powder coated mild steel frames

GATTO



Wall Mounted Crockery Rack		
Model		XY-4064
Dimension	MM	1105 x 330 x 758

- Knock down for easy transport
- Plate size up to 280mm
- Plastic coated shelves
- Powder coated mild steel frames

GATTO



300 Piece Mobile Crockery Rack		
Model		XY-4065
Dimension	MM	1130 x 600 x 925

- Knock down for easy transport
- Plate size up to 280mm
- Plastic coated shelves
- Powder coated mild steel frames

GATTO



600 Piece Mobile Crockery Rack		
Model		XY-4066
Dimension	MM	1130 x 600 x 1690

- Knock down for easy transport
- Plate size up to 280mm
- Plastic coated shelves
- Powder coated mild steel frames

GATTO



400 Piece Mobile Crockery Rack		
Model		XY-4067
Dimension	MM	830 x 600 x 1690

- Knock down for easy transport
- Plate size up to 280mm
- Plastic coated shelves
- Powder coated mild steel frames



GATTO

Refuse Bin - Black		
Model		RBB-0070
Capacity	LT	73
Dimension	MM	510 x 630

• Dolley sold separately



GATTO

Mobile Dolley for Bins		
Model		BDS-0001
Dimensions	MM	Ø250mm H:140mm



GATTO

Single Mop Bucket and Wringer		
Model		PBW-0032
Capacity	LT	32
Dimension	MM	570 x 370 x 700



GATTO

Double Mop Bucket and Wringer		
Model		PBW-2030
Capacity	LT	2x 32

GATTO



Stainless Steel Prep Table W/ Rear Splashback 1050mm		
Model		1050SBT
Grade of S/Steel		201
Thickness	MM	0.9
Legs		S/Steel Bolt-on
Splashback	MM	150
Dimensions	MM	1050 x 650 x 900/1050

- Sold flat packed / optional undershelves sold separate
- Stainless Steel Undershef item code: 1050USSS
- Galvanised Undershef item code: 1050USGS

GATTO



Stainless Steel Prep Table W/ Rear Splashback 1650mm		
Model		1650SBT
Grade of S/Steel		201
Thickness	MM	0.9
Legs		S/Steel Bolt-on
Splashback	MM	150
Dimensions	MM	1650 x 650 x 900/1050

- Sold flat packed / optional undershelves sold separate
- Stainless Steel Undershef item code: 1650USSS
- Galvanised Undershef item code: 1650USGS

GATTO



Stainless Steel Prep Table W/ Rear Splashback 1850mm		
Model		1850SBT
Grade of S/Steel		201
Thickness	MM	0.9
Legs		S/Steel Bolt-on
Splashback	MM	150
Dimensions	MM	1850 x 650 x 900/1050

- Sold flat packed / optional undershelves sold separate
- Stainless Steel Undershef item code: 1650USSS
- Galvanised Undershef item code: 1650USGS

GATTO



Stainless Steel Prep Table W/ Rear Splashback 2250mm		
Model		2250SBT
Grade of S/Steel		201
Thickness	MM	0.9
Legs		S/Steel Bolt-on
Splashback	MM	150
Dimensions	MM	2250 x 650 x 900/1050

- Sold flat packed / optional undershelves sold separate
- Stainless Steel Undershef item code: 2250USSS
- Galvanised Undershef item code: 2250USGS



Stainless Steel Undershef 1050mm		
Model		1050USSS
Material		201 Stainless Steel
Thickness	MM	0.9
Dimensions	MM	1050 x 650

- Sold flat packed
- Fits onto, item code: 1050SBT



Stainless Steel Undershef 1650mm		
Model		1650USSS
Material		201 Stainless Steel
Thickness	MM	0.9
Dimensions	MM	1650 x 650

- Sold flat packed
- Fits onto, item code: 1650SBT



Stainless Steel Undershef 1850mm		
Model		1850USSS
Material		201 Stainless Steel
Thickness	MM	0.9
Dimensions	MM	1850 x 650

- Sold flat packed
- Fits onto, item code: 1850SBT



Stainless Steel Undershef 2250mm		
Model		2250USSS
Material		201 Stainless Steel
Thickness	MM	0.9
Dimensions	MM	2250 x 650

- Sold flat packed
- Fits onto, item code: 2250SBT

GATTO



Galvanised Undershelf 1050mm		
Model		1050USGS
Material		Galvanised Steel
Thickness	MM	0.9
Dimensions	MM	1050 x 650

- Sold flat packed
- Fits onto, item code: 1050SBT

GATTO



Galvanised Undershelf 1650mm		
Model		1650USGS
Material		Galvanised Steel
Thickness	MM	0.9
Dimensions	MM	1650 x 650

- Sold flat packed
- Fits onto, item code: 1650SBT

GATTO



Galvanised Undershelf 1850mm		
Model		1850USGS
Material		Galvanised Steel
Thickness	MM	0.9
Dimensions	MM	1850 x 650

- Sold flat packed
- Fits onto, item code: 1850SBT

GATTO



Galvanised Undershelf 2250mm		
Model		2250USGS
Material		Galvanised Steel
Thickness	MM	0.9
Dimensions	MM	2250 x 650

- Sold flat packed
- Fits onto, item code: 2250SBT



Double Bowl Prep Sink 1650mm - ECONO		
Model		1650DPSNK2011
Grade of S/Steel		201
Thickness	MM	1
Bowl Size	MM	400 x 400 x 250
Bowl Position		Centre
Splashback	MM	150
Dimensions	MM	1650 x 650 x 900/1050

- Welded Stainless Steel Legs
- Optional Extra Mixer Tap (Code: 9814-12)



Double Bowl Prep Sink 1650mm - ECONO		
Model		1650DPSNK2011A
Grade of S/Steel		201
Thickness	MM	1
Bowl Size	MM	500 x 500 x 280
Legs		S/Steel Bolt-on
Splashback	MM	150
Dimensions	MM	1650 x 650 x 900/1050

- Sold flat packed
- Optional Extra Mixer Tap (Code: 9814-12)



Double Bowl Prep Sink 1850mm - ECONO		
Model		1850DPSNK2011
Grade of S/Steel		201
Thickness	MM	1
Bowl Size	MM	500 x 500 x 250
Legs		S/Steel Bolt-on
Splashback	MM	150
Dimensions	MM	1850 x 650 x 900/1050

- Sold flat packed
- Optional Extra Mixer Tap (Code: 9814-12)



Double Bowl Prep Sink 2250mm - ECONO		
Model		2250DPSNK2011
Grade of S/Steel		201
Thickness	MM	1
Bowl Size	MM	500 X 500 X 250
Legs		S/Steel Bolt-on
Splashback	MM	150
Dimensions	MM	2250 x 650 x 900/1050

- Sold flat packed
- Optional Extra Mixer Tap (Code: 9814-12)



Double Bowl Prep Sink 1650mm		
Model		1650DPSNK3041
Grade of S/Steel		304
Thickness	MM	1
Bowl Size	MM	400 x 400 x 250
Bowl Position		Centre
Splashback	MM	150
Dimensions	MM	1650 x 650 x 900/1050

- Welded Stainless Steel Legs
- Optional Extra Mixer Tap (Code: 9814-12)



Double Bowl Prep Sink 1650mm - PREMIUM		
Model		1650DPSNK30412
Grade of S/Steel		304
Thickness	MM	1.2
Bowl Size	MM	500 x 500 x 280
Legs		S/Steel Bolt-on
Splashback	MM	150
Dimensions	MM	1650 x 650 x 900/1050

- Sold flat packed
- Optional Extra Mixer Tap (Code: 9814-12)



Double Bowl Prep Sink 1850mm - PREMIUM		
Model		1850DPSNK30412
Grade of S/Steel		304
Thickness	MM	1.2
Bowl Size	MM	500 x 500 x 300
Legs		S/Steel Bolt-on
Splashback	MM	150
Dimensions	MM	1850 x 650 x 900/1050

- Sold flat packed
- Optional Extra Mixer Tap (Code: 9814-12)



Double Bowl Prep Sink 2250mm - PREMIUM		
Model		2250DPSNK30412
Grade of S/Steel		304
Thickness	MM	1.2
Bowl Size	MM	500 x 500 x 300
Legs		S/Steel Bolt-on
Splashback	MM	150
Dimensions	MM	2250 x 650 x 900/1050

- Sold flat packed
- Optional Extra Mixer Tap (Code: 9814-12)



Double Bowl Combo Sink 1650mm		
Model		1650VPSNK2011
Grade of S/Steel		201
Thickness	MM	1
Bowl Size - PREP	MM	400 x 500 x 250
Bowl Size - POT	MM	600 x 500 x 300
Legs		S/Steel Bolt-on
Splashback	MM	150
Dimensions	MM	1650 x 650 x 900/1050

- Sold flat packed
- Optional Extra Mixer Tap (Code: 9814-12)



Single Bowl Pot Sink 900mm - ECONO		
Model		900SPSNK2011
Grade of S/Steel		201
Thickness	MM	1
Bowl Size	MM	750 x 500 x 350
Legs		S/Steel Bolt-on
Splashback	MM	150
Dimensions	MM	900 x 650 x 900/1050

- Available with a 600x500x350mm bowl, code: 900SPSNK2011A
- Sold flat packed
- Optional Extra Mixer Tap (Code: 9814-12)



Single Bowl Pot Sink 900mm - PREMIUM		
Model		900SPSNK3041
Grade of S/Steel		304
Thickness	MM	1.2
Bowl Size	MM	750 x 500 x 350
Legs		S/Steel Bolt-on
Splashback	MM	150
Dimensions	MM	900 x 650 x 900/1050

- Sold flat packed
- Optional Extra Mixer Tap (Code: 9814-12)



DT COOLING

COOLING & REFRIGERATION

CONTACT US:

064 686 0451

info@coolingdt.co.za

CAPE TOWN – JOHANNESBURG - KZN

Disclaimer:

Models, pictures, and specifications are subject to change without prior notice. While every effort has been made to ensure the accuracy, consistency, and clarity of all information, images, and specifications, DT COOLING (PTY) Ltd cannot be held responsible for any errors, misprints, or inaccuracies.